

Thin Film Transistor LCD MODULE MODEL: AWY-240320T24N04 Customer's No.:

Acceptance

3504 Lake Lynda Drive, Suite110, Orlando, FL., USA 32817

Approved and Checked by					

Approved by	Checked by	Made by
MTUSA	MTUSA	MTUSA
2013/07/26	2013/07/26	2013/07/26
NICK	JOE	TOM





Revision Record

REV NO.	REV DATE	CONTENTS	Note
А	2013-06-13	NEW ISSUE	
В	2013-07-26	ENHANCED VIEWING ANGLE FROM 20/45/45/45 (D/U/R/L) TO 50/60/60/60 (D/U/R/L)	
-			





Table Of Contents

List	Description	Page No.
	Cover	1
	Revision Record	2
	Table Of Contents	3
1	General Information	4
2	External Dimensions	5
3	Interface Description	6
4	Absolute Maximum Ratings	7
5	DC Characteristics	7
6	Timing Characteristics	7
7	Backlight Characteristics	8
8	Optical Characteristics	9
9	Reliability Test Conditions And Methods	11
10	Inspection Standard	12
11	Handling Precautions	13
12	Precaution For Use	14

3504 Lake Lynda Drive, Suite 110, Orlando, FL. USA 32817




1. General Information

ITEM	STANDARD VALUES	UNITS
LCD type	2.4"TFT	
Dot arrangement	240(RGB)×320	dots
Color filter array	RGB vertical stripe	
Display mode	TN / Transmissive / Normally White	
Viewing Direction	12 o'clock	
Driver IC	ILI9341	
Module size	42.72(W)×60.26(H)×2.3(T)	mm
Active area	36.72(W)×48.96(H)	mm
Dot pitch	0.153 (W)×0.153 (H)	mm
Interface	i80-system 8/16-bit interface	
Operating temperature	-20 ~ +70	°C
Storage temperature	-30 ~ +80	°C
Back Light	4 White LED In Parallel	
Weight	TBD	g



3504 Lake Lynda Drive, Suite 110, Orlando, FL. USA 32817

2. External Dimensions



Microtips Technology USA 3504 Lake Lynda Drive, Suite 110, Orlando, FL., USA 32817



3504 Lake Lynda Drive, Suite 110, Orlando, FL. USA 32817

3. Interfa	ce Descrip	otion
PIN NO.	PIN NAME	DESCRIPTION
1	IM0	IM0=0:16bit,use DB0-DB15. IM0=1: 8bit,use DB8-DB15.
2	XL	
3	YU	
4	XR	TOUCH PIN.(NC)
5	YD	
6	GND	Power ground
7	IOVCC	System power supply (1.8V or 2.8V).
8	VCI	System power supply (2.8V).
9	TE	Tearing effect output pin to synchronize MPU to frame writing, activated by S/W command.
10	/CS	Chip select signal input terminal, Active at 'L'
		Register select signal input terminal:
11	RS	RS='H': select a control register;
		RS='L': select an index or status register.
12	/WR	Write signal input terminal, Active at 'L'
13	/RD	Read signal input terminal, Active at 'L'.
14	DB0	
15	DB1	
16	DB2	
17	DB3	
18	DB4	
19	DB5	
20	DB6	DATA BUS:
21	DB7	8-bit I/F: DB[15:8] is used.
22	DB8	_16-bit I/F: DB[15:0] is used.
23	DB9	Unused pins must be fixed to GND level.
24	DB10	
25	DB11	
26	DB12	
27	DB13	
28	DB14	
29	DB15	
30	/RESET	Reset signal input terminal, active at 'L'
31	NC	NC
32	LED-A	LED backlight anode
33	LED-K1	LED backlight kathode
34	LED-K2	LED backlight kathode
35	LED-K3	LED backlight kathode
36	LED-K4	LED backlight kathode
37	NC	NC
38	GND	Power ground
39	GND	Power ground
40	GND	Power ground

Microtips Technology USA

3504 Lake Lynda Drive, Suite 110, Orlando, FL., USA 32817

Microtips Technology USA 3504 Lake Lynda Drive, Suite 110, Orlando, FL. USA 32817



4. Absolute Maximum Ratings


Item	Symbol	Min.	Max.	Unit
Logic Supply Voltage	IOVCC	-0.3	4.6	V
Analog Supply Voltage	VCC	-0.3	4.6	V
Input Voltage	Vin	-0.3	IOVCC+0.3	V
Operating Temperature	Тор	-20	70	°C
Storage Temperature	Тѕт	-30	80	°C
Storage Humidity	HD	20	90	%RH

5. DC Characteristics

Item	Symbol	Min.	Тур.	Max.	Unit	Remark
Logic Supply Voltage	IOVCC	1.65	1.8/2.8	3.3	V	-
Analog Supply Voltage	VCC	2.5	2.8	3.3	V	-
Input High Voltage	V _{IH}	0.7IOVCC	-	IOVCC	V	Digital input pins
Input Low Voltage	VIL	GND	-	0.3IOVCC	V	Digital input pins
Output High Voltage	V _{OH}	0.8IOVCC	-	IOVCC	V	Digital output pins
Output Low Voltage	V _{OL}	GND	-	0.2IOVCC	V	Digital output pins
I/O Leak Current	ILI	-0.1	-	0.1	uA	-

6. Timing Characteristics


6.1 i80-System Interface Timing Characteristics



Microtips Technology USA 3504 Lake Lynda Drive, Suite 110, Orlando, FL., USA 32817

Microti 3504 Lake Lyn	-	817	HHH			
Signal	Symbo I	Parameter	min	max	Unit	Description
DCX	tast	Address setup time	0	-	ns	
DCX	taht	Address hold time (Write/Read)	0	-	ns	
	tchw	CSX "H" pulse width	0	-	ns	
	tcs	Chip Select setup time (Write)	15	-	ns	
CSX	trcs	Chip Select setup time (Read ID)	45	-	ns	
	trcsfm	Chip Select setup time (Read FM)	355	-	ns	
	tcsf	Chip Select Wait time (Write/Read)	10	-	ns	
	twc	Write cycle	66	-	ns	
WRX	twrh	Write Control pulse H duration	15	-	ns	
	twrl	Write Control pulse L duration	15	-	ns	
	trcfm	Read Cycle (FM)	450	-	ns	
RDX (FM)	trdhfm	Read Control H duration (FM)	90	-	ns	
	trdlfm	Read Control L duration (FM)	355	-	ns	
	trc	Read cycle (ID)	160	-	ns	
RDX (ID)	trdh	Read Control pulse H duration	90	-	ns	
	trdl	Read Control pulse L duration	45	-	ns	
	tdst	Write data setup time	10	-	ns	
D[17:0], D[17:10]&D[8:1], D[17:10],	tdht	Write data hold time	10	-	ns	For maximum CL=30pF
	trat	Read access time	-	40	ns	For minimum CL=30pF
D[17:9]	tratfm	Read access time	-	340	ns	
	trod	Read output disable time	20	80	ns	

6.2 Reset Timing Characteristics




(note 1,5)

120

(note 1,6,7)

7. Backlight Charasterics

tRT



Reset cancel

Item	Symbol	MIN	TYP	MAX	UNIT	Test Condition
Supply Voltage	Vf	3.0	3.2	3.5	V	lf=60mA
Supply Current	lf	-	60	80	mA	-
Luminous Intensity for LCM	-	200	250	-	cd/m ²	lf=60mA
Uniformity for LCM	-	80	-	-	%	lf=60mA
Life Time	-	20000	-	-	Hr	lf=60mA
Backlight Color	White					

Microtips Technology USA 3504 Lake Lynda Drive, Suite 110, Orlando, FL., USA 32817

mS



3504 Lake Lynda Drive, Suite 110, Orlando, FL. USA 32817

ltem		Symbol	Condition	Min.	Тур.	Max.	Unit	Note
Transmittance (without Polarizer)		T(%)	_	—	(14.4)	—	—	
Contrast Ratio)	CR	⊖=0	400	500	_	—	(1)(2)
	Rising	T _R	Normal viewing	_	4	8		
Response time	Falling	T _F	angle —		12	24	msec	(1)(3)
Color gamut		S(%)			60		%	
	White	W _x		0.283	0.303	0.323		
		Wy		0.305	0.325	0.345		
	Red	Rx		0.606	0.626	0.646		
Color		Ry		0.314	0.334	0.354		(1)(4)
chromaticity	Green	Gx		0.257	0.277	0.297		CF glass
(CIE1931)		Gy		0.529	0.549	0.569		(C-light)
		Bx		0.122	0.142	0.162		
	Blue	Ву		0.102	0.122	0.142		
		θL		50	60	_		
	Hor.	θ _R		50	60	_		
Viewing angle		θu	CR>10	50	60	_		
	Ver.	θ _D		40	50	_		
Optima View D	Direction		12 O'clock					

8. Optical Characteristics


Measuring Condition:

Dark room, 25±2°C 15min. warm-up time.

Measuring Equipment

FPM520 of Westar Display technologies, INC., which utilized SR-3 for Chromaticity and BM-5A for other optical characteristics.


Note (1) Definition of Viewing Angle :




Note (2) Definition of Contrast Ratio(CR) :



Measured at the center point of panel CR = Luminance with all pixels white / Luminance with all pixels black Note (3) Definition of Response Time : Sum of TR and TF



Note (5) Rubbing Direction (The different Rubbing Direction will cause the different optima view direction). TFT Face UP







9. Reliability Test Conditions And Methods

NO.	TEST ITEMS	TEST CONDITION	INSPECTION AFTER TEST
1	High Temperature Storage	80°C±2°C×200Hours	
2	Low Temperature Storage	-30°C±2°C×200Hours	
3	High Temperature Operating	70°C±2°C×120Hours	Inspection after 2~4hours
4	Low Temperature Operating	-20°C±2°C×120Hours	storage at room temperature, the samples should be free from
5	Temperature Cycle(Storage)	-20°C (30min) (5min) (30min) 1cycle Total 10cycle	defects: 1,Air bubble in the LCD. 2,Sealleak. 3,Non-display. 4,Missing segments.
6	Damp Proof Test (Storage)	50°C±5°C×90%RH×120Hours	5,Glass crack. 6,Current IDD is twice higher than initial value.
7	Vibration Test	Frequency:10Hz~55Hz~10Hz Amplitude:1.5M X,Y,Z direction for total 3hours (Packing Condition)	7,The surface shall be free from damage. 8,The electric characteristic requirements shall be
8	Drooping Test	Drop to the ground from 1M height one time every side of carton. (Packing Condition)	satisfied.
9	ESD Test	Voltage:±8KV,R:330Ω,C:150PF,Air Mode,10times	

REMARK:

1, The Test samples should be applied to only one test item.

2,Sample side for each test item is 5~10pcs.

3,For Damp Proof Test, Pure water(Resistance > 10M Ω)should be used.

4, In case of malfunction defect caused by ESD damage, if it would be recovered to normal state after resetting, it would be judge as a good part.

5,EL evaluation should be excepted from reliability test with humidity and temperature: Some defects such as black spot/blemish can happen by natural chemical reaction with humidity and Fluorescence EL has.

6, Failure Judgment Criterion: Basic Specification Electrical Characteristic, Mechanical Characteristic, Optical Characteristic.


3504 Lake Lynda Drive, Suite 110, Orlando, FL. USA 32817

10. Inspection Standard

This standard apply to TFT module specification.

1. Inspection condition:

Under daylight lamp 20~40W, product distance inspector'eye 30cm,incline degree 30°.



2. Inspection standard

NO.	Item	Inspection standard				Rate
	Dot	Case of Dot defect is below ① Bright Dot (whit spot) : "0" ② Dark Dot (black spot) : "0" (In case of Dark Dot on Main TFT LCD) - NG if there's full Dot defect. - Damaged less than the size of sub-pixel is not counted as defect - Dots darker than the size of sub-pixel are not defined as bright dot defect.				
2.1		as bright dot defect		Acceptable number		
		Φ≤0.10		ignore		
		0.10<Φ≤0.15		3		
		0 .15<Φ≤0.20		2		minor
		0.25<Φ≤0.25		1		
		0.25<Φ		0		
	line					-
			ize (mm)		Acceptable number	
		ignore	W≤0.03		ignore	
2.2		L≤4.0	0.03 <w≤0.04< td=""><td>2</td></w≤0.04<>		2	
		L≪4.0	0.04 <w≤0.05< td=""><td>1</td></w≤0.05<>		1	
			0.05 <w< td=""><td>Treat with dot non-conformance</td></w<>		Treat with dot non-conformance	

Microtips Technology USA

12/14

3504 Lake Lynda Drive, Suite 110, Orlando, FL., USA 32817



Microtips Technology USA 3504 Lake Lynda Drive, Suite 110, Orlando, FL. USA 32817



11. Handling Precautions

11.1 Mounting method

The LCD panel of SC LCD module consists of two thin glass plates with polarizes which easily be damaged. And since the module in so constructed as to be fixed by utilizing fitting holes in the printed circuit board.

Extreme care should be needed when handling the LCD modules.

11.2 Caution of LCD handling and cleaning

When cleaning the display surface, Use soft cloth with solvent

[recommended below] and wipe lightly

- Isopropyl alcohol
- Ethyl alcohol

Do not wipe the display surface with dry or hard materials that will damage the polarizer surface.

Do not use the following solvent:

Water

Aromatics

Do not wipe ITO pad area with the dry or hard materials that will damage the ITO patterns Do not use the following solvent on the pad or prevent it from being contaminated:

- Soldering flux
- Chlorine (Cl), Salfur (S)

If goods were sent without being sili8con coated on the pad, ITO patterns could be damaged due to the corrosion as time goes on.

If ITO corrosion happen by miss-handling or using some materials such as Chlorine (CI), Salfur (S) from customer, Responsibility is on customer.

11.3 Caution against static charge

The LCD module use C-MOS LSI drivers, so we recommended that you:

Connect any unused input terminal to Vdd or Vss, do not input any signals before power is turned on, and ground your body, work/assembly areas, assembly equipment to protect against static electricity.

11.4 packing

- Module employ LCD elements and must be treated as such.
- Avoid intense shock and falls from a height.
- To prevent modules from degradation, do not operate or store them exposed direct to sunshine or high temperature/humidity

11.5 Caution for operation

- It is an indispensable condition to drive LCD's within the specified voltage limit since the higher voltage then the limit cause the shorter LCD life.
- An electrochemical reaction due to direct current causes LCD's undesirable deterioration, so that the use of direct current drive should be avoided.
- Response time will be extremely delayed at lower temperature then the operating temperature range and on the other hand at higher temperature LCD's how dark color in them. However those phenomena do not mean malfunction or out of order with LCD's, which will come back in the specified operation temperature.
- If the display area is pushed hard during operation, some font will be abnormally displayed but it resumes normal condition after turning off once.
- A slight dew depositing on terminals is a cause for electro-chemical reaction resulting in terminal open circuit.

Usage under the maximum operating temperature, 50%Rh or less is required.

13/14

REV B

3504 Lake Lynda Drive, Suite 110, Orlando, FL. USA 32817

11.6 storage

In the case of storing for a long period of time for instance, for years for the purpose or replacement use, the following ways are recommended.

- Storage in a polyethylene bag with the opening sealed so as not to enter fresh air outside in it . And with no desiccant.
- Placing in a dark place where neither exposure to direct sunlight nor light's keeping the storage temperature range.
- Storing with no touch on polarizer surface by the anything else. [It is recommended to store them as they have been contained in the inner container at the time of delivery from us

11.7 Safety

- It is recommendable to crash damaged or unnecessary LCD's into pieces and wash off liquid crystal by either of solvents such as acetone and ethanol, which should be burned up later.
- When any liquid leaked out of a damaged glass cell comes in contact with your hands, please wash it off well with soap and water

12. Precaution For Use

12.1

A limit sample should be provided by the both parties on an occasion when the both parties agreed its necessity. Judgment by a limit sample shall take effect after the limit sample has been established and confirmed by the both parties.

12.2

On the following occasions, the handing of problem should be decided through discussion and agreement between responsible of the both parties.

- When a question is arisen in this specification
- When a new problem is arisen which is not specified in this specifications
- When an inspection specifications change or operating condition change in customer is reported to GT LCD, and some problem is arisen in this specification due to the change
- When a new problem is arisen at the customer's operating set for sample evaluation in the customer site.