






| LOC |    | DIST |     | REVISIONS               |           |     |      |  |
|-----|----|------|-----|-------------------------|-----------|-----|------|--|
| ES  | 00 | P    | LTR | DESCRIPTION             | DATE      | DWN | APVD |  |
|     |    | E8   |     | REV PER ECR-12-021802   | 04JAN2013 | ML  | SZ   |  |
|     |    | E9   |     | ADD NEW DASH NUMBER 2-3 | 21MAY2013 | CZ  | SZ   |  |
|     |    |      |     |                         |           |     |      |  |






- 1 "AMP", PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN.
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0  
SIGNAL CONTACT - COPPER ALLOY  
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER CONTACTS AND SIGNAL CONTACTS.
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 CU PLATING TO ACHIEVE A .040±.003 DIA HOLE





| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
|     |      | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| ES  | 00   | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |



PART 2-6450131-1  
(NO CONTACT VIEW)

|    |       |       |       |       |       |       |       |       |                     |             |
|----|-------|-------|-------|-------|-------|-------|-------|-------|---------------------|-------------|
| E9 | -     | -     | 4.650 | .250  | .400  | 4.700 | 1.800 | 5.000 | 52S + 12P           | 2-6450131-3 |
|    | -     | -     | 1.700 | .250  | .375  | 1.750 | .850  | 2.050 | 16S + 4P            | 2-6450131-2 |
|    | 1.550 | .250  | 1.900 | .250  | .450  | 1.950 | .875  | 2.250 | 24S                 | 2-6450131-1 |
|    |       |       | 1.600 | .250  | .375  | 1.650 | .750  | 1.950 | 12S + 4P            | 1-6450131-9 |
|    |       |       | 3.650 | .250  | .400  | 3.700 | 1.300 | 4.000 | 32S + 10P           | 1-6450131-8 |
|    |       |       | 2.950 | .200  | .375  | 3.000 | 1.050 | 3.300 | 24S + 10HDP         | 1-6450131-7 |
|    |       |       | 2.400 | .250  | .375  | 2.450 | 1.050 | 2.750 | 24S + 6P            | 1-6450131-6 |
|    |       |       | 2.450 | .200  | .375  | 2.500 | .950  | 2.800 | 20S + 8P            | 1-6450131-5 |
|    |       |       | 2.400 | .250  | .375  | 2.450 | 1.050 | 2.750 | 24S + 6P            | 1-6450131-4 |
|    |       |       | 2.550 | .200  | .375  | 2.600 | 1.050 | 2.900 | 24S + 3P + 16S + 3P | 1-6450131-3 |
|    |       |       | 2.500 | .250  | .425  | 2.550 | .875  | 2.850 | 12S + 7P            | 1-6450131-1 |
|    |       |       | 2.400 | .250  | .375  | 2.450 | 1.050 | 2.750 | 24S + 6P            | 6450131-7   |
|    |       |       | 2.700 | .300  | .375  | 2.750 | .775  | 3.050 | 12S + 7ACP          | 6450131-6   |
|    |       |       | 2.400 | .250  | .375  | 2.450 | 1.050 | 2.750 | 24S + 6P            | 6450131-5   |
|    |       |       | 4.400 | .250  | .375  | 4.450 | 1.050 | 4.750 | 24S + 14P           | 6450131-4   |
|    |       |       | 1.950 | .250  | .375  | 2.000 | .850  | 2.300 | 16S + 5P            | 6450131-3   |
|    | DIM R | DIM T | DIM U | DIM S | DIM K | DIM D | DIM W | DIM L | DESCRIPTION         | PART NUMBER |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01

1 PLC ±.01

2 PLC ±.01

3 PLC ±.005

4 PLC ±.002

ANGLES ±2°

FINISH

MATERIAL

-

DWN R. GRZYBOWSKI

CHK M. PERCHERKE

APVD W. PERCHERKE

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

-

CUSTOMER DRAWING

15FEB05

15FEB05

-

NAME

RIGHT ANGLE HEADER ASSY

SOLDER CONTACTS, W/GUIDES

MULTI-BEAM XL

SIZE

A1

CAGE CODE

00779

DRAWING NO

6450131

RESTRICTED TO

-

TE Connectivity

SCALE 1:1

SHEET 2


OF 9

REV E9




| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| ES  | 00   | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |


| PART NUMBER | ROWS |  | SIGNAL |   |   |   | POWER |    |    |    |    |  |  |
|-------------|------|--|--------|---|---|---|-------|----|----|----|----|--|--|
|             |      |  | 1      | 2 | 3 | 4 | P1    | P2 | P3 | P4 | P5 |  |  |
| 6450131-3   | D    |  | J      | J | J | J | PM    | PM | PM | PM | PM |  |  |
|             | C    |  | K      | K | K | K |       |    |    |    |    |  |  |
|             | B    |  | N      | N | N | N |       |    |    |    |    |  |  |
|             | A    |  | S      | S | S | H |       |    |    |    |    |  |  |
| 16S + 5P    |      |  |        |   |   |   |       |    |    |    |    |  |  |



| PART NUMBER | ROWS |  | SIGNAL |   |   |   |   |   | POWER |    |    |    |    |    |  |
|-------------|------|--|--------|---|---|---|---|---|-------|----|----|----|----|----|--|
|             |      |  | I      | 2 | 3 | 4 | 5 | 6 | P1    | P2 | P3 | P4 | P5 | P6 |  |
| 6450131-5   | D    |  | J      | J | J | J | J | E | PM    | PM | PM | PM | PM | PM |  |
|             | C    |  | K      | K | K | K | K | K |       |    |    |    |    |    |  |
|             | B    |  | N      | N | N | N | N | N |       |    |    |    |    |    |  |
|             | A    |  | H      | S | S | S | S | S |       |    |    |    |    |    |  |
| 24S + 6P    |      |  |        |   |   |   |   |   |       |    |    |    |    |    |  |



| PART NUMBER | ROWS |  | SIGNAL |   |   |   |   |   | POWER |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|-------------|------|--|--------|---|---|---|---|---|-------|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|--|--|
|             |      |  | 1      | 2 | 3 | 4 | 5 | 6 | P1    | P2 | P3 | P4 | P5 | P6 | P7 | P8 | P9 | P10 | P11 | P12 | P13 | P14 |  |  |
| 6450131-4   | D    |  | J      | J | J | J | J | J | PM    | PM | PM | PM | PM | PM | PM | PM | PM | PM  | PM  | PM  | PM  | PM  |  |  |
|             | K    |  | K      | K | K | K | K |   |       |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|             | N    |  | N      | N | N | N | N | N |       |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
|             | S    |  | S      | H | H | S | S |   |       |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |
| 24S + 14P   |      |  |        |   |   |   |   |   |       |    |    |    |    |    |    |    |    |     |     |     |     |     |  |  |



|               |             |
|---------------|-------------|
| PA            | .090        |
| PM            | .135        |
| CODE          | TAIL LENGTH |
| POWER CONTACT |             |

|    |      |      |   |
|----|------|------|---|
| Z  | STD  | .090 | D |
| Y  | STD  | .090 | C |
| R  | STD  | .090 | B |
| O  | STD  | .090 | A |
| A4 | MLBF | .090 | D |
| A3 | MLBF | .090 | C |
| A2 | MLBF | .090 | B |
| A1 | MLBF | .090 | A |
| E  | MLBF | .135 | D |
| F  | MLBF | .135 | C |
| G  | MLBF | .135 | B |
| H  | MLBF | .135 | A |
| FJ | MFBF | .135 | D |
| J  | STD  | .135 | D |
| K  | STD  | .135 | C |
| N  | STD  | .135 | B |
| S  | STD  | .135 | A |

|                |                 |             |     |
|----------------|-----------------|-------------|-----|
| CODE           | MATING SEQUENCE | TAIL LENGTH | ROW |
| SIGNAL CONTACT |                 |             |     |

|                                        |  |                                        |         |                   |  |                 |  |
|----------------------------------------|--|----------------------------------------|---------|-------------------|--|-----------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN R. GRZYBOWSKI                      | 15FEB05 |                   |  | TE Connectivity |  |
| DIMENSIONS: INCHES                     |  | CHK M. PERCHERKE                       | 15FEB05 |                   |  |                 |  |
|                                        |  | TOLERANCES UNLESS OTHERWISE SPECIFIED: |         | APVD W. PERCHERKE |  | NAME            |  |
|                                        |  | 0 PLC ±.01                             |         | PRODUCT SPEC      |  | 108-1973        |  |
|                                        |  | 2 PLC ±.01                             |         | APPLICATION SPEC  |  | 114-13038       |  |
|                                        |  | 3 PLC ±.005                            |         |                   |  |                 |  |
|                                        |  | 4 PLC ±.0020                           |         |                   |  |                 |  |
|                                        |  | ANGLES ±.2°                            |         |                   |  |                 |  |
|                                        |  | FINISH                                 |         |                   |  |                 |  |
| MATERIAL                               |  |                                        |         | WEIGHT            |  | RESTRICTED TO   |  |
|                                        |  |                                        |         |                   |  |                 |  |
|                                        |  |                                        |         | CUSTOMER DRAWING  |  | SCALE 1:1       |  |
|                                        |  |                                        |         |                   |  | SHEET 3 of 9    |  |
|                                        |  |                                        |         |                   |  | REV E9          |  |



| PART NUMBER | ROWS             |                                                                                     | SIGNAL |   |   | POWER |    |    |    |    |    |    |  |                                                                                     |
|-------------|------------------|-------------------------------------------------------------------------------------|--------|---|---|-------|----|----|----|----|----|----|--|-------------------------------------------------------------------------------------|
|             |                  |                                                                                     | 1      | 2 | 3 | P1    | P2 | P3 | P4 | P5 | P6 | P7 |  |                                                                                     |
| 1-6450131-1 | D<br>C<br>B<br>A |  | J      | J | J | PM    |    | PM |    | PM |    | PM |  |  |
|             |                  |                                                                                     | K      | K | K |       |    |    |    |    |    |    |  |                                                                                     |
|             |                  |                                                                                     | N      | N | N |       |    |    |    |    |    |    |  |                                                                                     |
|             |                  |                                                                                     | S      | S | S |       |    |    |    |    |    |    |  |                                                                                     |
| 12S + 7P    |                  |                                                                                     | NO     |   |   |       |    |    |    |    |    |    |  |                                                                                     |

This mechanical drawing illustrates the layout of a PCB, detailing dimensions, tolerances, and specific features. The overall width is 2.550, and the minimum length is 2.880. The drawing includes various callouts for dimensions, tolerances, and material specifications, as well as a grid of circular features.

**Dimensions and Tolerances:**


- Overall width: 2.550
- Overall length: 2.880 MIN
- Top edge dimensions: .675, .275, .500 (3 PLC)
- Bottom edge dimensions: .300, .100 (TYP), .100 (4 PLC), .100 (TYP)
- Right edge dimensions: .660 MIN, .100 (TYP)


**Feature Callouts:**


- Top left:  $\phi .098 \pm .002$  (6),  $\phi .004$  (2 PLC)
- Top center:  $\phi .040 \pm .003$  (6, 7),  $\phi .004$  (44 PLC)
- Top right:  $\phi .004$  (5)
- Bottom left:  $\phi .004$  (5),  $\phi .004$  (5)
- Bottom center:  $\phi .004$  (5)
- Bottom right:  $\phi .004$  (5)

**Other Features:**

- PCB EDGE
- BSC (Bottom Surface Center)
- TYP (Typical)
- PLC (Plating Layer Control)


| PART NUMBER         | ROWS |                                                                                       | SIGNAL             |   |   |   |   |   | POWER |    |    | SIGNAL                                                                                |   |   |    | POWER |    |    |    |                                                                                       |
|---------------------|------|---------------------------------------------------------------------------------------|--------------------|---|---|---|---|---|-------|----|----|---------------------------------------------------------------------------------------|---|---|----|-------|----|----|----|---------------------------------------------------------------------------------------|
|                     |      |                                                                                       | 1                  | 2 | 3 | 4 | 5 | 6 | P1    | P2 | P3 | 7                                                                                     | 8 | 9 | 10 | P4    | P5 | P6 |    |                                                                                       |
| 1-6450131-3         | D    |  | J                  | J | J | J | J | E | PM    | PM | PM |  |   |   |    |       | PM | PM | PM |  |
|                     | K    |                                                                                       | K                  | K | K | K | K |   |       |    |    |                                                                                       |   |   |    |       |    |    |    |                                                                                       |
|                     | N    |                                                                                       | N                  | N | N | N | N |   |       |    |    |                                                                                       |   |   |    |       |    |    |    |                                                                                       |
|                     | H    |                                                                                       | S                  | S | S | S | S |   |       |    |    |                                                                                       |   |   |    |       |    |    |    |                                                                                       |
| 24S + 3P + 16S + 3P |      |                                                                                       | NO CONTACTS LOADED |   |   |   |   |   |       |    |    |                                                                                       |   |   |    |       |    |    |    |                                                                                       |





|                                                                                       |  |                                            |  |                                                                       |                                                                                                       |               |              |       |
|---------------------------------------------------------------------------------------|--|--------------------------------------------|--|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------|--------------|-------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWA<br>R. GRZYBOWSKI                       |  | 15FEB05                                                               |  TE Connectivity |               |              |       |
|                                                                                       |  | CHP<br>M. PERCHERKE                        |  | 15FEB05                                                               |                                                                                                       |               |              |       |
| DIMENSIONS:<br>INCHES                                                                 |  | TOLERANCES, UNLESS<br>OTHERWISE SPECIFIED: |  | NAME                                                                  |                                                                                                       |               |              |       |
|  |  | 0 PLOC ±.1                                 |  | RIGHT ANGLE FINDER ASSY<br>SOLDER CONTACTS, W/GUIDES<br>MULTI-BEAM XL |                                                                                                       |               |              |       |
|                                                                                       |  | 1 PLOC ±.1                                 |  |                                                                       |                                                                                                       |               |              |       |
|                                                                                       |  | 2 PLOC ±.1                                 |  |                                                                       |                                                                                                       |               |              |       |
|                                                                                       |  | 3 PLOC ±.005                               |  |                                                                       |                                                                                                       |               |              |       |
| 4 PLOC ±.0020                                                                         |  | PRODUCT SPEC                               |  | SIZE CASE CODE DRAWING NO                                             |                                                                                                       | RESTRICTED TO |              |       |
| ANGLES ±.2°                                                                           |  | 108-1973                                   |  |                                                                       |                                                                                                       |               |              |       |
| FINISH                                                                                |  | APPLICATION SPEC                           |  | A1 100779 C-6450131                                                   |                                                                                                       |               |              |       |
|                                                                                       |  | 114-13038                                  |  |                                                                       |                                                                                                       |               |              |       |
| MATERIAL                                                                              |  | WEIGHT                                     |  | CUSTOMER DRAWING                                                      |                                                                                                       | SCALE 1:1     | SHEET 4 OF 9 | REV E |
| -                                                                                     |  | -                                          |  |                                                                       |                                                                                                       |               |              |       |






| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| ES  | 00   | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |

| PART NUMBER | ROWS |                                                                                   | SIGNAL |   |   |   |   |   | POWER |    |    |    |    |    |                                                                                    |
|-------------|------|-----------------------------------------------------------------------------------|--------|---|---|---|---|---|-------|----|----|----|----|----|------------------------------------------------------------------------------------|
|             |      |                                                                                   | 1      | 2 | 3 | 4 | 5 | 6 | P1    | P2 | P3 | P4 | P5 | P6 |                                                                                    |
| I-6450131-4 | D    |  | J      | J | J | J | J | J | PM    | PM | PM | PM | PM | PM |  |
|             | K    |                                                                                   | K      | K | K | K | K |   |       |    |    |    |    |    |                                                                                    |
|             | N    |                                                                                   | N      | N | G | N | N |   |       |    |    |    |    |    |                                                                                    |
|             | S    |                                                                                   | S      | S | H | S | S |   |       |    |    |    |    |    |                                                                                    |
| 24S + 6P    |      |                                                                                   |        |   |   |   |   |   |       |    |    |    |    |    |                                                                                    |



| PART NUMBER | ROWS |                                                                                     | SIGNAL |   |   |   |   | POWER |    |    |    |    |    |    |    |  |
|-------------|------|-------------------------------------------------------------------------------------|--------|---|---|---|---|-------|----|----|----|----|----|----|----|--|
|             |      |                                                                                     | 1      | 2 | 3 | 4 | 5 | P1    | P2 | P3 | P4 | P5 | P6 | P7 | P8 |  |
| I-6450131-5 | D    |  | J      | J | J | J | J | PM    | PM | PM | PM | PM | PM | PM | PM |  |
|             | C    |                                                                                     | K      | K | K | K | K |       |    |    |    |    |    |    |    |  |
|             | B    |                                                                                     | N      | G | N | N | N |       |    |    |    |    |    |    |    |  |
|             | A    |                                                                                     | S      | S | S | S | S |       |    |    |    |    |    |    |    |  |
| 20S + 8P    |      |                                                                                     |        |   |   |   |   |       |    |    |    |    |    |    |    |  |



| PART NUMBER | ROWS |                                                                                       | SIGNAL |   |   |   |   |   | POWER                                                                                 |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|-------------|------|---------------------------------------------------------------------------------------|--------|---|---|---|---|---|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|             |      |                                                                                       | 1      | 2 | 3 | 4 | 5 | 6 | P1                                                                                    | P2                                                                                    | P3                                                                                    | P4                                                                                    | P5                                                                                    | P6                                                                                    |                                                                                       |
| I-6450131-6 | D    |  | J      | J | J | J | J | E |  |  |  |  |  |  |  |
|             | K    |                                                                                       | K      | K | K | K | K |   |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|             | N    |                                                                                       | N      | N | N | N | N |   |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|             | H    |                                                                                       | S      | S | S | S | S |   |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
| 24S + 6P    |      |  |        |   |   |   |   |   |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |  |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN  
R. GRZYBOWSKI  
CHK  
M. PERCHERKE  
APVD  
M. PERCHERKE

15FEB05  
15FEB05  
-

DIMENSIONS:  
INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:  
0 PLC ±.  
1 PLC ±.  
2 PLC ±.01  
3 PLC ±.005  
4 PLC ±.0020  
ANGLES ±2°  
FINISH

MATERIAL

-

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

-

CUSTOMER DRAWING

SCALE 1:1

NAME

RIGHT ANGLE HEADER ASSY  
SOLDER CONTACTS, W/GUIDES  
MULTI-BEAM XL

SIZE

A1

CAGE CODE

00779

DRAWING NO

6450131

RESTRICTED TO

-

SHEET

5

OF

9

REV

E9









| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| ES  | 00   | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |

| PART NUMBER | ROWS |  | SIGNAL |   |   |   |   |   |   |   | POWER |    |    |    |    |    |    |    |    |     |  |
|-------------|------|--|--------|---|---|---|---|---|---|---|-------|----|----|----|----|----|----|----|----|-----|--|
|             |      |  | 1      | 2 | 3 | 4 | 5 | 6 | 7 | 8 | P1    | P2 | P3 | P4 | P5 | P6 | P7 | P8 | P9 | P10 |  |
| I-6450131-8 | D    |  | J      | J | J | J | J | J | J | J | PM    | PM | PM | PM | PM | PM | PM | PM | PM | PM  |  |
|             | K    |  | K      | K | F | F | K | K | K |   |       |    |    |    |    |    |    |    |    |     |  |
|             | N    |  | N      | N | G | G | N | N | N |   |       |    |    |    |    |    |    |    |    |     |  |
|             | S    |  | S      | S | S | S | S | S | S |   |       |    |    |    |    |    |    |    |    |     |  |
| 32S + 10P   |      |  |        |   |   |   |   |   |   |   |       |    |    |    |    |    |    |    |    |     |  |

| PART NUMBER | ROWS |                                                                                     | SIGNAL |    |    | POWER |    |    |    |                                                                                     |
|-------------|------|-------------------------------------------------------------------------------------|--------|----|----|-------|----|----|----|-------------------------------------------------------------------------------------|
|             |      |                                                                                     | 1      | 2  | 3  | P1    | P2 | P3 | P4 |                                                                                     |
| I-6450131-9 | D    |  | J      | FJ | FJ | PM    | PM | PM | PM |  |
|             | C    |                                                                                     | K      | K  | K  |       |    |    |    |                                                                                     |
|             | B    |                                                                                     | N      | N  | N  |       |    |    |    |                                                                                     |
|             | A    |                                                                                     | H      | H  | S  |       |    |    |    |                                                                                     |
| 12S + 4P    |      |                                                                                     |        |    |    |       |    |    |    |                                                                                     |










| LOC | DIST | REVISIONS |     |             |      |     |      |
|-----|------|-----------|-----|-------------|------|-----|------|
| ES  | 00   | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |      | -         | -   | SEE SHEET 1 | -    | -   | -    |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |
|     |      |           |     |             |      |     |      |

| PART NUMBER | ROWS |                                                                                     | SIGNAL |   |   |   |   |   |   |   |   |    |    |    |    | POWER |    |    |    |    |    |    |    |    |     |     |     |                                                                                     |
|-------------|------|-------------------------------------------------------------------------------------|--------|---|---|---|---|---|---|---|---|----|----|----|----|-------|----|----|----|----|----|----|----|----|-----|-----|-----|-------------------------------------------------------------------------------------|
|             |      |                                                                                     | 1      | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | P1    | P2 | P3 | P4 | P5 | P6 | P7 | P8 | P9 | P10 | P11 | P12 |                                                                                     |
| 2-6450131-3 | D    |  | J      | J | J | J | J | J | J | J | J | J  | J  | J  |    | PM    | PM | PM | PM | PM | PM | PM | PM | PM | PM  | PM  | PM  |                                                                                     |
|             | C    |                                                                                     | K      | K | K | K | K | F | F | K | K | K  | K  | K  |    |       |    |    |    |    |    |    |    |    |     |     |     |                                                                                     |
|             | B    |                                                                                     | N      | N | N | N | N | G | G | N | N | N  | N  | N  | N  |       |    |    |    |    |    |    |    |    |     |     |     |                                                                                     |
|             | A    |                                                                                     | S      | S | S | S | S | S | S | S | S | S  | S  | S  | S  |       |    |    |    |    |    |    |    |    |     |     |     |                                                                                     |
| 52S + 12P   |      |  |        |   |   |   |   |   |   |   |   |    |    |    |    |       |    |    |    |    |    |    |    |    |     |     |     |  |



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN R. GRZYBOWSKI 15FEB05  
CHK M. PERCHERKE 15FEB05  
APVD M. PERCHERKE -

NAME

DIMENSIONS:  
INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:  
0 PLC ±"  
1 PLC ±.01  
2 PLC ±.01  
3 PLC ±.005  
4 PLC ±.0020  
ANGLES ±2°  
FINISH

MATERIAL

-

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

-

CUSTOMER DRAWING

SCALE 1:1

SHEET 9 OF 9

REV E 9

TE Connectivity

RIGHT ANGLE HEADER ASSY  
SOLDER CONTACTS, W/GUIDES  
MULTI-BEAM XL

SIZE A1

CAGE CODE 00779

DRAWING NO. 6450131

RESTRICTED TO