





REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN
C		REVISED PER ECO-14-002692	07MAY2014	CJV

- 1 MATERIALS:
CAGE ASSEMBLY- NICKEL SILVER ALLOY PER ASTM B 122.
BRACKET- STAINLESS STEEL.
EMI GASKET- PLATED FILLED SILICONE.
HOUSING- BLACK LCP, UL 94V-0 RATED.
CHICKLET- BLACK LCP, UL 94V-0 RATED.
LIGHT PIPE- POLYCARBONATE, CLEAR.
INSERT - (FOR LIGHT PIPE PART NUMBERS ONLY) - PBT, BLACK, UL 94V-0
CONTACT- COPPER ALLOY.
- 2 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
3. MINIMUM PCB THICKNESS OF 1.5.
- 4 CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TYCO ELECTRONICS PRODUCT SPECIFICATION 108-2331, BASED ON EIA/ECA-364-1000.01A, (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE, TIN-LEAD ON NEEDLE EYE.
- 5 CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TYCO ELECTRONICS PRODUCT SPECIFICATION 108-2331, BASED ON EIA/ECA-364-1000.01A, (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE, TIN ON NEEDLE EYE.
- 6 FOR HOLE SIZE AND PLATINGS, SEE APPLICATION SPEC 114-13219.
- 7 THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS AND SIGNAL TRACES, TOP SIDE ONLY. TOP SIDE TRACES ALLOWED WITHIN CONNECTOR HOLE PATTERN.
- 8 LIGHT PIPE PAD LAYOUT IS FOR 0805 LOW PROFILE LED PACKAGE WITH A HEIGHT OF 0.8mm.


5	NO LIGHT PIPES	2007399-8
	OUTER 2 LIGHT PIPES	2007399-7
	INNER 2 LIGHT PIPES	2007399-6
	4 LIGHT PIPES	2007399-5
4	NO LIGHT PIPES	2007399-4
	OUTER 2 LIGHT PIPES	2007399-3
	INNER 2 LIGHT PIPES	2007399-2
	4 LIGHT PIPES	2007399-1
FINISH	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK 10OCT2007	TE TE Connectivity	
DIMENSIONS: mm		CHK D. SZCZESNY 10OCT2007		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D. SZCZESNY 10OCT2007	NAME	
0 PLC ±0.10 1 PLC ±0.10 2 PLC ±0.10 3 PLC ±0.10 4 PLC ±0.10 ANGLES ±°		PRODUCT SPEC 108-2331 APPLICATION SPEC 114-13219	CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
MATERIAL		FINISH	SIZE A1	RESTRICTED TO
1		4/5	CAGE CODE 00779	REV C
CUSTOMER DRAWING		SCALE 4:1	SHEET 1	OF 4


REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-




2007399-1 AND 2007399-5
SCALE 3:1




2007399-2 AND 2007399-6
SCALE 3:1




2007399-3 AND 2007399-7
SCALE 3:1




2007399-4 AND 2007399-8
SCALE 3:1


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M. SHIRK	10OCT2007	 TE Connectivity	
		CHK	D. SZCZESNY	10OCT2007		
		APVD	D. SZCZESNY	10OCT2007	NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:				
mm		0 PLC ±0.10 1 PLC ±0.10 2 PLC ±0.10 3 PLC ±0.10 4 PLC ±0.10 ANGLES ±°			SIZE A1	
MATERIAL		FINISH				
		CUSTOMER DRAWING				
		SCALE 4:1				
		SHEET 2 OF 4				
		REV C				




REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN. M. SHIRK 10OCT2007	 TE Connectivity	
DIMENSIONS:		CHK. D. SZCZESNY 10OCT2007		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD. D. SZCZESNY 10OCT2007	NAME	
	0 PLC ±0.10	PRODUCT SPEC	CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
	2 PLC ±0.10	108-2331		
	3 PLC ±0.10	APPLICATION SPEC		
MATERIAL	FINISH	114-13219	SIZE	CAGE CODE
		WEIGHT	A100779	C=2007399
CUSTOMER DRAWING		SCALE	4:1	SHEET 3 OF 4


REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
	-	SEE SHEET 1	-	-	-



DETAIL G
CONNECTOR HOUSING
KEEPOUT ZONE
4X INDIVIDUALLY
SCALE 10:1



RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 2:1



SECTION U-U

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK 10OCT2007	TE Connectivity	
		CHK D. SZCZESNY 10OCT2007		
DIMENSIONS:		APVD D. SZCZESNY 10OCT2007	NAME	
mm		PRODUCT SPEC		
		108-2331	CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
		APPLICATION SPEC		
		114-13219	SIZE CAGE CODE DRAWING NO	
		WEIGHT		
		FINISH	A100779C=2007399	
		CUSTOMER DRAWING		
		SCALE 4:1	SHEET 4 OF 4	
			REV C	