

### Flash LED Driver with Programmable 1.5A Current Source

#### Features

- High efficiency synchronous boost converter with 2MHz/4MHz switching frequency option
- I<sup>2</sup>C interface programming and hardware STROBE/TORCH control
- Single-channel programmable current source
  - ▶ Flash/Torch/IR modes
    - Flash: Up to 1.5A
    - Torch: Up to 0.375A
  - ▶ Programmable ramp shape and time control
  - ▶ Three input low voltage protection modes
  - ▶ Flash time-out protection
  - ▶ LED cathode ground connection for improved thermal dissipation
- LED open/short protection
- I<sup>2</sup>C fault read back

#### Brief Description

KTD2681 is the ideal power solution for high-power flash LEDs. It includes a highly integrated synchronous boost converter and two current sources, providing a very small total solution in portable application. It has both I<sup>2</sup>C interface and hardware STROBE/TORCH pins for maximum control flexibility. The integrated current source on/off and current settings in Flash/Torch/IR modes can be programmed by the I<sup>2</sup>C interface. It also has three selectable input low voltage protection modes to prevent a system reset under low battery condition.


Various protection features are integrated into KTD2681, including cycle-by-cycle input current limit protection, output over-voltage protection, LED fault (open or short) protection, flash timeout protection and thermal shutdown protection.

KTD2681 is available in a RoHS and Green 12-ball 1.30mm x 1.57mm WLCSP package with 0.4mm pitch.

#### Applications

- Smartphones and Tablets Camera Flash
- Digital Cameras

#### Typical Application



### Ordering Information

Part Number	Marking <sup>1</sup>	Operating Temperature	Package
KTD2681EUR-TR	IWYYZZ	-40°C to +85°C	WLCSP-12, 1.30mm x 1.57mm

1. "XXYYZZ" is the top mark, date code and assembly code respectively.

Kinetic Technologies cannot assume responsibility for use of any circuitry other than circuitry entirely embodied in a Kinetic Technologies product. No intellectual property or circuit patent licenses are implied. Kinetic Technologies reserves the right to change the circuitry and specifications without notice at any time.