9001KP35LLL31



Main

Range of product	Harmony 9001K
Product or component type	Pilot light
Device short name	9001K

Complementary

Bezel material	Chromium plated metal	
Mounting diameter	1.18 in (30 mm)	
Shape of signaling unit head	Round	
Lens type	Domed (plastic)	
Cap/operator or lens colour	Blue	
Light source	Blue LED	
Bulb base	BA 9s	
Light block supply	Direct	
Connections - terminals	Screw clamp terminals (1 x 0.222 x 1.5 mm²) conforming to IEC 60947-1	
Tightening torque	7.08 lbf.in (0.8 N.m) conforming to IEC 60947-1	
Shape of screw head	Cross slotted	
Operating position	Any position	
[Ui] rated insulation voltage	250 V (degree of pollution: 2) conforming to IEC 60947-1	
[Uimp] rated impulse withstand voltage	2.5 kV conforming to IEC 60947-1	
Short-circuit protection	10 A cartridge fuse conforming to IEC 60947-5-1	
[lth] conventional free air thermal current	10 A	
CAD overall width	2.13 in (54 mm)	
CAD overall height	2.76 in (70 mm)	
CAD overall depth	1.65 in (42 mm)	
Product weight	0.3 lb(US) (0.134 kg)	

Environment

standards	EN/IEC 60947-1 EN/IEC 60947-5-1 EN/IEC 60947-5-4 JIS C 4520 JIS C 852 UL 508 CSA C22.2 No 14	
product certifications	NEMA UL 508	
protective treatment	TC	
ambient air temperature for storage	-40158 °F (-4070 °C)	
ambient air temperature for operation	-13158 °F (-2570 °C)	
vibration resistance	7 gn (f = 2500 Hz) conforming to IEC 60068-2-6	
shock resistance	50 gn conforming to IEC 60068-2-27	
overvoltage category	Class II conforming to IEC 61140	_
IP degree of protection	IP66 conforming to IEC 60529	
NEMA degree of protection	NEMA 1 NEMA 12	



NEMA 13 NEMA 2 NEMA 3 NEMA 3R NEMA 4 NEMA 6

Offer Sustainability

785901457480	785901457480
Compliant - since 0921 - Schneider Electric declaration of conformity	Compliant - since 0921 - Schneider Electric declaration of conformity
Reference not containing SVHC above the threshold	Reference not containing SVHC above the threshold
WARNING: This product can expose you to chemicals including:	WARNING: This product can expose you to chemicals including:
Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm.	Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm.
For more information go to www.p65warnings.ca.gov	For more information go to www.p65warnings.ca.gov

Warranty period

Warranty period	18 months

