

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION





MAR ,1999.

© COPYRIGHT 1999 By -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED	12OCT05	D.L	H.K
	B	REVISED PER ECO-16-014598	24NOV16	B.J	S.Y



						HSG COLOR	
						BLACK	NATURAL
SIF COATING	N	3	30	↑	66.8	240	
	Y	↑	↑	↑	61.8	220	6-5353606-6
	N			75	56.8	200	
	↑			70	51.8	180	
				↑	49.3	170	
					46.8	160	
					44.3	150	
					41.8	140	
		3	30	70	36.8	120	
		5	50	43	31.8	100	
		↑	↑	↑	29.3	90	
					26.8	80	
					24.3	70	
					21.8	60	
					19.3	50	
	N	5	50	43	16.8	40	
NON SIF	Y	3	30	↑	66.8	240	3-5353606-7
	Y	↑	↑	↑	61.8	220	1-5353606-6
	N			75	56.8	200	
	↑			70	51.8	180	
				↑	49.3	170	
					46.8	160	
					44.3	150	
					41.8	140	
		3	30	70	36.8	120	
		5	50	43	31.8	100	
		↑	↑	↑	29.3	90	
					26.8	80	
					24.3	70	
					21.8	60	
					19.3	50	
	N	5	50	43	16.8	40	
	↑	↑	↑	↑	14.3	30	
TOOLING AVAIL		ROW	QTY	B	A	POS.	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN D.LIU 12OCT05

CHK T.FUTATSUGI 12OCT05

APVD W.KODAMA 12OCT05

PRODUCT SPEC

108-5560

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

STE TE Connectivity

NAME

HARD TRAY ASSY


FH 0.5BTB CONNECTOR

REC 4H WITH G-CONT. AND CAP

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 00779 C-5353606

SCALE 1:2 SHEET 1 OF 5 REV B

DIMENSIONS:
MM


MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:0 PLC ± 0.3
1 PLC ± 0.3
2 PLC ± 0.3
3 PLC ± 0.3
4 PLC ± 0.3
ANGLES ± 3°

FINISH



P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—




19.55	23	240
17.05	↑	220
14.55		200
12.05		180
10.8		170
9.55		160
8.3		150
7.05		140
4.55		120
2.05	↓	100
0.8	23	90
4.4	13.3	80
4.4	10.8	70
1.9	13.3	60
1.9	10.8	50
1.75	13.3	40
1.75	10.8	30
Q	P	POS.








	4:1	2 of 5	B
--	-----	--------	---

MATERIAL	QTY	UNIT	PRICE	TOTAL
1000	1000	1000	1000	1000

P	LTR	DESCRIPTION	DATE	DWN	APV
	—	SEE SHEET 1	—	—	—



RECOMMENDED P.C.BOARD LAYOUT



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 TE Connectivity	
DIMENSIONS: MM		CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD		NAME	
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC		HARD TRAY ASSY	
MATERIAL		APPLICATION SPEC		FH 0.5BTB CONNECTOR	
FINISH		WEIGHT		REC 4H WITH G-CONT. AND CAP	
		CUSTOMER DRAWING		SIZE	RESTRICTED
				CAGE CODE	
				DRAWING NO	
				A3	
				00779	
				C=5353606	
				SCALE	
				4:1	
				SHEET	
				4 OF 5	
				REV	
				B	


4

3

2

1

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 TE Connectivity	
DIMENSIONS: MM		CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD			
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± - FINISH -		PRODUCT SPEC			
MATERIAL		APPLICATION SPEC		NAME	
		WEIGHT		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
		CUSTOMER DRAWING		A3 00779 C-5353606	
		SCALE 4:1		SHEET 5 OF 5 REV B	