

NOTES:

1. MATERIALS AND FINISHES:

SMA BULKHEAD CRIMP JACK - P/N: 132119
MCX RIGHT ANGLE CRIMP PLUG - P/N: 252102
CABLE - RG-316 CABLE

2. ELECTRICAL:

A. IMPEDANCE: 50 OHM, NOMINAL


3. PACKAGING:

A. QUANTITY: SINGLE PACK
B. BAG TO BE MARKED: AMPHENOL RF, 245130-01-XX.XX, AND DATE CODE


245130-01-XX.XX

REVISIONS

DRAWING NO.	REV	DESCRIPTION	DATE	ECO	APPR
THIRD ANGLE PROJ.	A	RELEASE TO MFG.	28-Sep-14	2811	NR/BCG



SCALE 0.625



PART NUMBER	LENGTH AND TOLERANCE IN INCHES
245130-01-06.00	6.00 ± 0.25
245130-01-12.00	12.00 ± 0.25
245130-01-18.00	18.00 ± 0.25
245130-01-24.00	24.00 ± 0.25
245130-01-36.00	36.00 ± 0.50

* ADDITIONAL LENGTHS CAN BE PROVIDED,
CONTACT AMPHENOL RF MARKETING FOR QUOTE

DESIGN REQUIREMENTS:

☒ FREQUENCY : DC TO 6 GHz

☒ CONTINUITY

☐ VSWR : ____ MAX

☒ HI-POT : 500 VRMS

☐ INS. LOSS : ____ dBMAX

☐ OTHER

CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ±.015 (0,381 mm) ±.005 (0,127 mm) ANGLES ± 1°	MATERIAL SEE NOTES	DRAWN RAJAGOPAL N	DATE 24-Sep-14	TITLE MCX RIGHT ANGLE CRIMP PLUG TO SMA BULKHEAD CRIMP JACK USING RG 316 CABLE VAROIOUS LENGTHS	Amphenol Connex		
		ENGINEER RAJAGOPAL N	DATE 24-Sep-14				
	REFERENCE EAR # 6452	APPROVED B.C. GLEISSNER	DATE 28-Sep-14				
		CAD FILE		DWG SIZE B	DRAWING NO. 245130-01-XX.XX		REV A