

## Fuse - SI FORM C 7,5 A DIN 72581 - 0913702

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Flat-type plug-in fuse, type C, color code: brown, nominal current: 7.5 A


The figure shows a version of the article

### Product Features

- With snap-in foot for secure pre-assembly on the PCB
- Fuse holder for flat-type fuses with a maximum nominal voltage of 32 V



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	50 pc
GTIN	 4 017918 008666
Weight per Piece (excluding packing)	1.88 g
Custom tariff number	85361010
Country of origin	Germany

### Technical data

#### General

Color	brown
Flammability rating according to UL 94	V0

#### Dimensions

Width	5 mm
Length	19 mm

#### General

Fuse	C
------	---

# Fuse - SI FORM C 7,5 A DIN 72581 - 0913702

## Technical data

### General

Nominal current $I_N$	7.5 A
Nominal voltage $U_N$	24 V

### Standards and Regulations

Flammability rating according to UL 94	V0
--	----

## Classifications

### eCl@ss

eCl@ss 4.0	27141199
eCl@ss 4.1	27141199
eCl@ss 5.0	27142007
eCl@ss 5.1	27142007
eCl@ss 6.0	27142001
eCl@ss 7.0	27142008
eCl@ss 8.0	27142008

### ETIM

ETIM 2.0	EC000899
ETIM 3.0	EC002298
ETIM 4.0	EC002298
ETIM 5.0	EC002298

### UNSPSC

UNSPSC 6.01	30211813
UNSPSC 7.0901	39121410
UNSPSC 11	39121412
UNSPSC 12.01	39121412
UNSPSC 13.2	39121412

## Approvals

### Approvals

---

Approvals

EAC

---

## Fuse - SI FORM C 7,5 A DIN 72581 - 0913702

### Approvals

Ex Approvals

---

Approvals submitted

---

### Approval details

EAC
-----

---