

## Cable gland - G-INS-N3/8-S68L-PNES-BK - 1411156

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Polyamide 6, External cable diameter 5 mm ... 10 mm, Shielding: No, Connecting thread: NPT3/8 inch, Color: jet black

### Product Features



### Key commercial data

Packing unit	1 pc
Minimum order quantity	10 pc
Weight per Piece (excluding packing)	10.0 GRM
Custom tariff number	39269097
Country of origin	Turkey

### Technical data

#### Dimensions

Length	44.5 mm
Length without connecting thread	29.5 mm
Connecting thread diameter	16.6 mm
Wrench size, union nut	22 mm
Wrench size, support	22 mm
Length of the connecting thread	15 mm
External cable diameter	5 mm ... 10 mm

#### Ambient conditions

Degree of protection	IP68 (5 bar, 30 min.)
Ambient temperature (operation)	-30 °C ... 80 °C (for a short period up to 150 °C)

#### General

Cable gland material	Polyamide 6
----------------------	-------------

## Cable gland - G-INS-N3/8-S68L-PNES-BK - 1411156

### Technical data

#### General

Seal material	Neoprene
Cable seal material	Neoprene
Shielded	No
Thread type on connection side	NPT3/8 inch
Torque	2 Nm ... 3 Nm (Union nut)
Inflammability class according to UL 94	V2
Color	jet black

### Classifications

#### eCl@ss

eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 8.0	27149109

#### ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

### Approvals

#### Approvals

---

#### Approvals

CSA / UL Listed

---

#### Ex Approvals

---

Approvals submitted

---

#### Approval details

CSA 
---

## Cable gland - G-INS-N3/8-S68L-PNES-BK - 1411156

### Approvals

UL Listed 

### Drawings

Dimensional drawing

