






KEYING OPTION "B"  
1438082-2 



△ MATERIAL:  
HARNES - 35% GLASS FILLED PA66, BLACK  
ALT MAT'L: HARNES - 30% GLASS FILLED sPS, BLACK  
SPACER - 40% GLASS FILLED PPS+PA66, RED  
ALT MAT'L: 30% GLASS FILLED sPS, RED  
ALT MAT'L: 35% GLASS FILLED PA66, RED  
COVER - 35% GLASS FILLED PA66, BLACK  
ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK  
CAM LEVER - 35% GLASS FILLED NYLON, GRAY  
GROMMET - SILICONE, BROWN  
PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.

③ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.

④ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.  
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER  
IN LOADED POSITION WITH  
OPTIONAL WIRESHIELD

|                                                                                                                                                                                                                                       |  |                                                                                                                    |  |                                                                                                                                     |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------|--|
| <small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR Tyco Electronics Corporation<br/>         IT IS SUBJECT TO THE TERMS AND CONDITIONS OF THE ASSOCIATING ORGANIZATION<br/>         SHOULD BE CONTACTED FOR THE LATEST REVISION</small> |  | DWN<br><b>R. VESTAL</b> 01AUG2003<br>CHG<br><b>D. STRAUSSER</b> 01AUG2003<br>APVD<br><b>D. STRAUSSER</b> 01AUG2003 |  |  Tyco Electronics<br>Harrisburg, PA 17105-3608 |  |
| DIMENSIONS:<br>mm                                                                                                                                                                                                                     |  | TOLERANCES UNLESS<br>OTHERWISE SPECIFIED:                                                                          |  | NAME                                                                                                                                |  |
|                                                                                                                                                  |  | 0 PLC ±<br>1 PLC ±.3<br>2 PLC ±0.10<br>3 PLC ±<br>4 PLC ±<br>ANGLES ±°                                             |  | 46 WAY PCM<br>CONNECTOR HARNESS ASSEMBLY                                                                                            |  |
| MATERIAL SEE TABLE                                                                                                                                                                                                                    |  | FINISH SEE TABLE                                                                                                   |  | SIZE CAGE CODE DRAWING NO RESTRICTED TO<br>A 10779 C=1438082 -                                                                      |  |
| CUSTOMER DRAWING                                                                                                                                                                                                                      |  |                                                                                                                    |  | SCALE 4:1 SHEET 1 OF 5 REV \$1                                                                                                      |  |







