2019

Like Us On facebook

wiha

Tools that work for you

PROFESSIONAL PLIERS & CUTTERS

COMPLETE PLIERS AND CUTTERS PROGRAM

wiha NO HASSLE GUARANTEE

Insulated Chrome • Insulated Industrial • Industrial SoftGrip • Vinyl Soft Grip Precision • ESD Safe • ESD Safe Proturn • Pipe Wrenches • Adjustable Wrenches

Insulated Pliers/Cutters

	Description	Page
	Insulated Lineman's Pliers	4
	Insulated Combination Pliers	4
	Insulated Serrated Edge Cutters	4
	Insulated Wire Stripper	4
	Insulated Heavy Duty Diagonal Cutters	5
	Insulated High Leverage Diagonal Cutters	4
	Insulated Pliers - Long & Flat Nose	5
	Insulated Pliers - Bent & Round Nose	5
	Insulated Waterpump Pliers	8
	Insulated Pliers Sets Insulated Belt Pack Pouch Sets	6-7

Insulated Adjustable Wrenches

	Description	Page
	Insulated Adjustable Wrenches 8", 10", 12", 15" OAL	8

Insulated Industrial Pliers/Cutters

	Description	Page
	Insulated Lineman's Pliers	9
	Insulated Long Nose Pliers	9
	Insulated Diagonal Cutters	9
	Insulated High Leverage Cutters	9
	Insulated Serrated Edge Cutters	9
	Insulated Stripping Pliers	10
	Insulated Crimping Pliers	9
	BiCut SuperCut	10
	Water Pump Pliers	10
	Insulated Industrial Tool Sets	10-11

Insulated Inomic Pliers

	Description	Page
	Insulated Inomic Pliers Inomic Combo Pliers Inomic Long Nose Pliers Inomic Diagonal Cutters	7

Vinyl Grip Pliers & Cutters

	Description	Page
	Combination Pliers	12
	Long Nose Pliers	13
	Bent Long Nose Pliers	13
	Long Flat Nose Pliers	13
	Long Round Nose Pliers	13
	Stripping Pliers	14
	Cable Cutters	13
	Diagonal Cutters	12
	Crimping Pliers	14
	BiCut SuperCut	12
	High Lev. End Cutting Nippers	14
	Carpenter's End Nippers	14
	Mason Nippers	14
	Adjustable Pliers	15
	Retaining Ring Pliers	17
	MagicTip Safety Notched Ring Pliers	18
	Standard Pliers/Cutters Sets Belt Pack Pouch Sets	15-16
	Molded Grip Shears	22

Pipe Wrenches Narrow Style

	Description	Page
	Narrow Style Pipe Wrenches S-Jaw, 45° Angle, 90° Angle	19

ComfortGrip Crimpers

	Description	Page
	Ratchet End Sleeve Crimper	19
	Ratchet Crimper For Standard Connectors	19
	Ratchet Crimper Push On Terminals	19
	Ratchet Crimper For Eye Terminals	19

Industrial SoftGrip Pliers & Cutters

	Description	Page
	Combination Pliers	20
	Linemans Crimpers	20
	Diagonal Cutters	20
	Cable Cutters	20
	BiCut SuperCut	20
	Stripping Pliers	21
	Long & Bent Nose Pliers	21
	Flat Nose Pliers	21
	Long Round Nose	21
	Adjustable Pliers	22
	Industrial SoftGrip Tool Sets	21-22

Precision Electronic Pliers/Cutters

	Description	Page
	Electronic Diagonal Cutters Wide Pointed Head	23
	Electronic Diagonal Cutters Wide Shape with Wire Holding Spring	23
	Electronic Diagonal Cutters Narrow Shape	23
	Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	23
	Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	23
	Electronic Diagonal Cutters Oblique 30° Cutting Nippers	23
	Electronic Diagonal Cutters Short Nose Precision Pliers	23
	Electronic Stripping Pliers	23

ESD Safe Pliers/Cutters

	Description	Page
	ESD Safe Diagonal Cutters Small, Wide & Oval Tapered Head	24-25
	ESD Safe Diagonal Cutters With Carbide Cutters	25
	ESD Safe Oblique Angled Cutters	26
	ESD Safe Oblique Front Cutters	26
	ESD Safe End Cutters	26
	ESD Safe Snipe/Bent Nose Pliers	26
	ESD Safe Needle Nose Pliers	26
	ESD Safe Short Round Nose	27
	ESD Safe Short Flat Nose	27
	ESD Safe Tool Sets	27

ESD Safe Proturn Pliers & Cutters

	Description	Page
	Proturn Wire Strippers 30 to 20 AWG	28
	Proturn Pliers Long, Flat, Bent, Round Nose	28
	Precision Cutters/Flush Cut 21° & 45° Angle	29

Wiha Insulated Pliers & Cutters

Insulation Standards: EN/IEC 60900, ASTM F-1505-10, VDE 0682/part 201, NFPA70E and CSA

Insulated Lineman's Pliers With Crimpers

1000volt

5-in-1 Lineman's Pliers

With lower crimping jaw

32821 **Insulated Lineman's Pliers "5-in-1" Professional Design. Insulation According to EN/IEC, ASTM, NFPA70E & CSA, up to 1000 Volt. Individually Tested.** Deep cut radius conduit jaws for non-slip griping. Extra long induction hardened precision matched cutting edges. Lower crimping jaw accepts most standard non-insulated electrical connectors. Large head with square anvil surface on each side. Made from premium C70 tool steel forgings. 64HRC cutting edges.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32821	225	9.0	#4	1	.98

Insulated High Leverage Combination Pliers

OptiGrip

3 Point Contact OptiGrip

40% Less Effort DynamicJoint

Long life high performance dynamic 60/40 joint

1000volt

32820 **High Leverage Combination Pliers. Insulation According to EN/IEC, ASTM, NFPA & CSA, up to 1000 Volt.** Extra long cutting edge for flat & round cables. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. Use for gripping, pulling & holding as well as cutting wires & cables ranging in hardness from soft to extremely hard.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32820	225	9.0	#4	1	.86

Insulated Combination Pliers

OptiGrip

3 Point Contact OptiGrip

40% Less Effort DynamicJoint

Long life high performance dynamic 60/40 joint

1000volt

328 **Combination Pliers. Insulation According to VDE, EN/IEC, ASTM, NFPA and CSA, up to 1000 Volt. Individually Tested.** Extra long cutting edge for flat & round cables. Serrated jaw. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings, Chrome finish. Use for gripping and holding as well as cutting soft & hard wires & cables.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32814	160	6.3	#10	1	.53
32816	180	7.0	#9	1	.58
32818	200	8.0	#8	1	.72

Insulated Crimping Pliers



1000volt

32841 **Insulated Crimping Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, up to 1000 Volt. Individually Tested.** Semi-circular profiles for secure connection between & sleeve and conductor. Long life is achieved through additional induction hardening to 64HRC. C70 special tool steel.

Item						
No.	mm	Inch	mm2	AWG	Pkg.	lbs.
32841	180	7.0	0.25-2.5	6-30	1	.57

Wiha Canvas Pliers Holster

- Canvas holster with belt clip and belt loop
- Security pliers strap
- Screwdriver holder in the front

91256 **Pliers Canvas Holster**

Item	Width		Height		
No.	Size		Size	lbs.	pkg.
91256	3.5	x	6.75	.15	1

Insulated Stripping Pliers



1000volt

64HRC cutting edges

32860 **Stripping Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Heavy duty forged with induction hardened cutting edges for even stripping of insulation. Drop-forged from special tool steel, chrome & nickel plated, mirror-polished. Ergo comfort grip with slip guard. Spring & adjusting screw, for stripping up to #8 AWG.

Item			Stripping Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32860	160	6.3	#8 - #28	1	.50

Insulated Serrated Edge Cable Cutters

1000volt

328 **Serrated Edge Cable Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Light, clean cutting ground precision cutting edges. Durable cutting is achieved through additional inductive hardening to approx. 64HRC. Special tool steel. For cutting of copper & aluminum cables without crushing.

Item						
No.	mm	Inch	Ø	mm2	Pkg.	lbs.
32826	160	6.3	16	50	1	.42
32828	200	8.0	20	60	1	.67

Insulated Electrician's Diagonal Cutters

1000volt

32861 **Diagonal Cutters W/Stripping Holes. Insulation According to VDE 0682/ part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Drop-forged from special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished. Ergonomic comfort grip with slip guard. Holes in the cutting edge for stripping copper wire of Ø 1.5 and 2.5. Strips AWG sizes #10 & #14.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32861	160	6.3	#10 & #14	1	.55

Insulated Diagonal Cutters

1000volt

328 **Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, up to 1000 Volt. Individually Tested. DIN ISO 5749** Low wear lap joint, riveted & able to withstand high levels of load. Lightweight action, clean cutting. Long term cutting is achieved through additional inductive hardening to approx. 64HRC. Special tool steel hardened & tempered. For soft & medium hard wire. 32832 & 32834 for soft, hard & piano wire.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32830	140	5.5	#6	1	.47
32832	160	6.3	#6	1	.49
32834	180	7.0	#6	1	.62

Insulated High Leverage Diagonal Cutters

1000volt

New dynamic joint provides 40% easier cuts and significantly longer tool life

328 **High Leverage Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, up to 1000 Volt. Individually Tested. DIN ISO 5749** Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long term cutting is achieved through additional inductive hardening to approx. 64HRC. C70 special tool steel hardened & tempered. For soft, hard & piano wire, lay-on joint, optimized power transmission.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32835	160	6.3	#6	1	.64
32836	180	7.0	#5	1	.67
32838	200	8.0	#4	1	.80

Insulated Long Nose Pliers

1000volt

328 **Long Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, up to 1000 Volt. Individually Tested.** Drop-forged from C70 special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished, ergonomic comfort grip with slip guard, serrated gripping surface.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32806	160	6.3	#10	1	.32
32808	200	8.0	#8	1	.42

Insulated Bent Nose Pliers

Angled 40°

1000volt

328 **Bent Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Drop-forged from C70 special tool steel, cutters additionally induction hardened to approx. 64HRC, chrome-nickel plated, mirror-polished. Ergo comfort grip with slip guard. Serrated gripping surface.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	Pkg.	lbs.
32804	200	8.0	#8	1	.43
32807	160	6.3	#10	1	.32

Round Nose Pliers

1000volt

32870 **Round Nose Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Drop-forged from C70 special tool steel, individually induction hardened, chrome and nickel plated, mirror-polished. Ergonomic comfort grip with slip guard. Serrated jaws.

Item				
No.	mm	Inch	Pkg.	lbs.
32870	160	6.3	1	.34

Insulated Long Flat Nose Pliers

Two component Soft Grip handles

Extra long head

1000volt

32810 **Long Flat Nose Pliers. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, up to 1000 Volt. Individually Tested. DIN ISO 5745** Serrated Jaws are induction hardened. Special C70 tool steel forgings, Chrome finish. Use for Gripping and right-angle bending of wires and sheet metal parts.

Item				
No.	mm	Inch	Pkg.	lbs.
32810	160	6.3	1	.39

Insulated NE Style Lineman's Pliers

1000volt

32831 **Insulated NE Style Lineman's Pliers. Insulation According to EN/IEC 60900, ASTM F-1505, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. Two component soft grip ergonomic handles.

Item No.	mm	Inch	Pkg.	wt.
32831	245	9.5	1	1.18

NE Style Lineman's Pliers Set

Insulated Tool meets ASTM, IEC, EN, NFPA & CSA standards

Individually Tested

Knurled striking zone on vinyl grip pliers

1000Volt

Extra long cutting edge for flat & round cables

32833 **2 Piece NE Style Lineman's Pliers Set**

Item No.	NE Style Lineman's Pliers
32833	9.5" Insulated 1000Volt
	9.5" Vinyl Soft Grip
lbs. 2.22	

Insulated BiCut SuperCut

Cutting capacity up to 3mm hardened piano wire

1000volt

- Double the power at the press of a button
- BiCut does the job of two pairs of pliers
- Up to 50% less hand strength required for cutting
- Cutting force doubled for extremely hard materials
- Easily switch between two strengths in one-handed operation

32837 **Insulated BiCut SuperCut. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, up to 1000 Volt. Individually Tested.** Durable cutting is achieved through additional inductive hardening to approx. 64HRC. Drop forged of high C70 steel. For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item No.	mm	Inch	Pkg.	lbs.
32837	200	8.0	1	.78

1000volt

32875 **5 Piece Insulated Pliers/Cutters & Screwdrivers In Belt Pack Pouch.** Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard. Insulated cushion grip drivers, multi-component. Blade CVM tool steel, hardened.

Item No.	Pliers/Cutters & Screwdrivers
32875	9.0" / 225mm Lineman's Pliers
	8.0" / 200mm Long Nose Pliers
lbs.	Insulated Screwdrivers:
2.26	Slotted: 4.5, 6.5mm Phillips: #2

Wiha Insulated Belt Pack Pouch Sets

1000volt

32871 **3 Pc. Insulated Pliers/Cutters & Multi-Bit Set In Belt Pack Pouch. Tools meet EN/IEC, ASTM, VDE, NFPA70E & CSA standards.** Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard.

Item No.	Pliers/Cutters & Multi-Bit Set
32871	6.3" / 160mm Diagonal Cutters
	8.0" / 200mm Long Nose Pliers
lbs.	Set Includes Bit Holder & The
1.67	Following Bits:
	Slotted: 4.5, 6.5mm
	Phillips: #1, 2 & Square: #1, 2

1000volt

32873 **3 Piece Insulated Pliers/Cutters In Belt Pack Pouch.** Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard.

Item No.	Pliers & Cutters
32873	6.3" / 160mm Diagonal Cutters
	8.0" / 200mm Long Nose Pliers
lbs. 2.12	8.0" / 200mm Combination Pliers

1000volt

32872 **5 Piece Insulated Pliers/Cutters & Screwdrivers In Belt Pack Pouch.** Pliers chrome finish for long lasting corrosion protection. Soft grip ergo designed handle body, safety slip guard. Insulated cushion grip drivers, multi-component. Blade CVM tool steel, hardened.

Item No.	Pliers/Cutters & Screwdrivers
32872	6.3" / 160mm Diagonal Cutters
	8.0" / 200mm Long Nose Pliers
lbs.	Insulated Screwdrivers:
1.77	Slotted: 3.0, 4.5mm Phillips: #2

Wiha Insulated Pliers & Cutters Sets

Pliers drop-forged from special tool steel, individually high frequency induction hardened, chrome & nickel plated, mirror-polished.

1000Volt

32867 **10 Piece Pliers & Screwdriver Set** In Canvas Pouch

Item No. 32867	lbs.
6.3" Diagonal Cutters	
9.0" Combo Pliers	4.06
6.3" Long Nose Pliers	
6.3" Wire Strippers	
7.0" Crimping Pliers	
Insulated Slotted 4.5, 6.0mm	
Insulated Phillips #1, 2	
Insulated Square: #2	

1000Volt

32868 **10 Piece Pliers & Screwdriver Set** In Canvas Pouch

Item No. 32868	lbs.
7.0" Diagonal Cutters	
9.0" Combo Pliers	4.24
8.0" Long Nose Pliers	
6.3" Wire Strippers	
7.0" Crimping Pliers	
Insulated Slotted 3.0, 4.5, 6.0mm	
Insulated Phillips #1, 2	

1000volt

32889 **8 Piece Pliers & Cutters Set.**
Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, up to 1000 volt. Individually Tested.

Item# 32889 Set Includes:	lbs.
32806 - 6.3" Long Nose Pliers	
32808 - 8.0" Long Nose Pliers	4.53
32814 - 6.3" Combination Pliers	
32832 - 6.3" Diagonal Cutters	
32820 - 9.0" H.Lev. Combo Pliers	
32936 - 8.0" BiCut SuperCut	
32860 - 6.3" Wire Stripping Pliers	
15000 - Electrician's Knife	

• In zipper carry case

1000volt

32891 **10 Piece Pliers & Screwdriver Set.**
Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, up to 1000 volt. Individually Tested.

Item# 32891 Set Includes:	lbs.
32818 - 8.0" Combination Pliers	
32808 - 8.0" Long Nose	5.44
32936 - 8.0" BiCut SuperCut	
32848 - 6.3" Cable Cutters	
32860 - 6.3" Universal Wire Stripper	
Insulated Phillips #1, #2, #3	
Insulated Slotted 4.5, 6.5mm	

Wiha Inomic 1000Volt Insulated Pliers

Insulation Standards:
EN/IEC 60900, ASTM F-1505-01, NFPA70E & CSA

Tools Meet 10,000 Volt Test Standards Rated to 1000 Volt ac or 1500 Volt dc

#32850

#32854



1000Volt

32850 **Inomic Combo Pliers**
up to 1000 volt. Individually Tested.
DIN ISO 5749 Precision machined forged head. Induction hardened for longest tool life. Cross hatched flat jaw & deep cut radius jaws for secure gripping of the work piece. Cutting edges are matched for precise cutting action. Award winning ergonomic design with head mounted at 23° angle to grip for reduced user fatigue. Palm side of grip has molded soft panel for added comfort in prolonged use.

Item No.	Cutting Capacity mm	Inch	Copper AWG	lbs.	Pkg.
32850	180	7.0	#6	.46	1

32854 **Inomic Diagonal Cutters**

Item No.	Cutting Capacity mm	Inch	Copper AWG	lbs.	Pkg.
32854	160	6.3	#6	.41	1

91230 **Inomic Canvas Holster**

Item No.	Width Size	Height Size	lbs.	Pkg.
91230	4.0 x	4.5	.05	1

Wiha Insulated Ratcheting Cable Cutters

Insulation: VDE, EN/IEC, ASTM, NFPA70E, CSA & OSHA Tested to 10,000 volts with 1000 volts safety rating

1000volt

11980 **Insulated ACSR Ratcheting Cable Cutter** Replaceable tool steel cutting blades are securely mounted for accurate cutting. Handles lock in closed position for easier storage. High leverage ratchet mechanism for best cutting performance. 13.9" OAL

Item No.	OAL mm	up to MCM	Inch Dia.	Capacity	lbs.	Pkg.
11980	353	477	1.25"	32ml	3.4	1

1000volt

119 **High Voltage Double-Insulated Ratcheting Cable Cutters**
High leverage ratchet cable cutter with shear type blades cuts stranded & flexible copper and aluminum cable. Not for use on steel. Features built in safety release in all cutting positions, and high-visibility comfort grip handles.

Item No.	OAL mm/Inch	MCM	up to Inch Dia.	Cap.	lbs.	Pkg.
11960	250/10.0"	500	1.25"	32ml	1.58	1
11975	280/11.0"	750	2.0"	52ml	2.02	1

Insulated Stripping Pliers

1000volt

10250 **Insulated Stripping Pliers. Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification. Individually Tested.**
Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

Item No.	mm	Inch	Ø	AWG	lbs.	Pkg.
10250	160	6.3"	0.81-2.59	20-10	.26	1

Insulated End Cutters

For cutting solid aluminum, copper & medium hard wires

1000volt

29250 **End Cutters, With Insulated Handle. Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification. Individually Tested.** Blade alloyed tool steel. Induction hardened.

Item No.	OAL mm	OAL Inch	Cap. Inch	lbs.	pkg.
29250	250	10.0"	7/8"	1.1	1

Insulated Pliers Wrench

1-7/8" / 49mm Jaw Capacity

NEW

1000Volt

11610 **Pliers Wrench, With Insulated Handle Insulation According to EN/IEC 60900, DIN ISO 8976, ASTM F-1505 & CSA Specification, Up To 1000 Volt. Individually Tested.** Chrome-vanadium steel, drop forged, oil hardened.

Item No.	OAL mm	OAL Inch	lbs.	pkg.
11610	254	10.0"	1.67	1

Proturn Insulated Electrician's Shears

1000volt

32951 **Proturn Insulated Electrician's Shears Insulation meets VDE, ASTM, EN/IEC, CSA, NFPA OSHA Specifications.**
Made from stainless 420 grade steel

Item No.	mm	Inch	Pkg.	lbs.
32951	160	6.3	1	.22

Wiha Insulated Adjustable Wrenches

1000volt

76208 **Insulated 8" Adjustable Wrench Insulation According to ASTM, EN/IEC, NFPA, CSA and ISO Specification, up to 1000 Volt. Individually Tested.** Etched on scale for pre-setting size. Slip guard handle for added protection.

Item No.	OAL Inch	OAL mm	Capacity Opening	lbs.	pkg.
76208	8.0	200	1"	.7	1

1000volt

76210 **Insulated 10" Adjustable Wrench**

Item No.	OAL Inch	OAL mm	Capacity Opening	lbs.	Pkg.
76210	10.0	250	1-1/4"	1.4	1

1000volt

76212 **Insulated 12" Adjustable Wrench**

Item No.	OAL Inch	OAL mm	Capacity Opening	lbs.	Pkg.
76212	12.0	300	1-1/2"	1.9	1

1000volt

76215 **Insulated 15" Adjustable Wrench**

Item No.	OAL Inch	OAL mm	Capacity Opening	lbs.	Pkg.
76215	15.0	380	1-11/16"	2.8	1

1000volt

76290 **3 Pc. Insulated Adjustable Wrenches** Etched on scale for pre-setting size. Slip guard handle for added protection.

Item No. 76290	Includes the following:
lbs. 4.0	8.0", 10.0", 12.0" Adj. Pliers

Insulated Industrial Pliers & Cutters

10,000 Volt tested
1000 Volt Rated

Induction hardened jaws and cutters to 64HRC

Industrial brushed finish



Two component ergo cushion grip handles

New dynamic joint provides 40% easier cuts & significantly longer tool life

Insulated Lineman's Pliers With Crimpers

1000volt

Long life high performance dynamic 60/40 joint

32917 **Insulated Industrial Lineman's Pliers "5-In-1" Professional Design Insulation According to EN/IEC, ASTM, NFPA70E & CSA, up to 1000 volt. Individually Tested.**

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32917	225	9.0	#4	.98	1

Insulated High Leverage Diagonal Cutters

1000volt

32939 **Insulated Industrial High Leverage Diagonal Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, up to 1000 volt. Individually Tested.**

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32939	200	8.0	#4	.66	1

Insulated Long Nose Pliers With Cutters

1000volt

329 **Insulated Industrial Long Nose Pliers With Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, up to 1000 volt. Individually Tested.**

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32926	160	6.3	#10	.36	1
32923	200	8.0	#8	.46	1

Insulated Diagonal Cutters

Long life high performance dynamic 60/40 joint

1000volt

329 **Insulated Industrial Diagonal Cutters. Insulation According to VDE 0682/ part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, up to 1000 volt. Individually Tested. DIN ISO 5749**

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32933	160	6.3	#6	.64	1
32929	200	8.0	#6	.80	1

Insulated OptiGrip Combo Pliers With Dynamic Joint

3 Point Contact OptiGrip

1000volt

Long life high performance dynamic 60/40 joint

32930 **Insulated Industrial High Leverage Combination Pliers. Insulation According to EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, up to 1000 volt. Individually Tested. DIN ISO 5746**

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32930	200	8.0	#4	.92	1

Insulated Industrial NE Style Lineman's Pliers

Knurled Striking Zone

1000volt

32938 **Insulated Industrial NE Style Lineman's Pliers. Insulation According to EN/IEC 60900, ASTM F-1505, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables.

Item				
No.	mm	Inch	Pkg.	wt.
32938	245	9.5	1	1.18

Insulated Heavy Duty Cable Cutters

1000volt

32927 **Insulated Industrial Serrated Edge Cable Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, up to 1000 Volt. Individually Tested.**

Item						
No.	mm	Inch	Ø	mm2	lbs.	Pkg.
32927	200	8.0	20	60	.78	1

Insulated Crimpers

1000volt

32945 **Insulated Industrial Crimping Pliers. Insulation According to VDE 0682/ part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, up to 1000 Volt. Individually Tested.**

Item						
No.	mm	Inch	mm2	AWG	lbs.	Pkg.
32945	180	7.0	0.25-2.5	6-30	.64	1

Insulated Stripping Pliers

1000volt

32947 **Insulated Industrial Stripping Pliers. Insulation According to VDE 0682/ part 201, DIN 7437, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, 1000 volt rated. Individually Tested. DIN ISO 5745**

Item	↔ mm	↔ Inch	Stripping Capacity Copper AWG	lbs.	Pkg.
32947	160	6.3	#8 - #28	.46	1

Insulated BiCut SuperCut

Cutting capacity up to 3mm hardened piano wire

1000volt

32936 **Insulated Industrial BiCut SuperCut. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505, NFPA70E & CSA, up to 1000 Volt. Individually Tested.** For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item	↔ mm	↔ Inch	Pkg.	lbs.
32936	200	8.0	1	.78

Insulated Water Pump Pliers

1000volt

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

32954 **Insulated Industrial Water Pump Pliers** 10 opening settings provides optimal adjustment to objects being gripped. Chrome-vanadium tool steel forgings, hardened and tempered.

Item	↔ mm	↔ Inch	Capacities Round	Hex	lbs.	Pkg.
32954	250	10.0	1 3/4	2	.90	1

Insulated TriCut Strippers & Cutters

1000volt

32944 **Insulated Industrial TriCut Strippers & Cutters. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E and CSA, up to 1000 Volt. Individually Tested.** Cuts cable, strips cable, strips wire leads. Unique 3 in 1 design provides faster combined cutting and stripping. Strips AWG sizes #10 & #14.

Item	↔ mm	↔ Inch	AWG	Pkg.	wt.
32944	170	6.7	#6	1	.58

Insulated BiCut SuperCut & Screwdriver Set

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

1000volt

32942 **7 Pc. Insulated Industrial BiCut SuperCut & Screwdrivers** lbs. 1.86

Item No.	Insulated BiCut SuperCut:
32942	8.0"/200mm BiCut SuperCut
	Ins. Drivers: Phillips: #0, #1, #2
	Slotted: 3.0, 4.5, 5.5mm

Insulated Push Button Water Pump Pliers

1000volt

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

32956 **Insulated Industrial Push Button Water Pump Pliers** Extra narrow head for working in small spaces. Rapid and simple push button setting & locking. Finger jam protection for safe operation at all settings.

Item	↔ mm	↔ Inch	Capacities Round	Hex	lbs.	Pkg.
32956	250	10.0	1 3/4	2"	.90	1

Wiha Insulated Industrial Tool Sets

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

1000Volt

32981 **3 Pc. Insulated Industrial Pliers & Cutters** lbs. 2.18

Item No.	Insulated Pliers & Cutters
32981	8.0" Combo Pliers, 8.0" Long Pliers, 8.0" Diagonal Cutters

1000Volt

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

32983 **5 Pc. Insulated Industrial Diagonal Cutters & Screwdrivers** lbs. 1.17

Item No.	Insulated Diagonal Cutters:
32983	6.3"/160mm Diagonal Cutter
	Insulated Divers: Phillips: #1, #2
	Slotted: 3.0, 4.5mm

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

1000Volt

32984 **6 Pc. Insulated Industrial Combo Pliers & Screwdrivers** lbs. 2.06

Item No.	Insulated Combination Pliers:
32984	8.0" Combination Pliers
	8" Long Nose Pliers
	Divers: Slotted: 3.0, 4.5mm
	Phillips: #2 • Square: #2

Wiha Insulated Industrial Tool Sets

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

1000volt

In Belt Pack Pouch

32985 **7 Pc. Insulated Industrial Pliers/ Cutters & Screwdrivers**

Item No.	Insulated Pliers/Cutters:
32985	8.0” Combo Pliers, 6.3” Long Nose,
	6.3” Diagonal Cutters
lbs.	**Insulated Divers:** Phillips: #1, #2
2.30	Slotted: 3.0, 4.5mm

1000volt

In Roll Out Pouch

32986 **11 Pc. Pliers/Cutters & Screwdriver Set. Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC 60900, ASTM F-1505-10, NFPA70E, up to 1000 volt. Individually Tested.**

Item# 32986 Set Includes:	lbs.
32926 - 6.3” Long Nose Pliers	
32933 - 6.3” Diagonal Cutters	3.62
32930 - 8.0” Combination Pliers	
32947 - 6.3” Stripping Pliers	
Insulated Slotted: 3.0, 4.5, 5.5mm	
Insulated Phillips: #1, #2	
Insulated Square: #1, #2	

In Roll Out Pouch

1000volt

32987 **8 Pc. Pliers & Cutters Set. Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC, ASTM, NFPA, up to 1000 volt. Individually Tested.**

Item# 32987 Set Includes:	lbs.
32926 - 6.3” Long Nose Pliers	
32933 - 6.3” Diagonal Cutters	5.52
32923 - 8.0” Long Nose Pliers	
32929 - 8.0” H.D. Diagonal Cutters	
32917 - 9.0” Lineman’s w/Cutters	
32947 - 6.3” Stripping Pliers	
32927 - 8.0” Cable Cutters	
32945 - 7.0” Crimpers	

1000volt

In Roll Out Pouches

32988 **22 Pc. Pliers/Cutters & *SlimLine* Blade Set. Insulation According to VDE 0682/part 201, DIN EN 60900, EN/IEC 60900, ASTM F-1505-10, NFPA70E, up to 1000 volt. Individually Tested.**

Item# 32988 Set Includes:	lbs.
32923 - 8.0” Long Nose Pliers	
32933 - 6.3” Diagonal Cutters	5.74
32917 - 9.0” Lineman’s w/Cutters	
32929 - 8.0” H.D. Diagonal Cutters	
32927 - 8.0” Cable Cutters	
32947 - 6.3” Stripping Pliers	
32945 - 7.0” Crimpers	
15 Pc. *SlimLine* Blade Set includes:	
Insulated *SlimLine* Blade Holder	
Slotted: 3.0, 4.0, 5.5, 6.5	Phillips: #1, #2
Xeno: #1, #2	Square: #1, #2
TORX®: T8, T10, T15, T20	

Tool box set in blow molded tray



1000Volt

Tools meet ASTM, IEC, VDE, EN, NFPA & CSA standards

32999 **9 Pc. Insulated Industrial Pliers & Cutters Set** Insulated pliers & cutters set in a light weight tool box tray.

Item No.	9.0” Lineman’s Pliers
32999	8.0” High Leverage Combo Pliers
	6.3” & 8.0” Long Nose Pliers
lbs.	8.0” Cable Cutters
6.34	6.3” & 8.0” Diagonal Cutters
	6.3” Stripping Pliers
	7.0” Crimping Pliers

1000Volt

32390 **11 Pc. Pliers & Driver Set. Insulation According to VDE 0682/part 201, EN/IEC 60900, ASTM F-1505-10, NFPA70E & CSA, up to 1000 volt. Individually Tested.** In canvas tool bag

Item# 32390 Set Includes:	lbs. 7.5
8.0” Combination Pliers	
6.3” & 8.0” Long Nose Pliers W/Cutters	
6.3” Diagonal Cutters	
8.0” High Leverage Cutters	
Insulated Slotted: 3.0mm(1/8”), 4.5mm(3/16”), 6.5mm(1/4”)	
Insulated Phillips: #1, #2, #3	

Soft Grip Pliers & Cutters

Wiha Pliers & Cutters, professional quality at competitive prices. A wide selection covering most applications in which pliers & cutters are required.



High frequency induction hardened body from C.V. tool steel forgings

Lineman's Pliers With Crimpers

5-in-1 Lineman's Pliers

With Lower Crimping Jaw

32616 Lineman's Pliers "5-in-1"

Professional Design Deep cut radius conduit jaws for non-slip griping. Extra long induction hardened precision matched 64HRC cutting edges. Lower crimping jaw accepts most standard non-insulated electrical connectors. Large head with square anvil surface on each side. Premium C70 tool steel forgings.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32616	225	9.0	#4	.88	1

Combo Pliers With Cutters

3 Point Contact OptiGrip

Long life high performance dynamic 60/40 joint

326 Combination Pliers With Cutters

DIN ISO 5746 Extra long cutting edge for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. For gripping and holding as well as cutting soft & hard wires and cables.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32603	160	6.3	#10	.41	1
32606	180	7.0	#9	.50	1
32609	200	8.0	#8	.63	1

High Leverage Combination Pliers

3 Point Contact OptiGrip

Long life high performance dynamic 60/40 joint

326 High Leverage Heavy Duty Combination Pliers DIN ISO 5746

Extra long cutting edge for flat and round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel forgings. Use For gripping, pulling & holding as well as cutting soft, hard & piano wires and cables. Soft vinyl grips are oil & solvent resistant.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32612	200	8.0	#4	.61	1
32615	225	9.0	#4	.78	1

Soft Grip NE Style Lineman's Pliers

Knurled striking zone on vinyl grip pliers

32631 NE Style Lineman's Pliers

Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. Soft vinyl grips.

Item				
No.	mm	Inch	Pkg.	wt.
32631	245	9.5	1	1.18

Diagonal Cutters

Special C70 tool steel hardened & tempered

326 Diagonal Cutters DIN ISO 5749

Low wear lap joint, riveted & able to withstand high levels of load. Low force cutting action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. For soft & medium hard wire. Soft vinyl grips.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32638	140	5.5	#6	.33	1
32642	160	6.3	#6	.49	1
32639	180	7.0	#6	.54	1

Flush Cutting Mechanic's Diagonal Cutters

Special C70 tool steel hardened & tempered

Soft vinyl grips

Flush cutting, with return spring

326 Flush Cutting Mechanic's Diagonal Cutters With Return Spring DIN ISO 5749 Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened and tempered. For flush cutting soft and semi-hard wires.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32613	127	5.0	#12	.16	1

Soft Grip BiCut SuperCut

Cutting capacity up to 3mm hardened piano wire

Double the power at the press of a button
BiCut does the job of two pairs of pliers
Up to 50% less hand strength required for cutting
Cutting force doubled for extremely hard materials
Switch between 2 strengths in one-handed operation

32636 Soft Grip BiCut SuperCut

For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item				
No.	mm	Inch	Pkg.	lbs.
32636	200	8.0	1	.72

Diagonal Cutters

Flush cutting, with return spring

DIN ISO 5749

326 **Flush Cutting Diagonal Cutters With Return Spring For Cutting Plastic** Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. For flush cutting soft and semi-hard wires.

Item No.	mm	Inch	Pkg.	lbs.
32607	127	5.0	1	.14
32614	160	6.3	1	.36

Cable Cutters

Long life is achieved through additional induction hardening of cutting edge to 64HRC

326 **Cable Cutters** Light, energy-saving & clean cutting with specially ground precision cutting edges. C70 special tool steel hardened & tempered. Soft vinyl grips. For cutting of copper & aluminum cables without crushing, also suitable for stripping. Not for steel cable, wires & copper conductors with hard coatings.

Item No.	mm	Inch	Cutting Capacity Copper/Aluminum	lbs.	Pkg.
32600	160	6.3	16mm	.34	1
32602	200	7.9	20mm	.62	1

High Leverage Cutters

DIN ISO 5749

326 **High Leverage Cutters** Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life is achieved through additional induction hardening of cutting edge to 64HRC. C70 special tool steel hardened & tempered.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.	Pkg.
32646	160	6.3	#6	.42	1
32649	180	7.0	#5	.50	1
32652	200	8.0	#4	.63	1

Long Nose Pliers With Return Spring

32617 **Long Nose Pliers With Cutters With Return Spring** **DIN ISO 5745** Long nose pliers. Extra long cutters for flat and round cables. Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.	Pkg.
32617	160	6.3	#12	.22	1

Long Nose Pliers With Cutters

326 **Long Nose Pliers With Cutters**
DIN ISO 5745
Long nose pliers. Extra long cutters for flat and round cables. Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.	Pkg.
32618	160	6.3	#10	.28	1
32621	200	8.0	#8	.86	1

High Leverage Angle Cutters



DIN ISO 5749

32620 **High Leverage Angle Cutters** 26° offset cutting angle. Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life is achieved through additional induction hardening of cutting edge to 64HRC. C70 special tool steel hardened & tempered.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.	Pkg.
32620	200	8.0	#4	.30	1

Bent Long Nose Pliers With Cutters

Angled 40°

326 **Bent Long Nose Pliers With Cutters**
DIN ISO 5745 Long nose pliers angled 40°. Extra long cutters for flat and round wire. Partially Serrated Jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel forgings. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.	Pkg.
32623	160	6.3	#10	.28	1
32625	200	8.0	#8	.96	1

Long Flat Nose Pliers

32630 **Long Flat Nose Pliers**
DIN ISO 5745 Extra long head. Serrated Jaws are induction hardened. Special C70 tool steel forgings. Use for gripping and right-angled bending of wires and sheet metal parts. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Pkg.	lbs.
32630	160	6.3	1	.26

Long Round Nose Pliers

32633 **Long Round Nose Pliers**
DIN ISO 5745 Extra long head. Serrated Jaws are induction hardened. Special C70 tool steel forgings. Use for gripping and uniform round bending of wires and sheet metal parts. Soft vinyl grips are oil & solvent resistant.

Item No.	mm	Inch	Pkg.	lbs.
32633	160	6.3	1	.25

Stripping Pliers

32645 Stripping Pliers DIN ISO 5744
Heavy duty forged with induction hardened cutting edges for even stripping of insulation. Easy to use adjusting screw allows the stripping diameter to be set. Opening spring for effortless and sensitive handling of pliers. C70 special tool steel. 64HRC cutting edges. For Stripping up to #8 AWG conductor cross-section. Soft vinyl grips.

Item			Stripping Capacity		
No.	mm	Inch	Copper Awg#	lbs.	Pkg.
32645	160	6.3	#8 - #28	.31	1

Soft Grip Crimping Pliers

326 Crimping Pliers DIN ISO 5743
Semi-circular profiles for secure connection between end sleeve and conductor. Long life is achieved through additional induction hardening to 64HRC. C70 special tool steel hardened & tempered. Soft vinyl grips.

Item						
No.	mm	Inch	mm2	AWG	lbs.	Pkg.
32604	145	5.75	0.25-2.5	14-32	.29	1
32605	180	7.0	0.25-16	6-32	.57	1

Proturn Stripping Pliers

57872 Proturn Stripping Pliers
Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#57872	mm	Inch	Ø	AWG	lbs.	Pkg.
	180	7.0	0.81-2.59	20-10	.12	1

Wiha Soft Grip Nippers

326 High Leverage End Cutting Nippers
DIN ISO 5749 Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life cutting edges are achieved through additional induction hardening to approx. 60 HRC. Special C70 tool steel forgings hardened and tempered. Soft vinyl grips are oil & solvent resistant.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
32657	160	6.3	#6	.41	1
32658	180	7.0	#6	.61	1
32659	200	8.0	#6	.75	1

326 Carpenter's End Nippers
DIN ISO 9243 High cutting performance & reduced effort achieved through the precise formation of the cutting blade after assembly. Long life cutting edges achieved by additional induction hardening. Special C70 tool steel, hardened & tempered. Soft vinyl grips are oil & solvent resistant.

Item				
No.	mm	Inch	Pkg.	lbs.
32672	200	8.0	1	.86

326 Mason Nippers DIN ISO 9243
High cutting performance and reduced effort achieved through the precise formation of the cutting blade after assembly. Long life induction hardened cutting edges. Special C70 tool steel, hardened & tempered. Soft vinyl Grips are oil & solvent resistant.

Item			Cutting Capacity		
No.	mm	Inch	Hard Wire AWG	lbs.	Pkg.
32674	220	8.75	#12	.76	1
32676	250	10.0	#12	.98	1
32678	280	11.0	#12	1.0	1
32680	300	12.0	#12	1.1	1

Auto Grip Pliers

32637 Auto Grip Pliers
Just squeeze and pliers automatically adjust to diameter. Induction hardened jaws. Heavy duty box steel joints. Made from high quality CV special tool steel. Soft vinyl grips are oil and solvent resistant.

Item			Capacities		
No.	mm	Inch	Round	Hex	lbs.
32637	250	10.0	1.5	1 9/16	.86

Pliers Wrench

32635 Soft Vinyl Grip Pliers Wrench
Smooth jaws for damage free turning on parallel surfaces. Fully adjustable jaws from 1-3/4" round/ 46mm Hex. Easy & quick adjustment just slide & close directly on the workpiece. Narrower profile with no button to interfere with turning clearance. Ideal for all applications; gripping, holding, pressing, bending & precise turning. Chrome-vanadium steel, hot forged, hardened and tempered.

Item				
No.	mm	Inch	lbs.	pkg.
32635	260	10.25	1.26	1

Pliers Wrench & Auto Grip Pliers Combo Pack

32619 2 Pc. Combo Pack Pliers Wrench & Auto Pliers Set Drop-forged from high quality CV special tool steel, individually high frequency induction hardened. Soft vinyl grips, oil & solvent resistant.

Item# 32619	Set Includes:	lbs.
10.0" Auto Pliers	10.25" Pliers Wrench	2.23

Standard Adjustable Pliers

326 **Adjustable Pliers - Box Type** **DIN ISO 5745** 10 different opening sizes provide optimal adjustment to objects being gripped. Long durability achieved through additional induction hardening of jaws to approx. 58-60 HRC. Chrome-vanadium tool steel, hardened and tempered. Soft vinyl grips are oil and solvent resistant.

Item No.	Capacities mm	Inch	Round	Hex	lbs.	Pkg.
32660	180	7.0	1.25	1 1/2	.35	1
32661	250	10.0	1.75	2.0	.67	1
32663	300	12.0	2.0	2 1/4	1.2	1

32670 **3 Piece Adjustable Pliers Set** Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32670 Set Includes:	lbs. 2.52
Adjustable Pliers, Box Type - 7.0”	
Adjustable Pliers, Box Type - 10.0”	
Adjustable Pliers, Box Type - 12.0”	

Rapid Adjustable - Push Button Pliers

- Fast push button jaw release
- Finger jam protection in all settings

326 **Push Button Adjustable Water Pump Pliers - DIN ISO 8976** Extra narrow head for working in restricted spaces. Rapid and simple push button setting and locking. Long durability achieved by additional inductive hardening of gripper jaws to approx. 58-60 HRC. Finger jam protection in all settings ensures safe operation. Chrome-vanadium tool steel, hardened and tempered. Soft vinyl grips. For gripping and holding pipes and angular profiles such as hex nuts in the installation area.

Item No.	Capacities mm	Inch	Round	Hex	lbs.	Pkg.
32664	180	7.0	1.25	1 1/2	.35	1
32665	250	10.0	1.75	2.0	.80	1
32667	300	12.0	2.0	2 1/4	1.2	1

32669 **3 Piece Push Button Set**

Item# 32669 Set Includes:	lbs. 2.5
Push Button Adj. Water Pump Pliers - 7.0”	
Push Button Adj. Water Pump Pliers - 10.0”	
Push Button Adj. Water Pump Pliers - 12.0”	

Pliers/Cutters & Drivers Set

32641 **5 Piece Pliers/Cutters & Cushion Grip Screwdriver Set** Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant. Screwdriver blades CVM tool steel, hardened, hard chromed. SoftFinish cushion grip drivers.

Item No.	Set Includes:	lbs. 1.4
32641	8.0” Long Nose Pliers	
	6.3” Diagonal Cutters	
	Screwdrivers: Phillips: #2	
	Slotted: 4.5, 5.5mm	

Knurled striking zone on vinyl grip pliers

32651 **2 Piece Soft Grip Pliers & Cutters Set** Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergo shape for maximum user comfort.

Item# 32651 Set Includes:	lbs.
9.5” NE Style Lineman’s Pliers	1.92
8.0” BiCut SuperCut Pliers	

4 Piece Pliers & cutters Sets

In roll-up pouch

32601 **4 Pc. Pliers & Cutters Set** Drop-forged from C70 special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32601 Set Includes:	lbs. 3.2
8.0” Combination Pliers	10.0” Water Pump Pliers
6.3” Long Nose Pliers	6.3” Diagonal Cutters

32647 **4 Pc. Pliers & Cutters Set** Drop-forged from C70 special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32647 Set Includes:	
8.0” Combination Pliers	10.0” Water Pump Pliers
8.0” Long Nose Pliers	6.3” Diagonal Cutters

32675 **2 Piece Soft Grip Pliers & Cutters Set** Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergo shape for maximum user comfort. In Pouch

Item# 32675 Set Includes:	lbs.
9.5” NE Style Lineman’s Pliers	1.92
8.0” High Leverage Cutters	

Wiha Pliers & Cutters Sets

32648 **2 Piece Pliers & Cutters Set**
Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32648 Set Includes:	lbs. .78
32621 - Long Nose Pliers With Cutters - 8.0”	
32642 - Diagonal Cutters - 6.3”	

32698 **3 Piece Pliers & Cutters Set**
Drop-forged from special tool steel, individually high frequency induction hardened. Precision formed. Soft vinyl grips, oil & solvent resistant.

Item# 32698 Set Includes:	lbs. 1.4
32606 - Combination Pliers	32642 - Diagonal Cutters
32618 - Long Nose Pliers	

With Lower Crimping Jaw

32640 **2 Piece Soft Grip Pliers & Cutters Set** Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened.

Item# 32640 Set Includes:	lbs.
32616 Lineman’s Pliers - 9.0”	1.60
32636 BiCut SuperCut - 8.0”	

Soft Grip BiCut SuperCut & Screwdriver Set

32644 **7 Pc. Soft Grip BiCut SuperCut & Screwdriver Set** lbs. 1.78

Item No.	**BiCut SuperCut:**
32644	8.0”/200mm BiCut SuperCut
	Screwdrivers: Phillips: #0, #1, #2
	Slotted: 3.0, 4.0, 6.5mm

Combo Pliers & Bit Set

BiCut SuperCut & Ultra Driver

Tradesman

77786 **15 Pc. Ultra Driver & Pliers Set** With BiCut SuperCut & Ultra Driver Bit Set

Item No. 77786 lbs. 1.17

8.0” Soft Grip Vinyl BiCut SuperCut
For cutting various materials from soft to extremely hard. Double the power at the press of a button.

Ultra Driver Double End Bits:
Slotted: 3.0+4.5, 5.5+6.5mm
Phillips: #1+2, #0+3
Pozidriv®: #1+2
Square: #1+2, #0+3
Torx®: T10+T15, T20+T25
Hex Inch: 1/8+9/64, 5/32+3/16”
Hex MM: 3.0+4.0, 5.0+6.0mm

Wiha Soft Grip Belt Pack Pouch Sets

Durable Canvas Belt Pack Pouch

32653 **3 Pc. Pliers/Cutters In Belt Pack Pouch** Pliers precision formed. Jaws & cutters induction hardened. Soft vinyl grips are oil & solvent resistant.

Item No.	**Pliers & Cutters**
32653	8.0”/200mm High Leverage Cutters
	8.0”/200mm Combo Pliers
	8.0”/200mm Long Nose Pliers
	lbs. 2.02

Durable Canvas Belt Pack Pouch

32655 **5 Pc. Pliers/Cutters & Screwdrivers In Belt Pack Pouch** Pliers precision formed. Jaws & cutters induction hardened. Soft vinyl grips are oil & solvent resistant. Screwdriver blades CVM tool steel, hardened, hard chromed. SoftFinish cushion grip drivers.

Item No.	**Pliers & Cutters**	lbs. 1.62
32655	6.3”/160mm Diagonal Cutters	
	8.0”/200mm Long Nose Pliers	
	Cushion Grip Screwdrivers:	
	Slotted: 3.0, 4.5mm	Phillips: 2

Pliers & Cuters Pouch Set

In canvas pouch

Pliers precision formed

32608 **8 Pc. Pliers/Cutters** Jaws & cutters induction hardened. Long life edge is achieved through additional induction hardening to approx. 60 HRC.

Item No.	Set Includes:
32608	6.3”/160mm Combination Pliers
	6.3”/160mm & 8.0”/200mm Long Nose Pliers
lbs.	6.3” / 160mm Diagonal Cutters
4.42	6.3” / 160mm Long Flat Nose Pliers
	6.3” / 160mm Long Round Nose Pliers
	8.0” / 200mm High Leverage Cutters
	9.0” / 225mm High Leverage Combo Pliers

Soft Grip Pliers & Cutters In Tool Box Tray

Tool box set in blow molded tray

32679 **9 Piece Pliers & Cutters Set In Tool Box Tray** Pliers & cutters set in a light weight tool box tray.

Item No.		
32679	9.0” Lineman’s Pliers	8.0” Combo Pliers
	6.3” Long Nose Pliers	8.0” Cable Cutters
	8.0” Long Nose Pliers	6.3” Stripping Pliers
lbs.	6.3” Diagonal Cutters	7.0” Crimping Pliers
6.34	8.0” Diagonal Cutters	

Retaining Ring Pliers - Internal

326 **Straight Internal Retaining Ring Pliers**

DIN ISO 5256 Shape C, straight tips. Die forged cylindrical precision formed. Chrome-vanadium special tool steel. For inserting & removing internal retaining rings.

Item No.	⟷ mm	⟷ Inch	◯ Inch	◯ mm	●Tip Inch/mm	lbs.	Pkg.
32681	139	5.5	5/16-1/2	8-13	.035/.9	.27	1
32682	140	5.5	1/2-1	12-25	.050/1.3	.27	1
32683	180	7.0	3/4-2 3/8	19-60	.070/1.5	.42	1
32684	225	8.9	1 1/2-4	40-100	.090/2.3	.63	1
32654	310	12.2	3.5-5.5	85-140	.126/3.2	1.1	1

90° Angle Retaining Ring Pliers - Internal

326 **90° Angle Internal Retaining Ring Pliers** **DIN ISO 5254** Shape D, 90° angled tips. Die forged cylindrical precision formed. CV Special tool steel. For inserting & removing internal retaining rings. Soft vinyl grips.

Item No.	⟷ mm	⟷ Inch	◯ Inch	◯ mm	●Tip Inch/mm	lbs.	Pkg.
32685	139	5.5	5/16-1/2	8-13	.035/.9	.27	1
32686	140	5.5	1/2-1	12-25	.050/1.3	.27	1
32687	180	7.0	3/4-2 3/8	19-60	.070/1.5	.42	1
32688	225	8.9	1 1/2-4	40-100	.090/2.3	.62	1
32656	310	12.2	3.5-5.5	85-140	.126/3.2	1.1	1

Forged Retaining Ring Pliers

32693 **8 Pc. Straight Retaining Ring Pliers Set** Straight tips. For inserting & removing internal and external retaining rings.

Item# 32693 Set Includes: lbs. 3.65

Internal-Shape C	External-Shape A
32681 8-13mm/tip .035	**32689** 3-10mm/tip .035
32682 12-25mm/tip .050	**32690** 10-25mm/tip .050
32683 19-60mm/tip .070	**32691** 19-60mm/tip .070
32684 40-100mm/tip .090	**32692** 40-100mm/tip .090

Retaining Ring Pliers - External

326 **Straight External Retaining Ring Pliers** **DIN ISO 5254** Shape A, straight tips. Die forged cylindrical precision formed. For fitting & removing external retaining rings.

Item No.	⟷ mm	⟷ Inch	◯ Inch	◯ mm	●Tip Inch/mm	lbs.	Pkg.
32689	139	5.5	1/8-3/8	3-10	.035/.9	.28	1
32690	140	5.5	3/8-1	10-25	.050/1.3	.28	1
32691	180	7.0	3/4-2 3/8	19-60	.070/1.5	.45	1
32692	225	8.9	1 1/2-4	40-100	.090/2.3	.62	1
32662	310	12.2	3.5-5.5	85-140	.126/3.2	1.1	1

90° Angle Retaining Ring Pliers - External



326 **90° Angled External Retaining Ring Pliers** **DIN ISO 5254** Shape B, 90° angled tips. Die forged cylindrical precision formed. For fitting & removing external retaining rings.

Item No.	⟷ mm	⟷ Inch	◯ Inch	◯ mm	●Tip Inch/mm	lbs.	Pkg.
32694	139	5.5	1/8-3/8	3-10	.035/.9	.28	1
32695	140	5.5	3/8-1	10-25	.050/1.3	.28	1
32696	180	7.0	3/4-2 3/8	19-60	.070/1.5	.44	1
32697	225	8.9	1 1/2-4	40-100	.090/2.3	.63	1
32666	310	12.2	3.5-5.5	85-140	.126/3.2	1.2	1



32626 **5 Piece Straight Internal Ring Pliers Set** Shape C, straight tips. Die forged cylindrical precision formed. For inserting & removing internal retaining rings.

Item# 32626 Set Includes: lbs. 1.60

32681 8-13mm / tip .035	**32684** 40-100mm / tip .090
32682 12-25mm / tip .050	**32654** 85-140mm / tip .126
32683 19-60mm / tip .070	



32628 **5 Piece Straight External Ring Pliers Set** Shape A, straight tips. Die forged cylindrical precision formed. CV special tool steel. For fitting & removing external retaining rings. Soft vinyl grips.

Item# 32628 Set Includes: lbs. 1.52

32689 3-10mm / tip .035	**32692** 40-100mm / tip .090
32690 10-25mm / tip .050	**32662** 85-140mm / tip .126
32691 19-60mm / tip .070	



32629 **5 Piece 90° Angle External Ring Pliers Set** Shape B, 90° angled tips. Die forged cylindrical precision formed. CV special tool steel. For fitting & removing external retaining rings. Soft vinyl grips.

Item# 32629 Set Includes: lbs. 1.52

32694 3-10mm / tip .035	**32697** 40-100mm / tip .090
32695 10-25mm / tip .050	**32666** 85-140mm / tip .126
32696 19-60mm / tip .070	



32627 **5 Piece 90° Angle Internal Ring Pliers Set** Shape D, 90° angled tips. Die forged cylindrical precision formed. CV Special tool steel. For inserting & removing internal retaining rings. Soft vinyl grips.

Item# 32627 Set Includes: lbs. 1.56

32685 8-13mm / tip .035	**32688** 40-100mm / tip .090
32686 12-25mm / tip .050	**32656** 85-140mm / tip .126
32687 19-60mm / tip .070	

Wiha MagicTip Safety Ring Pliers

"MagicTips"

Hardened MagicTips are notched to hold rings securely on .070, .090 & .126 sizes

- **Faster & Easier Application**
- **Fewer Lost Rings**
- **Safer To Use**
- **Saves Time & Money**

High performance precision notched tips for maximum stability & secure holding (Safety notched on .070, .090 & .126)

Safety Notched

No Dropped Rings!

Tips made of premium quality hardened CVM tool steel, HRC 64

Heavy duty forged pliers with soft vinyl grips

Patents Pending

MagicTip Safety Ring Pliers - Internal

346 **MagicTip Straight Internal Safety Ring Pliers DIN ISO 5256** Shape C, straight tips. Precision machined tips of CV special tool steel. For inserting & removing internal retaining rings.

Item No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
34610	180	7.1	3/4-2 3/8	19-60	.070/1.5	.34	1
34611	220	8.7	1 1/2-4	40-100	.090/2.3	.54	1
34612	305	12.0	3.5-5.5	85-140	.126/3.2	.90	1

MagicTip Safety Ring Pliers- External

346 **MagicTip Straight External Safety Ring Pliers DIN ISO 5254** Shape A, straight tips. Precision machined tips of Chrome-vanadium special tool steel. For fitting & removing external retaining rings.

Item No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
34620	185	7.3	3/4-2 3/8	19-60	.070/1.5	.34	1
34621	240	9.5	1 1/2-4	40-100	.090/2.3	.57	1
34622	300	11.8	3.5-5.5	85-140	.126/3.2	1.0	1

MagicTip 90° Angle Safety Ring Pliers - Internal

346 **MagicTip 90° Angle Internal Safety Ring Pliers DIN ISO 5254** Shape D, 90° angled tips. Precision machined tips of Chrome-vanadium Special tool steel. For inserting & removing internal retaining rings.

Item No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
34615	180	7.1	3/4-2 3/8	19-60	.070/1.5	.34	1
34616	220	8.7	1 1/2-4	40-100	.090/2.3	.54	1
34617	305	12.0	3.5-5.5	85-140	.126/3.2	.94	1

MagicTip 90° Angle Safety Ring Pliers - External

346 **MagicTip 90° Angled External Safety Ring Pliers DIN ISO 5254** Shape B, 90° angled tips. Precision machined tips of Chrome-vanadium special tool steel. For fitting & removing external retaining rings.

Item No.	mm	Inch	Inch	mm	Inch/mm	lbs.	Pkg.
34625	185	7.3	3/4-2 3/8	19-60	.070/1.5	.36	1
34626	240	9.5	1 1/2-4	40-100	.090/2.3	.57	1
34627	300	11.8	3.5-5.5	85-140	.126/3.2	1.1	1

34699 **12 Pc. Straight And 90° Internal & External Ring Pliers Set** Precision machined tips of CV special tool steel. For inserting & removing retaining rings.

Item# 34699 Set Includes: lbs. 8.52

34610 19-60mm / tip .070	**34620** 19-60mm / tip .070
34611 40-100mm / tip .090	**34621** 40-100mm / tip .090
34612 85-140mm / tip .126	**34622** 85-140mm / tip .126
34615 19-60mm / tip .070	**34625** 19-60mm / tip .070
34616 40-100mm / tip .090	**34626** 40-100mm / tip .090
34617 85-140mm / tip .126	**34627** 85-140mm / tip .126

34697 **6 Pc. Straight Internal & External Ring Pliers Set** Precision machined tips of Chrome-vanadium special tool steel. For inserting & removing retaining rings.

Item# 34697 Set Includes: lbs. 4.04

34610 19-60mm / tip .070	34620 19-60mm / tip .070
34611 40-100mm / tip .090	34621 40-100mm / tip .090
34612 85-140mm / tip .126	34622 85-140mm / tip .126



34698 **6 Pc. 90° Angle Internal & External Ring Pliers Set** Precision machined tips of CV special tool steel. For inserting & removing retaining rings. Soft vinyl grips

Item# 34698 Set Includes: lbs. 4.46

34610 19-60mm / tip .070	34620 19-60mm / tip .070
34611 40-100mm / tip .090	34621 40-100mm / tip .090
34612 85-140mm / tip .126	34622 85-140mm / tip .126

Wiha Pipe Wrenches Narrow Style

All Steel Narrow Profile Pipe Wrenches



32995 **3 Piece Pipe Wrench Sets**

Hardened chrome-vanadium steel, induction hardened jaws. Safe and secure grip on pipes, flat work-pieces and nuts.

Item# 32995	Set Includes:	lbs. 5.60
32970 - 12.60" S-Jaws	32978 - 12.20" 90° Jaws	
32974 - 12.36" 45° Jaws		

32996 **3 Piece Narrow Style 90° Pipe Wrench Sets** Narrow shape angled 90°. Safe and secure grip angled jaw teeth. Comfortable handle profile. Rapid adjusting nut.

Item# 32996	Set Includes:	lbs.
32978 - 12.20" Narrow Style 90°		10.80
32979 - 16.54" Narrow Style 90°		
32980 - 22.05" Narrow Style 90°		

Pipe Wrenches Narrow Style / S-Jaw

329 **Pipe Wrenches Narrow Style / S-Jaw**

S-Jaw shape angled 45°. Self clamping gripping of pipes and hex nuts at 3 points. Comfortable handle profile. Rapid adjusting nut. Hardened CV steel, induction hardened jaws. Safe & secure grip on pipes & hex nuts.

Item No.	Inch OAL	Max. grip pipe dia.	maximum jaw opening	lbs.	Pkg.
32970	12.60	1	40mm(1.5")	2.5	1
32971	16.38	1.5	55mm(2.1")	2.5	1
32972	21.06	2	67mm(2.6")	3.9	1

Pipe Wrenches Narrow Style - 45°

329 **Pipe Wrenches Narrow Style - 45°**

Narrow shape angled 45°. Safe and secure grip angled jaw teeth. Comfortable handle profile. Rapid adjusting nut. Hardened CV steel, induction hardened jaws. Safe & secure grip on pipes, flat work-pieces & nuts.

Item No.	Inch OAL	Max. grip pipe dia.	maximum jaw opening	lbs.	Pkg.
32974	12.36	1	40mm(1.5")	1.8	1
32975	16.77	1.5	55mm(2.1")	2.1	1
32976	22.44	2	67mm(2.6")	6.3	1

Pipe Wrenches Narrow Style - 90°

329 **Pipe Wrenches Narrow Style - 90°**

Narrow shape angled 90°. Safe and secure grip angled jaw teeth. Comfortable handle profile. Rapid adjusting nut. Hardened CV steel, induction hardened jaws. Safe and secure grip on pipes, flat work-pieces & nuts.

Item No.	Inch OAL	Max. grip pipe dia.	maximum jaw opening	lbs.	Pkg.
32978	12.20	1	40mm(1.5")	2.2	1
32979	16.54	1.5	55mm(2.1")	3.2	1
32980	22.05	2	67mm(2.6")	6.0	1

Wiha Ratchet Crimpers

Ratchet End Sleeve Crimper

43612 **Ratchet End Sleeve Crimper**

Crimps Insulated & non-insulated end sleeves. 6 crimp positions range AWG 26-18, 18-16, 14, 12, 10, 8. Soft grip non-slip handles.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43612	220mm/8.6"	26-8	1.18	1

Ratchet Crimper For Standard Connectors

43618 **Ratchet Crimper For Standard Connectors** Crimps Insulated & non-insulated connectors. 3 crimp positions range AWG 20-18 red, 16-14 blue, 12-10 yellow.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43618	220mm/8.6"	20-10	1.06	1

Ratchet Crimper Push On Terminals



43624 **Ratchet Crimper Push On Terminals**

Crimps Insulated & non-insulated terminals. 4 crimp positions range AWG 24-20, 20-18, 16-14, 12-10. Soft grip non-slip handles.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43624	220mm/8.6"	24-10	1.06	1

Ratchet Crimper For Eye Terminals



43643 **Ratchet Crimper For Eye Terminals**

Crimps non-insulated terminals. 4 crimp positions range AWG 26-22, 20-18, 12-10, 8-6.

Item No.	Inch Length	AWG Range	lbs.	Pkg.
43643	220mm/8.6"	26-6	1.02	1

Wiha Industrial SoftGrip Pliers & Cutters

Made by Wiha

Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Natural brushed finish.

DIN ISO 5746



Industrial SoftGrip Combination Pliers

3 Point Contact OptiGrip

Long life high performance dynamic 60/40 joint

309 Industrial OptiGrip Combo Pliers

Extra long cutting edge for flat & round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping and holding as well as cutting soft & hard wires & cables.

Item			Cutting Cap.		
No.	mm	Inch	AWG	lbs.	Pkg.
30901	160	6.3	#10	.52	1
30903	180	7.0	#9	.67	1
30905	200	8.0	#8	.83	1

Industrial SoftGrip Linemans Crimpers

30912 Industrial Linemans Crimpers

DIN ISO 5746 Extra large head & extra long cutting edges for flat and round cables. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping & holding as well as cutting wires & cables ranging in hardness from soft to extremely hard. Two component SoftGrip ergo handles.

Item			Cutting Cap.		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
30912	225	9.0	#4	1.1	1

Industrial SoftGrip Heavy Duty Combo Pliers

3 Point Contact OptiGrip

Long life high performance dynamic 60/40 joint

309 Industrial Heavy Duty Combo Pliers

Larger Head & extra long cutting edges for flat & round cables. Serrated jaws. Cutting edges additionally induction hardened to approx. 64HRC. Special C70 tool steel. For gripping & holding as well as cutting wires & cables ranging in hardness from soft to extremely hard.

Item			Cutting Cap.		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
30907	200	8.0	#7	.81	1
30909	225	9.0	#6	1.0	1

Industrial SoftGrip BiCut SuperCut

Cutting capacity up to 3mm hardened piano wire

Double the power at the press of a button
BiCut does the job of two pairs of pliers
Up to 50% less hand strength required for cutting
Cutting force doubled for extremely hard materials
Switch between 2 strengths in one-handed operation

30936 Industrial SoftGrip BiCut SuperCut

For cutting various materials from soft to extremely hard, such as nails, screws, bolts, wire cables, spring wires, chains, etc.

Item				
No.	mm	Inch	Pkg.	lbs.
30936	200	8.0	1	.78

Industrial SoftGrip Cable Cutters

309 Industrial Cable Cutters DIN ISO 5749

Energy saving & clean cutting cable cutters with specially ground precision cutting edges. Long life cutting edges are achieved through additional induction hardening to approx. 64HRC. C70 special CV tool steel.

Item			Cutting Capacity		
No.	mm	Inch	Copper/Aluminum	lbs.	Pkg.
30926	160	6.3	16mm	.56	1
30928	200	8.0	20mm	.87	1

Industrial SoftGrip Diagonal Cutters

309 Industrial Diagonal Cutters DIN ISO 5749 Low wear lap joint, riveted & able to withstand high levels of load. Low force action, clean cutting. Long life cutting edge is achieved with additional induction hardening to approx. 64HRC. Special C70 tool steel forgings hardened & tempered. For soft & medium hard wire.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
30923	140	5.5	#6	.45	1
30925	160	6.3	#6	.57	1
30927	180	7.0	#6	.69	1

Industrial SoftGrip High Leverage Diagonal Cutters

309 Industrial High Leverage Diagonal Cutters DIN ISO 5749 Semi-circular. Low wear lap joint, riveted and able to withstand high levels of load. Low force action, clean cutting. Long life cutting edges are achieved through additional induction hardening to approx. 64HRC. C70 tool steel hardened and tempered.

Item			Cutting Capacity		
No.	mm	Inch	Copper AWG	lbs.	Pkg.
30929	160	6.3	#6	.57	1
30931	180	7.0	#5	.68	1
30933	200	8.0	#4	.89	1

Industrial SoftGrip NE Style Lineman's Pliers

Knurled Striking Zone

30940 **Industrial NE Style Lineman's Pliers** **Pliers** Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel hardened & tempered. Extra long cutting edge for flat and round cables. Two component SoftGrip handle.

Item No.	mm	Inch	Pkg.	wt.
30940	245	9.5	1	1.18

Industrial SoftGrip Long Nose Pliers

309 **Industrial Long Nose Pliers With Cutting Edge** **DIN ISO 5745** Long nose pliers. Extra long cutters for flat and round wires. Gripping surfaces serrated in parts. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. Two component SoftGrip handle.

Item No.	mm	Inch	Cutting Cap. AWG	lbs.	Pkg.
30911	160	6.3	#10	.41	1
30913	200	8.0	#8	.56	1

Industrial SoftGrip Bent Long Nose Pliers

Angled approx. 40°

309 **Industrial Bent Nose Pliers With Cutters** **DIN ISO 5745** Long nose pliers angled approx. 40°. Extra long cutting edge for flat & round wires. Gripping surfaces serrated in parts. Cutting edges additionally induction hardened to approx. 64HRC. C70 Special tool steel. Two component SoftGrip handle.

Item No.	mm	Inch	Cutting Capacity Copper AWG	lbs.	Pkg.
30915	160	6.3	#10	.42	1
30917	200	8.0	#8	.57	1

Industrial SoftGrip Flat Nose Pliers

30919 **Industrial Long Flat Nose Pliers** **DIN ISO 5745** Extra long head. Gripping surfaces serrated and induction hardened. C70 Special tool steel. Two component SoftGrip handle. Gripping and right-angled bending of wires and sheet metal parts.

Item No.	mm	Inch	Pkg.	lbs.
30919	160	6.3	1	.43

Industrial SoftGrip Long Round Nose Pliers

30921 **Industrial Long Round Nose Pliers** **DIN ISO 5745** Extra long head. Gripping surfaces serrated and induction hardened. C70 Special tool steel. Two component SoftGrip handle. Gripping and bending of wires and sheet metal parts.

Item No.	mm	Inch	Pkg.	lbs.
30921	160	6.3	1	.39

Industrial SoftGrip Heavy Duty End Nippers

30939 **Industrial Heavy Duty End Cutting Nippers** Induction hardened cutting edges. Special tool steel. Gripping and right-angled bending of wires and sheet metal parts. Two component SoftGrip handle.

Item No.	mm	Inch	Pkg.	lbs.
30939	200	8.0	1	.74

Industrial SoftGrip Stripping Pliers

For stripping up to #8 AWG

30947 **Industrial Stripping Pliers** **DIN ISO 5743** Heavy duty forged with induction hardened cutting edges for even stripping of insulation. Easy to use adjustment screw allows stripping diameter to be quickly changed. Return spring for effortless use. Special C70 tool steel edges. Stripping Diameter: .019" to .393".

Item No.	mm	Inch	Stripping Capacity Copper AWG	lbs.	Pkg.
30947	160	6.3	#8 - #28	.48	1

Stripping Pliers

56871 **Stripping Pliers** Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

Item No.	mm	Inch	Ø	AWG	lbs.	Pkg.
56871	180	7.0	0.81-2.59	20-10	.15	5

Industrial BiCut SuperCut & Screwdriver Set

30942 **7 Pc. Industrial BiCut SuperCut & Screwdriver Set** lbs. 1.86

Item No.	BiCut SuperCut:
30942	8.0"/200mm BiCut SuperCut
	Screwdrivers: Phillips: #0, #1, #2
	Slotted: 3.0, 4.0, 6.5mm

Made by Wiha

Industrial SoftGrip Standard Adjustable Pliers

With box joint

30937 **Industrial Adjustable Pliers** **DIN ISO 8976** 10 opening settings provides optimal adjustment to objects being gripped. Long life achieved through additional induction hardening of jaws to approx. 64HRC. Chrome-vanadium tool steel forgings, hardened and tempered. Two component SoftGrip ergonomic handle. Black finish.

Item			Capacities			
No.	mm	Inch	Round	Hex	lbs.	Pkg.
30937	250	10.0	1 3/4”	2”	.94	1

Industrial SoftGrip Push Button Adj. Pliers

With box joint

309 **Industrial Slide Lock Adjustable Pliers - Box Joint - With Push Button Setting.** **DIN ISO 8976** Extra narrow head for working small spaces. Rapid and simple push button setting and locking. Long life achieved through additional induction hardening of jaws to approx. 64HRC. Finger jam protection for safe operation at all settings. CVM tool steel forgings, hardened and tempered.

Item			Capacities			
No.	mm	Inch	Round	Hex	lbs.	Pkg.
30943	250	10.0	1 3/4”	2”	.95	1
30944	300	12.0	2 1/2	2 9/16	1.5	1

Industrial SoftGrip Pliers & Cutters 2 Piece Set

30941 **2 Piece Industrial SoftGrip Pliers & Cutters Set** Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item# 30941 Set Includes:	lbs.
30912 Lineman’s Pliers - 9.0”	1.88
30936 BiCut SuperCut - 8.0”	

Industrial SoftGrip Pliers & Cutters Sets

30993 **3 Piece Industrial SoftGrip Pliers & Cutters Set** Maximum comfort in daily use, smooth operation and optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item# 30993 Set Includes:	lbs.
30905 Combination Pliers - 8.0”	1.76
30925 Diagonal Cutters - 6.3”	
30911 Long Nose Pliers - 6.3”	

30990 **4 Pc. Industrial SoftGrip Pliers & Cutters Set** Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item# 30990 Set Includes:	lbs.
9.0” - Heavy Duty Combination Pliers	2.81
8.0” - Long Nose Pliers	
8.0” - High Leverage Diagonal Cutters	
20-10 AWG - Stripping Pliers	

30998 **8 Pc. Industrial SoftGrip Pliers & Cutters Set** Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item# 30998 Set Includes:	lbs.
6.3” - Combination Pliers	4.91
9.0” - Heavy Duty Combination Pliers	
6.3” - Long Nose Pliers	
8.0” - Long Nose Pliers	
5.5” - Diagonal Cutters	
8.0” - High Leverage Diagonal Cutters	
10.0” - Adjustable Pliers	
20-10 AWG - Stripping Pliers	

30991 **18 Pc. Industrial SoftGrip Pliers/ Cutters, Screwdrivers & Wrenches Set** Maximum comfort in daily use, smooth operation & optimum force transmission without uncomfortable pressure points. Cutters additionally induction hardened. Anti-slip soft dual material handles for safe gripping, ergonomic shape for maximum user comfort.

Item# 30991 Set Includes:	lbs.
8.0” - Combination Pliers	6.76
6.3” - Long Nose Pliers	
6.3” - Diagonal Cutters	
10.0” - Adjustable Pliers	
Slotted: 5/32, 1/4” Phillips: 1, 2	
Torx: T15, T20, T25 Square: 1, 2	
Wrenches: 1/4”x5/16”, 3/8”x7/16”, 1/2”x9/16”, 5/8”x11/16”, 3/4”x7/8”	

Soft Grip Electrician’s shears

32611 **SoftGrip Electrician’s And Craftsman Shears** High alloy carbon steel, hardened, burnished surface. Sturdy model, straight, very robust, micro-toothed cutting.

Item				
No.	mm	Inch	Pkg.	lbs.
32611	145	5.75	1	.05

Wiha Precision Electronic Pliers & Cutters

The Comfortable Precision Pliers & Cutters

Electronics pliers with cutting edges are designed especially for cutting soft to medium hard wires.

Light weight design for maximum user comfort in production work

C70 tool steel HR60 hardness

Lay-on, riveted precision joint

Precision ground cutting edges for smooth cuts

Glare free black finish

Velvet soft ergonomically designed multi component handle

Electronic Diagonal Cutters

Full Flush

56818 **Precision Electronic Diagonal Cutters, Wide Pointed Head** Cutting edge - full flush. With return spring. C70 special tool steel. For an absolutely flush cut of copper wire.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56818	138	5.5	1.3mm/16AWG	.22	1

Electronic Diagonal Cutters

Full Flush

Wire Holding Spring

56825 **Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring** Wide, Pointed head. Cutting edge - full flush. With return spring & fixture for holding ends of wires that have been cut off. C70 special tool steel. For an absolutely flush cut of copper wire.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56825	138	5.5	1.3mm/16AWG	.23	1

Electronic Diagonal Cutters

Semi Flush

56815 **Precision Electronic Diagonal Cutters, Wide Pointed Head** Cutting edge - semi flush. With return spring. C70 special tool steel. Universal small diagonal cutter for cutting copper wires. lbs. .23

Item No.	mm	Inch	Cut Capacity	Medium Hard Wire	Pkg.
56815	138	5.5	2.0mm/16AWG	0.8	1

Electronic Diagonal Cutters

Full Flush

56812 **Precision Electronic Diagonal Cutters, Narrow Shape** Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations. lbs. .19

Item No.	mm	Inch	Cut Capacity	Pkg.
56812	118	4.5	0.8mm/16AWG	1

Electronic Pointed Pliers

56801 **Electronic Short Nose Precision Pliers** Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

Item No.	mm	Inch	Pkg.	lbs.
56801	138	5.5	1	.23

Electronic Diagonal Cutters

Full Flush

Wire Holding Spring

56813 **Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring** Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56813	128	5.0	1.0mm/16AWG	.19	1

Electronic Oblique 48° Cutter

Full Flush

56833 **Electronic Oblique 48° Cutter** Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56833	138	5.5	1.3mm/16AWG	.22	1

Narrow Front Cutter/Long Nose Pliers

Full Flush

56830 **Electronic Narrow 30° Front Cutter / Long Nose Pliers** Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or form the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

Item No.	mm	Inch	Cut Capacity	lbs.	Pkg.
56830	118	4.5	0.6mm/16AWG	.19	1

Wiha ESD Safe Pliers & Cutters



Hardened & annealed high carbon tool steel, induction hardened cutting edges

Precision Cutters Tapered Head

Semi Flush

32703 **Precision Cutters, Small Tapered Head, Semi Flush** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative. lbs. .19

Item No.	mm	Inch	Copper	Head Wdth	Pkg.
32703	115	4.5	1.0	9.5mm	1

Precision Cutters Tapered Head

Semi Flush

32702 **Precision Cutters, Small Tapered Head With Hollow Ground Back, Semi Flush** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32702	115	4.5	1.0	9.5mm	.19	1

Precision Cutters Wide Tapered Head

Bevel

32706 **Precision Cutters, Wide Tapered Head, Bevel** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32706	115	4.5	1.4	11.0mm	.20	1

Precision Cutters Tapered Head

Flush

32705 **Precision Cutters, Small Tapered Head, Flush** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32705	115	4.5	1.0	9.5mm	.19	1

Precision Cutters Tapered Head

Flush

32704 **Precision Cutters, Small Tapered Head With Hollow Ground Back, Flush** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32704	115	4.5	1.0	9.5mm	.19	1

Precision Cutters Wide Tapered Head

Flush

32708 **Precision Cutters, Wide Tapered Head, Flush** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32708	115	4.5	1.2	11.0mm	.19	1

Precision Cutters Wide Tapered Head

Full Flush

32710 **Precision Cutters, Wide Tapered Head, Full Flush** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32710	115	4.5	1.0	11.0mm	.23	1

Precision Cutters Slim Oval Form

Full Flush

32714 **Precision Cutters, Slim Oval Head, Full Flush** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32714	115	4.5	1.0	10.0mm	.23	1

Precision Cutters Wide Oval Form

Flush

32721 **Precision Cutters, Wide Oval Head With Wire Trapping Device, Flush** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32721	115	4.5	1.2	11.0mm	.23	1

Precision Cutters Wide Tapered Head

Flush



32711 **Precision Cutters, Wide Tapered Head With Wire Trapping Device, Flush** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32711	115	4.5	1.2	11.0mm	.19	1

Precision Cutters Wide Oval Form

Bevel

32716 **Precision Cutters, Wide Oval Head, Bevel** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32716	115	4.5	1.4	11.0mm	.19	1

Precision Cutters Slim Oval Form

Flush

32712 **Precision Cutters, Slim Oval Head, Flush** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32712	115	4.5	1.0	10.5mm	.23	1

Precision Cutters Wide Oval Form

Flush

32720 **Precision Cutters, Wide Oval Head, Flush** Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32720	115	4.5	1.2	11.0mm	.19	1

NOTES:



Oblique Front Cutters

Flush



32728 **Oblique Front Cutters, Very Small Head, 40°, Flush** Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32728	130	5.1	0.8	8.5mm	.21	1

ESD Safe Pliers

Short Snipe Nose



32742 **ESD Safe Pliers, Short Snipe Nose (Chain Nose) Straight, Serrated Jaws** Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Width	lbs.	Pkg.
32742	120	4 3/4	9.5mm	.20	1

Oblique Angled Cutters

Ultra Full Flush

32724 **Oblique Angled Cutters, 29°, Full Flush** Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32724	115	4.5	1.0	12.0mm	.24	1

End Cutters Extra Slim

Semi Flush



32732 **End Cutters, Extra Slim, Semi Flush** End Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Tip Wdth	lbs.	Pkg.
32732	130	5.1	0.6	4.1mm	.16	1

ESD Safe Pliers

Bent Snipe Nose 45°



32744 **ESD Safe Pliers, Snipe Nose (Chain Nose) Bent 45°, Smooth Jaws** Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. ESD Safe Dissipative.

Item No.	mm	Inch	Head Width	lbs.	Pkg.
32744	120	4 3/4	9.5mm	.20	1

Oblique Angled Cutters

Semi Flush

32726 **Oblique Angled Cutters, 29°, Short Head, Semi Flush** Oblique Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32726	115	4.5	1.2	12.0mm	.24	1

End Cutters Wide Head

Flush



32734 **End Cutters, Wide Head, Flush** End Cutters drop-forged for an ideal material structure. Precise aligned cutting edges are additionally induction hardened at a hardness of Approx. 64°HRC. ESD Safe Dissipative.

Item No.	mm	Inch	Copper	Head Wdth	lbs.	Pkg.
32734	115	4.5	1.4	11.0mm	.18	1

ESD Safe Pliers

Long Needle Nose



32746 **ESD Safe Pliers, Long Needle Nose Pliers, Straight, Serrated Jaws** Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32746	145	5 3/4	12.0mm	.27	1

ESD Safe Pliers

Needle Nose, Bent 90°

32748 **ESD Safe Pliers, Needle Nose Pliers, Bent 90°, Smooth Jaws** Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32748	145	5 3/4	12.0mm	.21	1

ESD Safe Pliers

Short Round Nose Pliers



32750 **ESD Safe Pliers, Short Round Nose Pliers, Smooth Jaws** Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32750	120	4 3/4	9.5mm	.17	1

ESD Safe Pliers

Short Flat Nose Pliers



32752 **ESD Safe Pliers, Short Flat Nose Pliers, Smooth Jaws** Pliers drop-forged for an ideal material structure. Precisely aligned, jaws, hardened. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32752	120	4 3/4	9.5mm	.16	1

ESD Safe Diagonal Cutters

32760 **ESD Safe Precision Flush Cutting Diagonal Cutters** Low wear lap joint, riveted and able to withstand high levels of load. Lightweight action, clean cutting. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32760	133	5.25	.5"	.18	1

ESD Long Nose Pliers

32762 **ESD Safe Long Nose Pliers With Return Spring** Extra long cutters for flat and round cables. Serrated jaws. Long life edge is achieved through additional induction hardening to approx. 64HRC. Special C70 tool steel forgings. Two component non-slip soft grip handle, ESD Safe Dissipative.

Item No.	mm	Inch	Head Wdth	lbs.	Pkg.
32762	165	6.5	.625"	.24	1

ESD standard IEC 61340-5-1

32790 **4 Piece ESD Safe Pliers Set In Custom Case** Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. ESD Safe Dissipative.

#32790 4 piece ESD Safe Pliers Set

Set includes:

32716 4.5" Oval Side Cutters

32746 5.75" Long Nose Pliers

32752 4.75" Flat Nose Pliers

32728 4.375" Oblique Cutters

lbs. 1.02

ESD Safe Tool Set In Canvas Pouch

ESD standard IEC 61340-5-1

32793 **11 Piece Set, 4 ESD Safe Pliers, Slotted & Phillips Screwdrivers** Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle.

#32793 11 piece ESD Safe Pliers & Slotted/Phillips Precision Drivers

Set in custom case includes:

ESD Safe Pliers & Cutters

32705 4.5" Tapered Flush Cutters

32742 4.5" Snipe Nose Pliers

32728 4.375" Oblique Cutters

32746 5.7" Long Nose Pliers

ESD Safe Screwdrivers

Slotted 2.0, 2.5, 3.0, 3.5mm

Phillips #00, 0, 1

lbs. 2.43

ESD standard IEC 61340-5-1

32791 **11 Pc. Set, 4 ESD Safe Pliers, SYSTEM 4 Slotted & Phillips 5 Pc. Set & 2 ESD Safe Tweezers** Pliers drop-forged for an ideal material structure. Two component non-slip soft grip handle. ESD Safe Precision handle & 4 CVM tool steel blades. Tweezers anti-static conductive, ESD Safe Hypo allergenic, anti-magnetic stainless.

#32791 11 pc. ESD Safe Pliers, Tweezers & SYS 4 precision Set in custom case:

ESD Safe Pliers & Cutters

32716 4.5" Oval Side Cutters

32746 5.75" Long Nose Pliers

32752 4.75" Flat Nose Pliers

32728 4.375" Oblique Cutters

SYSTEM 4 Set in separate pouch

28000 ESD Safe Conductive Precision Handle

Slotted: 1.5, 2.0, 3.0 & 4.0

Phillips: 000, 00, 0 & 1

ESD Safe Tweezers: AA SA ESD & 7a SA ESD

lbs. 1.32

Wiha ESD Safe Proturn Pliers & Cutters

proturn

ESD standard IEC 61340-5-1

Hardened steel return spring

Glare free black finish

Tested ESD Safe handle with non-slip soft grip surface, protects the hand and reduces manual effort & user fatigue

Surface resistance of handles is 10^6 - 10^9 Ohms

ESD Safe Wire Stripper



45810 Proturn ESD Safe Wire Stripper C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips. Strips 0.2, 0.3, 0.4, 0.5, 0.6, 0.8mm

Item No.	mm	Inch	Strips AWG	Pkg.	lbs.
45810	165	6.5	30 to 20	1	.25

ESD Safe Flat Nose Pliers



45812 Proturn ESD Safe Flat Nose Smooth Jaws Pliers C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	Pkg.	lbs.
45812	160	6.3	1	.18

ESD Safe Round Nose Pliers



45814 Proturn ESD Safe Round Nose Pliers ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	Pkg.	lbs.
45814	152	6.0	1	.17

ESD Safe Long Nose Pliers



45811 Proturn ESD Safe Long Nose Pliers, Serrated Jaws C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	Pkg.	lbs.
45811	160	6.3	1	.18

ESD Safe Bent Nose Pliers



45813 Proturn ESD Safe Bent Nose Pliers, Serrated Jaws ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	Pkg.	lbs.
45813	152	6.0	1	.18

ESD Safe Diagonal Cutters



45820 Proturn ESD Safe 21° Precision Cutters/Flush Cut ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	AWG	Pkg.	lbs.
45820	127	5.0	18/1mm	1	.16

Wiha ESD Safe Proturn Pliers & Cutters

Surface resistance of handles is 10^6 - 10^9 Ohms

ESD Safe Diagonal Cutters



45821 **Proturn ESD Safe 45° Precision Cutters/Flush Cut** ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	AWG	Pkg.	lbs.
45821	127	5.0	18/1mm	1	.14

ESD Safe Diagonal Cutters



45823 **Proturn ESD Safe 21° Precision Cutters/Flush Cut** ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	AWG	Pkg.	lbs.
45823	133	5.25	14/1.6mm	1	.14

ESD Safe Diagonal Cutters



45822 **Proturn ESD Safe 21° Precision Cutters/Flush Cut** ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	AWG	Pkg.	lbs.
45822	140	5.5	16/1.3mm	1	.15

ESD Safe Diagonal Cutters



45824 **Proturn ESD Safe 45° Precision Cutters/Flush Cut** ESD standard IEC 61340-5-1. C70 special tool steel. Glare free, black finish. ESD Safe handle with non-slip grips.

Item No.	mm	Inch	AWG	Pkg.	lbs.
45824	140	5.5	14/1.6mm	1	.16

Wiha ESD Safe Proturn Pliers/Cutters, Precison Drivers & MicroBits Set

proturn ESD standard IEC 61340-5-1

Surface resistance of handles is 10^6 - 10^9 Ohms

45890 **26 Pc. Set, Proturn ESD Safe Pliers, Precision Slotted & Phillips Screwdrivers, Precision Micro Bit Set & ESD Safe Tweezers** ESD Proturn Pliers glare free, black finish, ESD Safe non-slip soft grips. ESD Safe Precision Slotted & Phillips screwdrivers, CVM tool steel blades. Precision ESD Safe Micro Bit handle holds Micro Bit extension and 4mm Micro bits. Anti-static Tweezer conductive, ESD Safe Hypo allergenic, anti-magnetic stainless.

#45890 26 Piece ESD Safe Pliers, Precision Screwdrivers, Micro Bit Set & ESD Tweezer Set in Canvas Pouch

ESD Safe Proturn Strippers, Pliers & Cutters

45810 - 6.5" Wire Stripper
45811 - 6.3" Long Nose Pliers
45813 - 6.0" Bent Nose Pliers
45823 - 5.25" 21° Precision Cutters

ESD Safe Slotted & Phillips Precision Drivers

Slotted: 2.0, 2.5, 3.0mm & Phillips: 0, 1

ESD Micro Bit Handle, Micro Bit Extension & 14 Micro Bits 4mm

Hex: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0
Torx: T4, T5, T6, T7, T8, T9, T10

ESD Safe Tweezer: 00 SA ESD - 120mm Heavy Duty Strong, Tapered To Strong Point

lbs. 1.74

Wire Stripping Pliers

High Carbon

57810 **Wire Stripping Pliers**

Pliers nose for working small nuts & pulling wire. Precision ground stripping stations for both solid & Stranded wire. Long, curved cutter requires less force to cut. Holes in the jaw for looping wire. Return spring & opening stop to prevent spring from becoming disengaged. Wire stripping stations 10 - 18 Solid & 12 - 20 Stranded. Screw Cutter 6-32 / 8-32

Item No.	mm	Inch
57810	184	7.25

Wire 5-in-1 Combination Strippers & Crimpers

High Carbon

Crimps Insulated & Non-Insulated

57814 **Wire 5-in-1 Combo Strippers & Crimpers** Long head with cushion gripping surface, shears blade and firm wire stripping stations. Hardened tool steel, non-glare black finish. Serrated pliers nose for pulling and looping wire. Curved cutter for improved cutting action, requires less force. Wire stripping stations AWG 10-22. Screw Cutter 4-40 / 5-40 / 6-32 / 8-32 / 10-32 / 10-24.

Item No.	mm	Inch	Strips
57814	210	8.25	10-22

Wire Strippers & Cutters

High Carbon

57818 **Wire Strippers & Cutters**

Pliers nose for working small nuts & pulling wire. Precision ground stripping stations for both solid & Stranded wire. Long, curved cutter requires less force to cut. Holes in the jaw for looping wire. Return spring & opening stop to prevent spring from becoming disengaged. Wire stripping stations 20 - 30 Solid & 22 - 32 Stranded. Screw Cutter 6-32 / 8-32

Item No.	mm	Inch
57818	184	7.25

Upfront Cutters, Crimper, And Strippers

High Carbon



Crimps Insulated & Non-Insulated

57812 **Upfront Cutters/Crimper/Strippers**

Curved cutter reduces force required to cut, longer blade length capable of cutting NM-B cable in a single stroke. Hardened tool steel, non-glare black finish. Screw cutter/sizing holes are moved closer to the pivot for more leverage, making it easier to shear screw. Wire stripping stations AWG 10-22. Screw Cutter 4-40 / 6-32 / 8-32 / 10-32 / 10-24

Item No.	mm	Inch	Strips
57812	216	8.5	10-22

Wire Strippers & Cutters

High Carbon



57816 **Wire Strippers & Cutters**

Serrated pliers nose for pulling and working wire. Precision ground stripping stations. Scissors action cutter. Holes in jaw for looping wire. With return spring. Wire stripping stations 10 - 20 / 0.8 - 2.6mm.

Item No.	mm	Inch	Strips
57816	152	6.0	10-20

Dual NM-B Cable Strippers

High Carbon



57820 **Wire Strippers Dual NM-B Cable**

Dual cable stripper features serrated pliers nose, wire looping holes, spring return and lock. Staggered cutting blade produces clean, sure cut with 30-50% less effort. Strippers Size 12-2 / 14-2 NM-B. 12-14 AWG. Screw Cutter 6-32 / 8-32.

Item No.	mm	Inch	Strips
57820	197	7.75	12-14

Item No.	Page
10250	8
11610	8
11960	8
11975	8
11980	8
29250	8
30901	20
30903	20
30905	20
30907	20
30909	20
30911	21
30912	20
30913	21
30915	21
30917	21
30919	21
30921	21
30923	20
30925	20
30926	20
30927	20
30928	20
30929	20
30931	20
30933	20
30936	20
30937	22
30939	21
30940	21
30941	22
30942	21
30943	22
30944	22
30947	21
30990	22
30991	22
30993	22
30998	22
32390	11
32600	13
32601	15
32602	13
32603	12
32604	14,34
32605	14,34
32606	12
32607	13
32608	16
32609	12
32611	22
32612	12
32613	12
32614	13
32615	12
32616	12
32617	13
32618	13
32619	14
32620	13
32621	13
32623	13
32625	13
32626	17
32627	17
32628	17
32629	17
32630	13
32631	12
32633	13
32635	14
32636	12
32637	14
32638	12
32639	12
32640	16
32641	15
32642	12
32644	16
32645	14
32646	13
32647	15
32648	16
32649	13
32651	15
32652	13
32653	16
32654	17
32655	16
32656	17
32657	14
32658	14
32659	14
32660	15
32661	15
32662	17
32663	15
32664	15
32665	15
32666	17
32667	15
32669	15
32670	15
32672	14
32674	14
32675	15
32676	14
32678	14
32679	16
32680	14
32681	17
32682	17
32683	17
32684	17
32685	17
32686	17
32687	17
32688	17
32689	17
32690	17
32691	17
32692	17
32693	17
32694	17
32695	17
32696	17
32697	17
32698	16
32702	24
32703	24
32704	24
32705	24
32706	24
32708	24
32710	25
32711	25
32712	25
32714	25
32716	25
32720	25
32721	25
32724	26
32726	26
32728	26
32732	26
32734	26
32742	26
32744	26
32746	26
32748	27
32750	27
32752	27
32760	27
32762	27
32790	27
32791	27
32793	27
32804	5
32806	5
32807	5
32808	5
32810	5
32814	4
32816	4
32818	4
32820	4
32821	4
32826	4
32828	4
32830	5
32831	6
32832	5
32833	6
32834	5
32835	5
32836	5
32837	6
32838	5
32841	4
32850	7
32854	7
32860	4
32861	5
32867	7
32868	7
32870	5
32871	6
32872	6
32873	6
32875	6
32889	7
32891	7
32917	9
32923	9
32926	9
32927	9
32929	9
32930	9
32933	9
32936	10
32938	9
32939	9
32942	10
32944	10
32945	9
32947	10
32951	8
32954	10
32956	10
32970	19
32971	19
32972	19
32974	19
32975	19
32976	19
32978	19
32979	19
32980	19
32981	10
32983	10
32984	10
32985	11
32986	11
32987	11
32988	11
32995	19
32996	19
32999	11
34610	18
34611	18
34612	18
34615	18
34616	18
34617	18
34620	18
34621	18
34622	18
34625	18
34626	18
34627	18
34697	18
34698	18
34699	18
43612	19
43615	34
43618	19
43624	19
43643	19
45810	28
45811	28
45812	28
45813	28
45814	28
45820	28
45821	29
45822	29
45823	29
45824	29
45890	29
56801	23
56812	23
56813	23
56815	23
56818	23
56825	23
56830	23
56833	23
56871	21
57810	30
57812	30
57814	30
57816	30
57818	30
57820	30
57872	14
76208	8
76210	8
76212	8
76215	8
76290	8
77786	16
91230	7
91256	4

Prop65 WARNING: This product can expose you to chemicals including Diisononyl Phthalate, Vinyl Chloride, Ethylene Glycol, Ni or CrVI, which is known to the State of California to cause cancer or reproductive harm. For more information, go to www.P65Warnings.ca.gov.

MANUFACTURING EXCELLENCE AWARD BESTES KMU 2014

WIHA – WINNER OF THE MX AWARD 2014. GERMANYS BEST SME.

wiha
Tools that work for you

PROFESSIONAL PLIERS & CUTTERS

(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com

Catalog Item No. 99977.wo
version - 3/1/19

Subject to change without notice

©2019 Willi Hahn Corporation

Wiha Quality Tools
1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.
www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

Like Us On facebook

To:

99934.wo - Hex Tools Catalog

99914.wo - TORX Catalog

99001.wo - TorqueControl Catalog

99951.wo - Bits Catalog

99919.wo - Insulated Catalog

99002.wo - Screwdrivers Catalog

99004.wo - Shop Tools Catalog

99006.wo - Tech Tools Catalog

99945.wo - ESD Catalog



99007.wo - Merchandise Catalog