


4

3


2

1


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN APVD
J			D	REVISED PER ECR-13-010724	05JUL2013	I.T S.Y




SEE DETAIL C



SECT. D-D
(SCALE 2:1)
(CONNECTOR NOT SECTION)



DETAIL C
(SCALE 2:1)



SECT. E-E
(SCALE 2:1)

WITHOUT PICK UP CAP

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
MM

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± 0.3
1 PLC	± 0.3
2 PLC	± 0.3
3 PLC	± 0.3
4 PLC	± 0.3
ANGLES	± 3°
FINISH	

DWN S.CHIEN 26SEP05

CHK T.FUTATSUGI 26SEP05

APVD W.KODAMA 26SEP05

PRODUCT SPEC

108-5560

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

YES ☒	3	30	75	61.8	220	8-6318491-6
NO	3	30	75	61.8	220	3-6318491-6
SEALANT	ROW	QTY	B	A	POS.	PART NO.

TE Connectivity

NAME

HARD TRAY ASSY
FH 0.5BTB CONNECTOR 220POS
PLUG 8H WITH GROUND PLATE



SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-6318491	

SCALE 1:2


SHEET 1 OF 4

REV D


2		1				
LOC	DIST	REVISIONS				
J	—	P	LTR	DESCRIPTION	DATE	APVD
		—	—	SEE SHEET 1	—	—



SECT. C-C
(SCALE 2:1)



DETAIL E
(SCALE 4:1)



SECT. D-D
(SCALE 2:1)

WITH PICK UP CAP

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S.CHIEN 26SEP05	NO 3 30 75 61.8 220 9-6318491-6			
		CHK T.FUTATSUGI 26SEP05	SEALANT	ROW	QTY	PART NO.
DIMENSIONS: MM		APVD W.KODAMA 26SEP05	NAME STE TE Connectivity HARD TRAY ASSY FH 0.5BTB CONNECTOR 220POS PLUG 8H WITH GROUND PLATE			
		PRODUCT SPEC 108-5560				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
0 PLC ± 0.3 1 PLC ± 0.3 2 PLC ± 0.3 3 PLC ± 0.3 4 PLC ± 0.3 ANGLES ± 3°		—	A3	00779	C-6318491	REV D
MATERIAL		FINISH	WEIGHT	—	SCALE 1:2	SHEET 2 OF 4
—		—	CUSTOMER DRAWING			

