

### XRCGB48M000F0Z00R0










### Appearance & Shape







#### **Features**

The crystal unit that realized small package and highly accurate frequency.

Based on Murata's excellent package technology and high grade quartz crystal elements, achieving small size and high accuracy resonators.

#### Features

- 1. The series is available in the applications to be necessary for high accuracy resonator.
- 2. The resonator is extremerly small size (2.0 x 1.6 x 0.7 (mm)), and contribute to reduction in mounting area.
- 3. The series complies to RoHS directive, being lead-free (phase 3).



Other Usage

Industrial



## Packaging Information

Packaging	Specifications	Minimum Order Quantity
R0	180mm Plastic Tape	3000

1 of 3

#### Attention




URL: http://www.murata.com/

Last updated : 2016/06/12



# XRCGB48M000F0Z00R0



Shape	SMD	
Frequency	48.0000MHz	
Frequency Tolerance	±100ppmmax. (25±3°C)	
Operating Temperature Range	-40°C to 105°C	
Frequency Shift by Temperature	±100ppmmax.	
Frequency Aging	±5ppmmax./year	
Wash	Not avairable	
Load Capacitance	6pF	
Equivalent Series Resistance(max.)	100Ω	
Drive Level(max.)	300µW	




URL: http://www.murata.com/



# XRCGB48M000F0Z00R0





Temperature Characteristics

3 of 3

