


DO NOT SCALE PRINT	Honeywell		100/125A NULL BALANCE CURRENT SENSOR		CATALOGUE LISTING <b>CSN SERIES</b> <b>MTG-CSN-222</b>		THIS DRAWING IS FOR REFERENCE ONLY.			
	CAT. LISTING		ISSUE NO.	OPERATING TEMPERATURE	SUPPLY RANGE	HOUSING MATERIAL	SENSING RANGE	OUTPUT NOMINAL	MAXIMUM COIL RESISTANCE AT 70°C	NUMBER OF TURNS


CSNF161-002	3	-40°C TO +85°C	±12V ±15V	GLASS FILLED P.B.T.	100A	± 100mA	30 Ohms	1000 ± 1
CSNF161-004	3	-40°C TO +85°C	±12V ±15V		100A	± 100mA	30 Ohms	1000 ± 1
CSNF151-001	3	-40°C TO +85°C	±12V ±15V		100A	± 50mA	100 Ohms	2000 ± 1
CSNR161-002	3	-40°C TO +85°C	±12V ±15V		125A	± 125mA	30 Ohms	1000 ± 1
CSNR151-002	3	-40°C TO +85°C	±12V ±15V		125A	± 62.5mA	100 Ohms	2000 ± 1
CSNP661-010	1	-40°C TO +85°C	±12V ±15V	50A	± 50mA	30 Ohms	1000 ± 1	



CATALOGUE LISTING

NOTES :-

1. MOUNTING HOLES 0.90 DIA.
2. INK COLOUR BLACK.



DRAWN	W. JOHNSTON	2/97
CHECK		
DESIGN		
AUTHOR	N	

THE COPYRIGHT OF THIS DRAWING IS THE PROPERTY OF HONEYWELL LTD. THE DRAWING IS SUPPLIED IN CONFIDENCE AND MUST NOT BE USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SUPPLIED.	THIRD ANGLE PROJECTION	SCALE :- 2/1	DIMENSIONS ARE IN MILLIMETRES	MODIFY ON CAD3D SYSTEM ONLY
--	------------------------	--------------	-------------------------------	-----------------------------