

## Cable gland - G-INS-PG36-L68N-NNES-S - 1411178

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Brass, nickel-plated, External cable diameter 22 mm ... 32 mm, Shielding: No, Connecting thread: Pg36, Color: silver

### Product Features



### Key commercial data

Packing unit	1 pc
Minimum order quantity	5 pc
Custom tariff number	74199990
Country of origin	Turkey

### Technical data

#### Dimensions

Length	57.2 mm
Length without connecting thread	48.2 mm
Connecting thread diameter	47 mm
Wrench size, union nut	50 mm
Wrench size, support	50 mm
Hexagon angular dimension GRP	55.5 mm
Length of the connecting thread	9 mm
External cable diameter	22 mm ... 32 mm

#### Ambient conditions

Degree of protection	IP68 (5 bar, 30 min.)
Ambient temperature (operation)	-40 °C ... 100 °C

#### General

Cable gland material	Brass, nickel-plated
----------------------	----------------------

## Cable gland - G-INS-PG36-L68N-NNES-S - 1411178

### Technical data

#### General

Cable seal material	CR
O-ring material	NBR
Shielded	No
Thread type on connection side	Pg36
Torque	35 Nm ... 45 Nm (Union nut)
Color	silver

### Classifications

#### eCl@ss

eCl@ss 5.1	27081002
eCl@ss 6.0	27081002
eCl@ss 8.0	27149109

#### ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

### Approvals

#### Approvals

Approvals

UL Listed

Ex Approvals

Approvals submitted

#### Approval details

UL Listed 
---

### Drawings

## Cable gland - G-INS-PG36-L68N-NNES-S - 1411178

Dimensional drawing

