








Copyright FCI.

PRODUCT NUMBER SEE SHEET 2



NOTE 1



spec ref				dr		Xie Bob		2013/10/25		projection				size		A3		scale		3:2							
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Eddy Zeng		2013/11/07						ecn no						-					
ASME Y14.5																											
				chr		LI- He		2013/11/04																			
				appr		Pei-Ming Zheng		2013/11/07				product family		PowerBlade+		rel level						Released					
surface				linear		0.X		±0.50				title						2P + 48S + 2P		dwg no		10106131-4012001		rev		A	
				0.XX		±0.25																					
				0.XXX		±0.10																					
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.				Product - Customer Drw				sheet 1 of 3									

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.



Copyright FCI.

dr	Xie Bob	2013/10/25	projection	MM	size	A3	scale	1:1
eng	Eddy Zeng	2013/11/07			ecn no	-		
chr	Li- He	2013/11/04			rel level	Released		
appr	Pei-Ming Zheng	2013/11/07	product family	PowerBlade+				
			title		2P + 48S + 2P		dwg no	
			VT PF RECEPTACLE		10106131-4012001		rev	
							A	
www.fci.com			cat. no.		Product - Customer Drw		sheet 3 of 3	