

## Cable gland - G-INSEC-PG48-L68N-NNES-S - 1411204

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Brass, nickel-plated, External cable diameter 34 mm ... 44 mm, Shielding: Yes, Connecting thread: Pg48, Color: silver

### Product Features



### Key commercial data

Packing unit	1 pc
Custom tariff number	74199990
Country of origin	Turkey

### Technical data

#### Dimensions

Length	65 mm
Length without connecting thread	51 mm
Connecting thread diameter	59.3 mm
Wrench size, union nut	64 mm
Wrench size, support	64 mm
Hexagon angular dimension GRP	70 mm
Length of the connecting thread	14 mm
External cable diameter	34 mm ... 44 mm

#### Ambient conditions

Degree of protection	IP68
Ambient temperature (operation)	-40 °C ... 100 °C

## Cable gland - G-INSEC-PG48-L68N-NNES-S - 1411204

### Technical data

#### General

Cable gland material	Brass, nickel-plated
Seal material	CR
Cable seal material	CR
O-ring material	NBR
Shielded	Yes
Thread type on connection side	Pg48
Torque	40 Nm ... 50 Nm (Union nut)
Color	silver

### Classifications

#### eCl@ss

eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 8.0	27149109

#### ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

### Approvals

#### Approvals

---

##### Approvals

UL Recognized

---

##### Ex Approvals

---

Approvals submitted

---


##### Approval details

UL Recognized 
---

## Cable gland - G-INSEC-PG48-L68N-NNES-S - 1411204

### Drawings

Dimensional drawing



---

Phoenix Contact 2015 © - all rights reserved  
<http://www.phoenixcontact.com>