

## Han M23 male-c 1,5mm (0,14–1,00mm<sup>2</sup>) Au



|                    |   |
|--------------------|---|
| Part number        | 09 15 100 6111  |
| Specification      | Han M23 male-c 1,5mm (0,14–1,00mm <sup>2</sup> ) Au                                   |
| HARTING eCatalogue | <a href="https://b2b.harting.com/09151006111">https://b2b.harting.com/09151006111</a> |

### Identification

|                            |                             |
|----------------------------|-----------------------------|
| Category                   | Contacts                    |
| Series                     | Han <sup>®</sup> M23 Signal |
| Type of contact            | Crimp contact               |
| Description of the contact | Turned<br>1.5 mm            |

### Version

|        |      |
|--------|------|
| Gender | Male |
|--------|------|

### Technical characteristics

|                         |                            |
|-------------------------|----------------------------|
| Conductor cross-section | 0.14 ... 1 mm <sup>2</sup> |
| Conductor cross-section | AWG 26 ... AWG 17          |
| Contact resistance      | ≤3 mΩ                      |
| Stripping length        | 4 mm                       |

### Material properties

|                             |  |
|-----------------------------|--|
| Material (contacts)         | Copper alloy   |
| Surface (contacts)          | Gold plated  |
| RoHS                        | compliant with exemption                             |
| RoHS exemptions             | 6c: Copper alloy containing up to 4 % lead by weight |
| ELV status                  | compliant with exemption                             |
| China RoHS                  | 50   |
| REACH Annex XVII substances | No   |
| REACH ANNEX XIV substances  | No   |
| REACH SVHC substances       | Yes  |
| REACH SVHC substances       | Lead   |

### Specifications and approvals

|                |            |
|----------------|------------|
| Specifications | EN 60664-1 |
|----------------|------------|



Pushing Performance

Specifications and approvals

|           |
|-----------|
| IEC 61984 |
|-----------|

Commercial data

|                                |          |
|--------------------------------|----------|
| Packaging size                 | 5        |
| Net weight                     | 0.19 g   |
| Country of origin              | Germany  |
| European customs tariff number | 85366990 |