




PRODUCT NUMBER
10127400-03HI410LF



spec ref		-		dr		Kaka Zhang		2015/08/25		projection				MM		size		A2		scale		2:1	
tolerance std		-		eng		Kaka Zhang		2015/09/23		chr		Fancy Zhang		2015/09/23		ecn no		-					
ASME Y14.5		TOLERANCES UNLESS OTHERWISE SPECIFIED		appr		Pei-Ming Zheng		2015/09/23		product family		PwrBlade ULTRA				rel level		Released					
surface				linear				title		4HP+2IS+9HP, PRESS-FIT		R/A RECEPTACLE, PwrBlade ULTRA		dwg no		10127400-03H1410		rev		A			
ASME Y14.5				angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 1 of 3					

PDS: Rev :A


STATUS:Released

Printed: Sep 23, 2015



PRODUCT NO.	ROWS	HIGH POWER											SIGNAL					HIGH POWER					
		E2	P13	P12	P11	P10	P9	P8	P7	P6	P5	7	6	5	4	3	2	1	P4	P3	P2	P1	E1
10127400-03HI410LF	C B A																						

CODE	DESCRIPTION
RB	STD RIGHT HIGH POWER CONTACT
LB	STD LEFT HIGH POWER CONTACT
RA	MFBL RIGHT HIGH POWER CONTACT
LA	MFBL LEFT HIGH POWER CONTACT
N	SIGNAL CONTACT
P	SIGNAL CONTACT
R	SIGNAL CONTACT
HA	HOLD DOWN



spec ref -				dr Kaka Zhang		2015/08/25		projection		MM		size A2		scale 2:1	
tolerance std -				eng Kaka Zhang		2015/09/23						ecn no -		rel level Released	
ASME Y14.5				chr Fancy Zhang		2015/09/23									
				appr Pei-Ming Zheng		2015/09/23		product family		PwrBlade ULTRA					
surface		linear		0.X ±0.50				title 4HP+2IS+9HP, PRESS-FIT R/A RECEPTACLE, PwrBlade ULTRA		dwg no 10127400-03HI410		rev A			
		0.XX ±0.25													
ASME Y14.5		0.XXX ±0.130													
		angular 0° ±2°		www.fci.com		cat. no. -		Product - Customer Drw		sheet 2 of 3					

