

1470-19 (3/11)

4

3

2

1

THIS DRAWING IS UNPUBLISHED.



RELEASED FOR PUBLICATION

SEP, 2005.




© COPYRIGHT 2005 By -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			DATE	DWN	APVD
		P	LTR	DESCRIPTION			
-	-	-	-	SEE SHEET 1	-	-	-




PANEL CUT OUT DIMENSION (REFERENCE)



P.C.B LAYOUT (REFERENCE)
SHOWN AS CONNECTOR MOUNTING SIDE
TOLERANCE: NON-CUMULATIVE

BRASS	CONTACT	(3)
PHOSPHOR BRONZE	SHELL	(2)
GLASS FILLED LCP UL94V-0, BLACK COLOR	HOUSING	(1)
MATERIAL	DESCRIPTION	ITEM

CONNECTOR: WITHOUT FLANGE THROUGH HOLE TYPE



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		TE Connectivity HDMI 19 POS RECEPTACLE ASSY SMT SHORT TYPE	
DIMENSIONS: 单位: 毫米 mm		CHK			
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD			
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		NAME 名称			
MATERIAL 材料		FINISH 仕上		SIZE A3 CAGE CODE 00779 DRAWING NO. C=1903015 RESTRICTED TO	
CUSTOMER DRAWING		SCALE 4:1		SHEET 2 OF 12	
				REV R	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.



RELEASED FOR PUBLICATION

SEP, 2005.




© COPYRIGHT 2005 By -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				DATE	DWN	APVD
		P	LTR	变更	DESCRIPTION			
-	-	-	-	SEE SHEET 1		-	-	-



PANEL CUT OUT DIMENSION (REFERENCE)

P.C.B LAYOUT (REFERENCE)
SHOWN AS CONNECTOR MOUNTING SIDE
TOLERANCE: NON-CUMULATIVE

POLYIMIDE	TAPE	(4)
BRASS	CONTACT	(3)
PHOSPHOR BRONZE	SHELL	(2)
GLASS FILLED LCP UL94V-0, BLACK COLOR	HOUSING	(1)
MATERIAL	DESCRIPTION	ITEM

CONNECTOR: WITH FLANGE THROUGH HOLE TYPE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		CHK		APVD		NAME 名称	
DIMENSIONS: 单位: 毫米 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		PRODUCT SPEC 製品规格		APPLICATION SPEC 取付適用规格		WEIGHT	
MATERIAL 材料		FINISH 仕上		SIZE A3		CAGE CODE 00779		DRAWING NO C=1903015	
CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 12		REV R		RESTRICTED TO	

TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP, 2005.

© COPYRIGHT 2005 By -

ALL RIGHTS RESERVED.

LOC
—
DIST
—

REVISIONS



変更

DESCRIPTION


DATE

DWN



APVD

P LTR
— SEE SHEET 1


PANEL CUT OUT DIMENSION (REFERENCE)



P.C.B LAYOUT (REFERENCE)
SHOWN AS CONNECTOR MOUNTING SIDE
TOLERANCE: NON-CUMULATIVE



CONNECTOR: WITH FLANGE THROUGH HOLE TYPE




POLYIMIDE	TAPE	(4)
BRASS	CONTACT	(3)
PHOSPHOR BRONZE	SHELL	(2)
GLASS FILLED LCP UL94V-0, BLACK COLOR	HOUSING	(1)
MATERIAL	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 英
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
FINISH 仕上

MATERIAL
材料

DWN

CHK

APVD

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

CUSTOMER DRAWING



TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

NAME
名称

SIZE

CAGE CODE

DRAWING NO
番号

A3

00779

C=1903015

RESTRICTED TO

SCALE
尺度

4:1

SHEET

4 OF 12

REV

R

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP, 2005.

© COPYRIGHT 2005 By --

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

変更

DESCRIPTION

DATE

DWN

APVD

P



LTR

SEE SHEET 1




-

-

-




PANEL CUT OUT DIMENSION (REFERENCE)



P.C.B LAYOUT (REFERENCE)
SHOWN AS CONNECTOR MOUNTING SIDE
TOLERANCE: NON-CUMULATIVE

CONNECTOR: WITH FLANGE FULL SMT TYPE

BRASS	CONTACT	(3)
PHOSPHOR BRONZE	SHELL	(2)
GLASS FILLED LCP UL94V-0, BLACK COLOR	HOUSING	(1)
MATERIAL	DESCRIPTION	ITEM



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 話
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

MATERIAL
材料FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING

NAME
名称

TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

CAGE CODE

DRAWING NO
番号

A3 00779 C=1903015

RESTRICTED TO

SCALE
尺度 4:1

SHEET

5 OF 12

REV

R

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP, 2005.




© COPYRIGHT 2005 By -

ALL RIGHTS RESERVED.


1903015-1, 2-1903015-2, 5-1903015-1

5-1903015-5, 7-1903015-1; AS SHOWN


LOC	DIST	REVISIONS			DATE	DWN	APVD
		P	LTR	DESCRIPTION			
		-	-	SEE SHEET 1	-	-	-

5-1903015-3; AS SHOWN
(SCALE 1:1)


DETAIL A




B-B

5-1903015-9; AS SHOWN
(SCALE 1:1)


DETAIL A




B-B

9-1903015-3; AS SHOWN
(SCALE 1:1)


DETAIL A



B-B

1903015-3; AS SHOWN
(SCALE 1:1)

DETAIL A



B-B





LABEL DESCRIPTION

TYCO P/N: *-1903015-*
 QTY: * pcs
 D/C:
 MADE IN CHINA

WEEDING THE COVER TAPE: 300 MIN
 (NOT INCLUDE EMPTINESS POCKET)

PELLING ANGLE: 165°~180°
 PEELING STRENGTH:
 0.1~0.7N (300mm/min.)



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
單位: 毫米TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ±
 1 PLC ±
 2 PLC ±
 3 PLC ±
 4 PLC ±
 ANGLES ±

MATERIAL
材料FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING



TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

CAGE CODE

DRAWING NO
番号

A3

00779

C=1903015

RESTRICTED TO

SCALE
尺度 4:1

SHEET

6 OF 12

REV
R

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION




SEP, 2005.

© COPYRIGHT 2005 By -


ALL RIGHTS RESERVED.

1903015-2, 1903015-5, 4-1903015-1, 5-1903015-2, 5-1903015-4
8-1903015-4, 9-1903015-4; AS SHOWN

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
—	—		—	SEE SHEET 1	—	—	—



DETAIL C
(SCALE 2:1)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		CHK	
DIMENSIONS: 單位: 毫米 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD	
0 PLC ±		1 PLC ±		PRODUCT SPEC 製品規格	
2 PLC ±		3 PLC ±		APPLICATION SPEC 取付適用規格	
4 PLC ±		ANGLES ±		WEIGHT	
FINISH 仕上		CUSTOMER DRAWING		SCALE 尺度 4:1	
MATERIAL 材料		SIZE A3		CAGE CODE 00779	
		DRAWING NO C=1903015		RESTRICTED TO	
		SHEET 7 of 12		REV R	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION




SEP ,2005.

© COPYRIGHT 2005 By --


ALL RIGHTS RESERVED.

1903015-4; AS SHOWN

LOC	DIST	REVISIONS				DATE	DWN	APVD
		P	LTR	DESCRIPTION	變更			
--	--	--	--	SEE SHEET 1		--	--	--



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
單位: 毫米
mmMATERIAL
材料TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差0 PLC
1 PLC
2 PLC
3 PLC
4 PLC
ANGLES
FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

CUSTOMER DRAWING



TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

A3

CAGE CODE

00779

DRAWING NO





C=1903015

RESTRICTED TO

SCALE
尺度 4:1SHEET
8 of 12REV
R

1903015-7, 1903015-8; AS SHOWN

LOC	DIST	REVISIONS				DATE	DWN	APVD
		P	LTR	変更 DESCRIPTION				
-	-	-	-	SEE SHEET 1		-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 TE Connectivity									
		CHK											
DIMENSIONS: 単位: 話 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD		NAME 名称							
		0 PLC ±		PRODUCT SPEC 製品規格		HDMI 19 POS RECEPTACLE ASSY SMT SHORT TYPE							
		1 PLC ±		APPLICATION SPEC 取付適用規格									
		2 PLC ±											
		3 PLC ±											
4 PLC ±		ANGLES ±		WEIGHT		SIZE		CAGE CODE		DRAWING NO 番号		RESTRICTED TO	
MATERIAL 材料		FINISH 仕上		CUSTOMER DRAWING		A3		00779		C-1903015		—	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP, 2005.

© COPYRIGHT 2005 By --

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

変更

DESCRIPTION

DATE

DWN

APVD

P

LTR

SEE SHEET 1

8-1903015-4; AS SHOWN

D

D

C


C

B


B

A

A




TRAY A




TRAY B

TRAY B (EMPTY)




TRAY B

TRAY A



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
單位: 毫米MATERIAL
材料TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0	PLC	±
1	PLC	±
2	PLC	±
3	PLC	±
4	PLC	±
ANGLES		±
FINISH		仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING

NAME
名称

TE

TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

CAGE CODE

DRAWING NO
番号

A3

00779

C=1903015

RESTRICTED TO

SCALE
尺度 4:1

SHEET

10 OF 12

REV

R

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP ,2005.

© COPYRIGHT 2005 By -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

変更

DESCRIPTION

DATE

DWN

APVD

P

LTR

SEE SHEET 1

-

-

-

PLUG CONNECTOR

RECEPTACLE
CONNECTOR
WITHOUT FLANGE TYPE

2 MAX

1.6 REF

2 MIN

SCREW

PLUG CONNECTOR

RECEPTACLE
CONNECTOR
WITH FLANGE TYPE

2 MAX

1.6 REF

2 MIN

MAX
ø6MATING CONDITION (REFERENCE)
(SCALE 2:1)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

CUSTOMER DRAWING

TE

TE Connectivity

NAME
名称HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

SIZE

CAGE CODE

DRAWING NO

番号

C=1903015

RESTRICTED TO


SCALE
尺度 4:1

SHEET

11 OF 12

REV

R

DIMENSIONS:
単位: 話
mmTOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±FINISH
仕上MATERIAL
材料

4

3

2

1

THIS DRAWING IS A CONTROLLED DOCUMENT.

NOT RELEASED FOR PUBLICATION

SEP, 2005.

COPYRIGHT 2005, By --

ALL RIGHTS RESERVED.

LOC

DIST

REV

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

P/N:6-1903015-3

D

D

C





C

B

B

A

A




TRAY B (EMPTY)

TRAY B

TRAY A

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
單位: 毫米MATERIAL
材料TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING

NAME
名称

SIZE

CAGE CODE

DRAWING NO
番号

RESTRICTED TO

TE Connectivity

HDMI 19 POS RECEPTACLE ASSY
SMT SHORT TYPE

A3

00779

C-1903015

SCALE
尺度 4:1

SHEET

12 OF 12

REV

R