





PRODUCT NUMBER SEE SHEET 2



spec ref *		dr		Rainbow Zhan	2015/06/30	projection		MM		size	A3	scale	3:2
tolerance std	ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED		eng	Zhen-Hua Liu					2015/07/02	ecn no	-	
				chr	Fancy Zhang					2015/07/02			
		appr		Pei-Ming Zheng	2015/07/02	product family		PwrBlade+	rel level		Released		
surface	ASME Y14.5	linear	0.X	±0.5		title	3HP + 24S + 3HP		dwg no	10106132-6006003		rev	A
			0.XX	±0.25									
			0.XXX	±0.10									
		angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw				sheet 1 of 3		



A

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.  
-SIGNAL CONTACT - COPPER ALLOY.  
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn  
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.  
APPLICATION SPECIFICATION : GS-20-141.  
PRODUCT PACKAGE SPECIFICATION : GS-14-1502.

B

C

D



Copyright FCI.

dr	Rainbow Zhan	2015/06/30	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2				
eng	Zhen-Hua Liu	2015/07/02			ecn no	-						
chr	Fancy Zhang	2015/07/02										
appr	Pei-Ming Zheng	2015/07/02	product family		PwrBlade+	rel level	Released					
<div>www.fci.com</div>			cat. no.			Product - Customer Drw			sheet 3 of 3			
<div>FCi</div>			title			3HP + 24S + 3HP			dwg no	10106132-6006003	rev	A
			RA STB HEADER									