

MODEL NUMBER
M39030/6-07(N OR S)

NOTES:


1.0 ELECTRICAL SPECIFICATIONS

- 1.1 FREQUENCY RANGE: DC TO 18.0 GHz
- 1.2 VSWR: 1.025 + .004f (GHz) MAX.
- 1.3 POWER HANDLING: 2 WATTS AVG.
1.0 KILOWATT PEAK
- 1.4 OPERATING TEMP. RANGE: -55°C to +125°C
- 1.5 WEIGHT: 3 Oz. MAX.

2.0 MARK UNIT AS SHOWN:


(REF: INK-09183-27-[27 or 29])

2.1 MARK SERIAL NUMBER AND DATE CODE ON UNIT.



3.0 TESTING: TEST PER ATP-07840-60-02.

4.0 DUST CAP SUPPLIED WITH UNIT.



REV.	DESCRIPTION	DATE
I	RELEASED	12/10/93
A	ECN 13500	4/8/94
B	ECN 13664	6/3/94
C	ECN 19546	12/23/03
F	ECO 24773	5/16/13

NOTICE: The information contained in this drawing is proprietary and must not be used without the permission of Emerson Network Power. UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 3 PLACE DECIMALS ±.005 2 PLACE DECIMALS ±.02 FRACTIONS ±1/64 PARALLELITY: T.I.R. _____ FLATNESS: T.I.R. _____ CONCENTRICITY: T.I.R. _____ ANGLES AND PERPENDICULARITY: ±1°	CAGE CODE 34078	MIDWEST MICROWAVE	
	 EMERSON Network Power Connectivity Solutions	TITLE TERMINATION OUTLINE DRAWING	
DRAWN/DATE C. WALLACE 8/15/13	ENG./DATE P. KLYVE 5/16/13	DRAWING NUMBER M39030/6-07(N OR S)-01	REV. F
CHECKED/DATE P. KLYVE 8/16/13	APPROVED/DATE P. KLYVE 8/16/13	SCALE: 2=1	SHEET 1 of 1