

Cable gland - G-INSEC-PG29-M68N-NNES-S - 1411201

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Cable gland, Cable gland material: Brass, nickel-plated, External cable diameter 18 mm ... 25 mm, Shielding: Yes, Connecting thread: Pg29, Color: silver

Product Features

☑



Key commercial data

Packing unit	1 pc
Minimum order quantity	5 pc
Weight per Piece (excluding packing)	136.0 GRM
Custom tariff number	74199990
Country of origin	Turkey

Technical data

Dimensions

Length	47 mm
Length without connecting thread	39 mm
Connecting thread diameter	37 mm
Wrench size, union nut	40 mm
Wrench size, support	40 mm
Hexagon angular dimension GRP	44.5 mm
Length of the connecting thread	8 mm
External cable diameter	18 mm 25 mm
Ambient conditions	

Ambient conditions

Degree of protection	IP68
----------------------	------



Cable gland - G-INSEC-PG29-M68N-NNES-S - 1411201

Technical data

Ambient conditions

Ambient temperature (operation)	-40 °C 100 °C	
General		
Cable gland material	Brass, nickel-plated	
Seal material	CR	
Cable seal material	CR	
O-ring material	NBR	
Shielded	Yes	
Thread type on connection side	Pg29	
Torque	20 Nm 25 Nm (Union nut)	
Color	silver	

Classifications

eCl@ss

eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 8.0	27149109

ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

Approvals

Approvals

Approvals

UL Recognized

Ex Approvals

Approvals submitted

Approval details



Cable gland - G-INSEC-PG29-M68N-NNES-S - 1411201

Approvals





Phoenix Contact 2015 © - all rights reserved http://www.phoenixcontact.com

05/22/2015 Page 3 / 3