






KEYING OPTION "B"
1438082-2 




△ MATERIAL:
HARNES - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: HARNES - 30% GLASS FILLED sPS, BLACK
SPACER - 40% GLASS FILLED PPS+PA66, RED
ALT MAT'L: 30% GLASS FILLED sPS, RED
ALT MAT'L: 35% GLASS FILLED PA66, RED
COVER - 35% GLASS FILLED PA66, BLACK
ALT MAT'L: COVER - 30% GLASS FILLED LCP, BLACK
CAM LEVER - 35% GLASS FILLED NYLON, GRAY
GROMMET - SILICONE, BROWN
PERIMETER SEAL - SILICONE, GREEN

2. CAM LEVER AND SPACER ARE SHIPPED IN PRE-LATCH POSITION.

③ SEE PINOUT CHART ON SHEETS 2, 3 AND 4 FOR CLOSED CIRCUIT CONFIGURATIONS.

④ CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS.
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE LOCATIONS.

SHOWN WITH CAM LEVER AND SPACER
IN LOADED POSITION WITH
OPTIONAL WIRESHIELD

THIS DRAWING IS A CONTROLLED DOCUMENT FOR Tyco Electronics Corporation IT IS SUBJECT TO A CHANGE AND THE COMPANY'S ACCEPTING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN: 01AUG2003 R. VESTAL ECH: 01AUG2003 D. STRAUSSER APD: 01AUG2003 D. STRAUSSER		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME:	
		0 PLC ±. 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±. 4 PLC ±. ANGLES ±°		PRODUCT SPEC: - APPLICATION SPEC: -	
MATERIAL: SEE TABLE		FINISH: SEE TABLE		46 Way PCM CONNECTOR HARNESS ASSEMBLY	
		WEIGHT: -		SIZE: CAGE CODE: DRAWING NO: RESTRICTED TO:	
		A 00779 C = 1438082		-	
CUSTOMER DRAWING				SCALE: 4:1 SHEET 1 OF 5 REV: 1	

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

45	43				39	37	36	35			31					24						18	17	16		14	13	12			9		7	6				2	1	9-1438082-7	2LIT-14A464-SD-051					
			42																		20	18			15	14			11	10		8	7			4	3	2	1	9-1438082-6	2LIT-14A464-SD-050					
			42																		20	18							11	10									1	9-1438082-5	2LIT-14A464-SD-049					
			42																		20	18							11	10									2	1	9-1438082-4	2LIT-14A464-SD-048				
								35							27																										9-1438082-3	2LIT-14A464-SD-047				
	45	43					36	35			32	31				24		21		19	18	17	16		14	12							7	6					1	9-1438082-1	2LIT-14A464-SD-046					
46											31																															9-1438082-0	2LIT-14A464-SD-045			
											31					24							16										8						3	2	8-1438082-9	2LIT-14A464-SD-044				
															27																											8-1438082-8	2LIT-14A464-SD-043			
	45	44	43	42		40	38	37	36		33	31	29			24	22	20		18	17	16	15								9	8					3				8-1438082-7	2LIT-14A464-SD-042				
	45	44	43	42		40	38	37	36		33	31	29			24	22	21	20	19	18	17	16	15							9	8		6				2				8-1438082-6	2LIT-14A464-SD-041			
46												31																					9			6				3			8-1438082-5	2LIT-14A464-SD-040		
			43	42			39	37											20	19	18								11	10	9								2	1	8-1438082-4	2LIT-14A464-SD-039				
			43									31	29								18																					8-1438082-3	2LIT-14A464-SD-038			
	45	44	43	42		40	38	37	36		33	31	29			24	22	21	20		18	17	16	15							9	8						2				8-1438082-0	2LIT-14A464-SD-037			
	45		43						36	35			31				24						16		14	12							7	6				2	1			7-1438082-9	2LIT-14A464-SD-036			
	45		43						36	35			31				24		21	19			16		14	12							7	6				2	1			7-1438082-8	2LIT-14A464-SD-035			
			43	42			39	38	37			32			28						19	18	17	16					10	9												7-1438082-5	2LIT-14A464-SD-034			
	45	44	43	42		40	38	37	36		33	31	29			24	22	21	20		18	17	16	15							9	8		6				2				7-1438082-4	2LIT-14A464-SD-033			
	45	44	43	42		40	38	37	36		33	31				24	22	21	20		18	17	16	15							9	8		6				2				7-1438082-3	2LIT-14A464-SD-032			
					40								29																			9										6-1438082-6	2LIT-14A464-SD-031			
															27														12														6-1438082-3	2LIT-14A464-SD-030		
															27																				6								6-1438082-2	2LIT-14A464-SD-029		
															27																				6								6-1438082-1	2LIT-14A464-SD-028		
													29	28		25		21			18	16												6	5							5-1438082-6	2LIT-14A464-SD-027			
													29	28		25		21				16												6	5							5-1438082-5	2LIT-14A464-SD-026			
											30	29						21			18	16													5							5-1438082-2	2LIT-14A464-SD-025			
			43	42			39	37										20	19	18	17		15	14				11	10	9	8	7				4	3	2	1			5-1438082-0	2LIT-14A464-SD-024			
			42																				15	14					11	10	9	8	7				4	3					4-1438082-9	2LIT-14A464-SD-023		
			43	42			39	37										20	19	18	17							11	10	9								2	1				4-1438082-8	2LIT-14A464-SD-022		
			42																										11	10	9													4-1438082-7	2LIT-14A464-SD-021	
			43	42			39	37								23		20	19	18	17							11	10	9													4-1438082-2	2LIT-14A464-SD-020		
	45	43						36	35			31				24					18	17	16		14	12							7	6					2	1			4-1438082-0	2LIT-14A464-SD-019		
			43	42			39	37								23		20	19	18	17		15	14				11	10	9	8	7				4	3	2					3-1438082-8	2LIT-14A464-SD-018		
			42													23							15	14				11	10	9	8	7				4	3							3-1438082-7	2LIT-14A464-SD-017	
			43	42			39	37								23		20	19	18	17	16						11	10	9													3-1438082-6	2LIT-14A464-SD-016		
			42													23													11	10	9													3-1438082-5	2LIT-14A464-SD-015	
	45	43				39	37	36	35			31				24		21		19	18	17	16		14	13	12				9		7	6				2	1					3-1438082-4	2LIT-14A464-SD-014	
	45	43				39	37	36	35	33		31				25	24	21		19	18	17	16		14	13	12				9		7	6				2	1					3-1438082-3	2LIT-14A464-SD-013	
	45	43						36	35			31				24		21		19	18	17	16		14	12							7	6					2	1					3-1438082-2	2LIT-14A464-SD-012
			42																					15	14	13			10	9	8	7					4	3							3-1438082-1	2LIT-14A464-SD-011
			43	42			39	37											20	19	18	17			13				10	9								</								

LOC	DIST	REVISIONS					
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

		44							35		32							22								12		9	7	6				1	6-1438735-7	2LIT-14A464-SD-086																
		44							35		32															12		9	7	6				1	6-1438735-3	2LIT-14A464-SD-085																
									35																											6-1438735-2	2LIT-14A464-SD-084															
			43	42		40	39		37				29					20	18			15	14			11	10	9	8	7			4	3	1	6-1438735-1	2LIT-14A464-SD-083															
45		43						38	36			31					25	24						18	17	16		14	12				7	6		2	1	5-1438735-0	2LIT-14A464-SD-082													
45		43						38	36			31					25	24								16	14	12				7	6			2	1	4-1438735-9	2LIT-14A464-SD-081													
45		43						38	36			32	31				25	24		21		19	18	17	16		14	12				7	6			1	4-1438735-8	2LIT-14A464-SD-080														
45		43						39	38	37	36			31			25	24						18	17	16		14	13	12			9	7	6		2	1	4-1438735-7	2LIT-14A464-SD-079												
				42																20	18					13	11	10								2	1	3-1438735-8	2LIT-14A464-SD-078													
				42																20	18					13	11	10									1	3-1438735-7	2LIT-14A464-SD-077													
45		43						39	38	37	36			31			25	24		21	20	19	18	17			14	13	12			9					2	1	3-1438735-6	2LIT-14A464-SD-076												
45		43							38	36			31				25	24		21	20	19	18	17			14	12									2	1	3-1438735-5	2LIT-14A464-SD-075												
			43	42		40	39		37				29						20	18			15	14			11	10	9	8	7			4	3	2	1	3-1438735-3	2LIT-14A464-SD-074													
45		43						39	38	37	36			31			25	24				20	19	18	17			14	13	12			9					2	1	3-1438735-2	2LIT-14A464-SD-073											
45		43							38	36			31				25	24		21	20	19	18	17	16		14	12				7					2	1	3-1438735-1	2LIT-14A464-SD-072												
45		43						39	38	37	36			31			25	24		21	20	19	18	17	16		14	13	12			9	7					2	1	3-1438735-0	2LIT-14A464-SD-071											
45		43							38	36			31				25	24		21	20	19			16		14	12				7						2	1	2-1438735-9	2LIT-14A464-SD-070											
45		43						39	38	37	36			31			25	24		21	20	19			16		14	13	12			9	7					2	1	2-1438735-8	2LIT-14A464-SD-069											
45		43							38	36			31				25	24				20	19	18	17			14	12									2	1	2-1438735-6	2LIT-14A464-SD-068											
											33																	13									6	5				2	1	2-1438735-5	2LIT-14A464-SD-067							
45	44	43	42		40			38	37	36		33	31				24		22	21	20		18	17	16	15					9	8							2		2-1438735-4	2LIT-14A464-SD-066										
		43										31		29									18								8									2		2-1438735-1	2LIT-14A464-SD-065									
45		43						38		36	35		31				25	24		21					16		14	12				7	6							2	1	2-1438735-0	2LIT-14A464-SD-064									
45		43						39	38	37	36	35		31			25	24						18	17	16		14	13	12			9	7	6					2	1	1-1438735-9	2LIT-14A464-SD-063									
45		43							38		36	35		32	31			25	24		21		19	18	17	16		14	12				7	6						1	1-1438735-8	2LIT-14A464-SD-062										
45		43							38		36	35		31			25	24							16		14	12				7	6						2	1	1-1438735-7	2LIT-14A464-SD-061										
45		43							38		36	35		31			25	24		21		19			16		14	12				7	6						2	1	1-1438735-6	2LIT-14A464-SD-060										
45		43							38		36	35		31			25	24						18	17	16		14	12				7	6					2	1	1-1438735-5	2LIT-14A464-SD-059										
45		43						39	38	37	36	35		31			25	24		21		19	18	17	16		14	13	12			9	7	6					2	1	1-1438735-4	2LIT-14A464-SD-058										
45		43							38		36	35		31			25	24		21		19	18	17	16		14	12				7	6						2	1	1-1438735-3	2LIT-14A464-SD-057										
				42						37										20		18				15	14		11	10	9	8	7			4	3	2	1	1-1438735-2	2LIT-14A464-SD-056											
45		43									36	35		31			24		21		19			16		14	12					7	6						1	1-1438735-1	2LIT-14A464-SD-055											
									35							27																								3			1-1438735-0	2LIT-14A464-SD-054								
			43									31		29										18							9	8								2		1438735-9	2LIT-14A464-SD-053									
									35							27																	7									1438735-8	2LIT-14A464-SD-052									
46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1		PART NUMBER	FORD PART NUMBER				
TERMINAL HOLE POSITION																																																				
PIN-OUT CHART KEYING OPTION "A"																																																				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20		DWN R. VESTAL 01AUG2003		Tyco Electronics Harrisburg, PA 17105-3608	
CHK D. STRAUSSER 01AUG2003		NAME		46 WAY PCM CONNECTOR HARNESS ASSEMBLY	
APVD D. STRAUSSER 01AUG2003		PRODUCT SPEC		SIZE CAGE CODE DRAWING NO	
APPLICATION SPEC		WEIGHT		RESTRICTED TO	
CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 5	

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

9 PLC ±.3

1 PLC ±0.10

5 PLC ±

4 PLC ±

ANGLES ±°

FINISH

-

