

RED INDICATES ORIGINAL


DATA CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO TROMPETER ELECTRONICS INC. AND SHALL NOT BE DISCLOSED, COPIED OR USED FOR PROCUREMENT OR MANUFACTURE WITHOUT EXPRESS WRITTEN PERMISSION OF TROMPETER ELECTRONICS INC.

REVISIONS

010-0055 SH 1C

REV	DESCRIPTION	DATE	APPROVED
K	REVISED PER ECO #13819	2/15/01	<i>[Signature]</i>

DASH NO	MARKING
BASIC	W/MARKING
-U	W/O MARKING



BASIC SHOWN

3. RECOMMENDED GAUGING OF INDENTERS IN FULLY CLOSED CONDITION: .026 MIN, .031 MAX DIA

\triangle 2 OPEN HANDLE SPAN 4.20

1. FINISH: HAND GRIP: RED
FRAME ASSY: BLACK OXIDE COATED CRS

INTERPRET DRAWING PER MIL-STD-100 DIMENSIONS ARE IN INCHES AND INCLUDE FINISH THICKNESS UNLESS OTHERWISE SPECIFIED		TOL: UNLESS SPECIFIED .XX .XXX .XXXX ANGLES			
DRAWN DKC	DATE 2-8-01	MATERIAL:			
CHECKED <i>[Signature]</i>	DATE 2/14/01	FINISH: SEE NOTE: 1		TITLE: 8 POINT CRIMP TOOL 75 OHM PIN CENTER CONTACTS	
APPROVED <i>[Signature]</i>	DATE 2-15-01	SIZE A	CAGE CODE 14949	DRAWING NO. 010-0055	REV. K
NEXT ASSY	CAD FILE NO. 0100055K1	SCALE 1/1	DATE: 8-26-88	SHEET 1C	DO NOT SCALE DWG