






SEALANT	AVAILABLE	3	30	70	54.7	160	1-5316560-1
	AVAILABLE	↑	↑	↑	48.7	140	1- -0
	NOT AVAILABLE				42.7	120	-9
	NOT AVAILABLE	↓	↓	↓	36.7	100	-8
	NOT AVAILABLE	3	30	70	33.7	90	-7
	AVAILABLE	5	50	43	30.7	80	-6
	NOT AVAILABLE	↑	↑	↑	27.7	70	-5
					24.7	60	-4
					21.7	50	-3
					18.7	40	-2
	NOT AVAILABLE	5	50	43	15.7	30	5316560-1
SEALANT	TOOLING STATUS	ROW	QTY	BB	AA	POS.	PART NO.

GENERAL TOLERANCE
一般公差

10≥:±0.2
30≥ >10:±0.25
100≥ >30:±0.3
ANGLES:±3°

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± -
4 PLC ± -
ANGLES ± -
FINISH
仕上

MATERIAL
材料

DWN
LEO ZHOU
17NOV04

CHK
STEVEN YAO
17NOV04

APVD
I.ENOMOTO
17NOV04

PRODUCT SPEC
製品規格
108-60047

APPLICATION SPEC
取付適用規格
114-5255

WEIGHT

CUSTOMER DRAWING

Tyco Electronics

Tyco Electronics Corporation
Kawasaki, Japan

NAME
名称

HARD TRAY ASSY
FH 0.6BTB CONNECTOR
REC 4H W/G-CONT

SIZE

CAGE CODE

DRAWING NO
番号

RESTRICTED TO

SCALE
尺度

1:2

SHEET
1 OF 3

REV
A

