



Tous droits strictement réservés. Reproduction ou communication o des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	SIGNAL					POWER				
		6	5	4	3	2	1	P5	P4	P3	P2
51756-001-- NOTE: 3	D	E	E	E	E	E	X	PA	PA	PA	PA
	C	E	E	E	E	E					
	B	E	E	E	E	E					
	A	E	E	E	E	E					



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
E	[N/A]	SIGNAL
PA	[1.07]	POWER
X	OMITTED	OMITTED

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		CONFIDENTIAL	
ltr	ecr no.	dr	date	linear	0.X ± 0.3	projection		COPY		www.fciconnect.com	
A	DG06-0245	JMG	22/06/06	angles	0.XX ± 0.10	MM		title		5P + 24S	
				dr	0.XXX ± 0.050	scale		product family		PwrBlade	
				engr	0° ± 2°	1:1		size		213	
				chr	JM GUO 22/06/06			dwg no		1 of 4	
				appd	SLUO 22/06/06			A		51756-001	
					BEER FU 22/06/06						
					JOSEPH HSIA 22/06/06						
sheet index	revision sheet	A	A	A	A						
		1	2	3	4						

1 | 2

Pro/E

3 |

cage code 22526

4



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER

51756-001--
NOTE: 3



CONFIDENTIAL

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com	
lfr	ecr no.	dr	date	linear	0.X ± 0.3		COPY		
A					0.XX ± 0.10		projection		
					0.XXX ± 0.050				
				angles	0° ± 2°				
				dr	JM GUO	22/06/06	product family		
				engr	SLUO	22/06/06	PwrBlade		
				chr	BEER FU	22/06/06	code	213	
				appd	JOSEPH HSIA	22/06/06	size	2 of 4	
sheet index		revision sheet				scale		A	
						1:1		51756-001	

coge code 22526

Pro/E

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER

51756-001...
NOTE: 3



CONFIDENTIAL

mat'l code				tolerances unless otherwise specified		CUSTOMER	FCI www.fciconnect.com	
ltr	ecr no.	dr	date	linear	0.X ± 0.3	COPY	title	
A				linear	0.XX ± 0.10	projection	5P + 24S	
				angles	0.XXX ± 0.050		VERTICAL STB RECEPTACLE WITHOUT GUIDE POST	
				dr	JM GUO 22/06/06	MM	product family	PwrBlade
				engr	SLUO 22/06/06	scale	size	code
				chr	BEER FU 22/06/06	1:1	dwg no	213
				appd	JOSEPH HSIA 22/06/06		A	3 of 4
sheet index	revision sheet							

cage code 22526

Pro/E

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010

Tous droits strictement réservés. Reproduction ou communication à des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER

51756-001__
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- 2 HOUSING MATERIAL: UL 94 V-0 GLASS FILLED
HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
- 3. PLATING SPEC.
51756-001,51756-001LF PLATING SPEC. WAS SHOWN IN THE PRINT OF 10064183.
- 4 MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.
- 5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
- 6. PACKAGED IN TRAYS.

PCB NOTES:

- 7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 8 MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
- 9 $\varnothing .0453 \pm .0010$ [1.151 \pm 0.025] DRILLED HOLES PLATED WITH .0003 [0.008] MIN SnPb OVER .001 [0.03] TO .003 [0.08] Cu PLATING TO ACHIEVE $\varnothing .040 \pm .003$ [1.02 \pm .07] HOLE.
- 10 "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
- 11 CONNECTOR KEEP-OUT ZONE.

CONFIDENTIAL

mat'l code				tolerances unless otherwise specified		CUSTOMER	FCI www.fciconnect.com	
lfr	ecr no.	dr	date	linear	0.X \pm 0.3	COPY	title	
A					0.XX \pm 0.10	projection	5P + 24S	
				angles	0.XXX \pm 0.050		VERTICAL STB RECEPTACLE WITHOUT GUIDE POST	
				dr	JM GUO 22/06/06	MM	product family	PwrBlade
				engr	SLUO 22/06/06	scale	size	dwg no
				chr	BEER FU 22/06/06	1:1	A	51756-001
				appd	JOSEPH HSIA 22/06/06			code
sheet index	revision sheet							213
								4 of 4

Pro/E

coge code 22526

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010