












Copyright FCI.




PRODUCT NUMBER SEE SHEET 2



spec ref				dr		Helen Zhang		2013/06/07		projection				size		A3		scale		3:2											
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Xie Bob		2013/09/16						ecn no -															
ASME Y14.5						chr		Li- He		2013/09/16																					
						appr		Pei-Ming Zheng		2013/09/16												product family				PowerBlade+				rel level	
surface				linear		0.X		±0.50				title		2P + 24S + 2P VT PF RECEPTACLE						dwg no		10106131-4006201						rev		A	
				0.XX		±0.25																									
ASME Y14.5				0.XXX		±0.10																									
		angular		0°		±2°		www.fci.com		cat. no.		Product - Customer Drw				sheet 1 of 3															

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
 - HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
 - SIGNAL CONTACT - COPPER ALLOY.
 - POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10123565.
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.

dr	Helen Zhang	2013/06/07	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	scale
eng	Xie Bob	2013/09/16			A3	1:1
chr	Li- He	2013/09/16			ecn no	-
appr	Pei-Ming Zheng	2013/09/16			rel level	Released
			product family	PowerBlade+		
<div></div>			2P + 24S + 2P			rev
			VT PF RECEPTACLE			A
www.fci.com			cat. no.	Product - Customer Drw		
				sheet 3 of 3		