




PRODUCT NUMBER
10085238-XYLF



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.


mat'l code				- -		tolerances unless otherwise specified		CUSTOMER		www.fciconnect.com	
ltr	ecn no.	dr	date		0.X ±0.3	COPY				title METRAL SIGNAL HEADER I MOD. 5 ROW STB WITHOUT PLASTIC POSTS	
A	DG07-0504	Cenh	2007-12-20	linear	0.XX ±0.13	MIM					
-	-	-	-	-	.XXX ±.051			size		213	
-	-	-	-	angles	0° ±2°	scale		dwg no		sheet	
-	-	-	-	dr	Heaven Cen 12/20/07	2:1		10085238		1 of 3	
-	-	-	-	enr	Collins Lu 12/20/07						
-	-	-	-	chr	Gary Hsieh 12/20/07						
-	-	-	-	appd	Joseph Hsia 12/20/07						
sheet index	revision sheet	A	A	A							
		1	2	3							

cage code 22526



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

REV E - 2008-04-18



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE

SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY (SIGNAL STB)		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.25
2	5.75	4.25
3	6.50	4.25
4	7.25	4.25
5	5.00	3.30
6	5.75	3.30
7	6.50	3.30
8	7.25	3.30
9	5.00	2.65
10	5.75	2.65
11	6.50	2.65
12	6.50	2.65
13	8.00	4.25

NOTES:

- FOR DIM A, AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL POLYMER 30 % GLASS. FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL: PHOSPHOR BRONZE.
- PLATING ON PRESS FIT TAIL: 10083182-XYLIF IS Sn (LEAD FREE) PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.
- PRODUCT MARKING: PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBE.
- PRODUCT SPECIFICATION GS-12-180 APPLICATION SPECIFICATION BUS-20-074
- THE PRODUCTS WHERE THE PART NUMBERS ENDS IN "LF" MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008. ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260° C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	projection	COPY		title		
A					0.XX ±0.13	⊕			METRAL SIGNAL HEADER 1 MOD, 5 ROW STB WITHOUT PLASTIC POSTS		
				angles	.XXX ±.051	⊕			product family		
				dr	0° ±2°	MIM			METRAL		code
				enr	Heaven Cen 12/20/07	← MIM →			size	dwg no	213
				chr	Collins Lu 12/20/07	scale			A	10085238	sheet
				appd	Gary Hsieh 12/20/07	1:1			2		
					Joseph Hsia 12/20/07						
sheet index	revision sheet										

cage code 22526

Pro/E

PRODUCT NUMBER
10085238-XYLFF

PLATING IN CONTACT AREA

DASH NUMBER	PERFORMANCE LEVEL
-1YYLF	TELCORDIA CO

METRAL P/N	ROW	CONTACT CODE MOD. 1					
		1	2	3	4	5	6
10085238-X10LF	E	9	9	9	9	9	9
	D	9	9	9	9	9	9
	C	9	9	9	9	9	9
	B	9	9	9	9	9	9
	A	9	9	9	9	9	9



This document is the property of and embodies
 CONFIDENTIAL and PROPRIETARY information of FCI.
 No part of the information shown on this
 document may be used in any way or disclosed
 to others without the written consent of FCI.
 Copyright FCI.

mat'l code				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title	
A					0.XX ±0.13	projection		METRAL SIGNAL HEADER 1 MOD, 5 ROW STB WITHOUT PLASTIC POSTS	
				angles	.XXX ±.051			product family	
				dr	0° ±2°			METRAL	
				enr	Heaven Cen 12/20/07	scale		code	
				chr	Collins Lu 12/20/07	1:1		213	
				appd	Gary Hsieh 12/20/07	size		sheet	
					Joseph Hsia 12/20/07	A		3	
sheet index		revision sheet						10085238	

cage code 22526