



## Soldering Tips - Weller Compatible

### EW SERIES

**COMPATIBLE STATIONS:**Weller WES50, Weller WES51, Weller WD1, Weller WD2, Weller EC1201A, Weller EC1204A, Weller PES50, Weller PES51, Weller WCC101

Plato is one of the largest manufacturers of solder tips in the world, producing tips to fit all of the most popular solder stations. The long life and fast heat recovery of a Plato solder tip increases user effectiveness and decreases production times. All Plato solder tips manufactured since January 2004 are tinned with Lead-Free solder. Plato is the name for reliable soldering supplies.

**Long Life:** Using a high quality Plato solder tip increases solder speeds and decreases the total cost of manufacture. Higher temperatures and high tin content solders, common in lead-free solder processes, place additional strain on soldering iron tips. The long life of a Plato solder iron tip reduces tip changes, decreasing the total number of tips used and decreasing production time.

**Rapid Heat Recovery:** Plato solder tips are constructed from highly conductive premium grade copper to transmit heat to the work more quickly than other brands. This quick heat recovery enables more joints to be soldered per minute, thus reducing manufacturing time and costs.



- **Fast heat recovering increases soldering speed**
- **Longer tip reduces manufacturing costs**
- **Fewer tip change overs**

## Product Dimensions

### EW-303 Screwdriver

Cross Reference: Weller ETA  
1.8mm  
10 units/case




### EW-305 Screwdriver

Cross Reference: Weller ETB  
2.4mm  
10 units/case




### EW-307 Screwdriver

Cross Reference: Weller ETC  
3.2mm  
10 units/case



### EW-103 Screwdriver


Cross Reference: Weller ETD  
4.8mm  
10 units/case






### EW-105 Screwdriver

Cross Reference: Weller ETE  
5.6mm  
10 units/case



### EW-0574 SMD flow tip

Cross Reference: Weller ETGW  
5.0mm  
10 units/case



### EW-301 Screwdriver

Cross Reference: Weller ETH  
0.8mm  
10 units/case



### EW-304 Screwdriver, long

Cross Reference: Weller ETK  
1.2mm  
10 units/case



### EW-306 Screwdriver, long

Cross Reference: Weller ETL  
2.0mm  
10 units/case



### EW-404 Conical, long

Cross Reference: Weller ETO  
0.8mm  
10 units/case



### EW-403 Conical

Cross Reference: Weller ETP  
0.8mm  
10 units/case



### EW-101 Screwdriver, micro

Cross Reference: Weller ETR  
1.6mm  
10 units/case





### EW-4796 Point

0.3mm  
10 units/case



### EW-402 Conical, long

Cross Reference: Weller ETS  
0.4mm  
10 units/case



### EW-401 Conical

Cross Reference: Weller ETT  
0.6mm  
10 units/case




### EW-511 Bevel

Cross Reference: Weller ETV  
0.8mm  
10 units/case



### EW-513 Bevel

Cross Reference: Weller ETAA  
1.6mm  
10 units/case




### EW-515 Bevel

Cross Reference: Weller ETBB  
2.4mm  
10 units/case



### EW-517 Bevel

3.2mm  
10 units/case



## Environmental Policy

Techspray is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.



---

## Resources

Techspray products are supported by a global sales, technical and customer services resources.

For additional technical information on this product or other Techspray products in the United States, call the technical sales department at 800-858-4043, email [tsales@techspray.com](mailto:tsales@techspray.com) or visit our web site at: [www.techspray.com](http://www.techspray.com).

### North America

Techspray  
P.O. Box 949  
Amarillo, TX 79105  
800-858-4043  
Email: [tsales@techspray.com](mailto:tsales@techspray.com)

### Europe

ITW Contamination Control  
Saffierlaan 5  
2132 VZ Hoofddorp  
The Netherlands  
+31 88 1307 400  
Email: [info@itw-cc.com](mailto:info@itw-cc.com)

### Countries Outside US

Call to locate a distributor in your country.

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.

© 2016 Techspray, A Division of ITW