

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	01JUN2015	DW	CW

IG1

IG2

120

45

76

43

(56.4)

NOTES:

1. TECHNICAL CHARACTERISTICS:
 HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
 SURFACE: POWDER COATED, GREY
 OPERATION TEMPERATURE: -40-+125°C
 DEGREE OF PROTECTION: IP65 (MATED)

注释:

1. 技术参数:
 上壳材料: 铝合金
 表面处理: 粉末涂层, 灰色
 工作温度: -40-+125°C
 防护等级: IP65(配合)

SCALE 1:2

104

27

4X M3
THREAD

T1240240216-000	H24B-TGH-2PG16	HIGH CONSTRUCTION	PG16	PG16
T1240240221-000	H24B-TGH-2PG21		PG21	PG21
T1240240225-000	H24B-TGH-2M25		M25	M25
T1240240229-000	H24B-TGH-2PG29		PG29	PG29
T1240240232-000	H24B-TGH-2M32		M32	M32
T1240241621-000	H24B-TGH-PG16/PG21		PG16	PG21
T1240242532-000	H24B-TGH-M25/M32		M25	M32
T1240242540-000	H24B-TGH-M25/M40		M25	M40
T1240243220-000	H24B-TGH-M32/M20		M32	M20
PART NUMBER	DESCRIPTION		TYPE	IG1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 01JUN2015

David Wang

CHK 01JUN2015

Chris Wang

APVD 01JUN2015

Xiang Xu

PRODUCT SPEC

108-137013

APPLICATION SPEC

114-137013

WEIGHT

-

TE Connectivity

NAME

H24B-TGH-2 M/PG

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 00779 C-T124024XXXXX00 -

Customer Drawing SCALE 1:1 SHEET 1 OF 1 REV A

DIMENSIONS:

mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±-
2 PLC	±-
3 PLC	±-
4 PLC	±-
ANGLES	±-

MATERIAL

-

FINISH

-

1470-19 (3/13)