





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	27FEB2017	QY	CW
	A1	ECR-18-003490	14MAR2018	TF	CW

D

C

B

A



TYPE-1: STANDARD SIDE ENTRY
类 型-1: 标准侧出

NOTES:

1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: POWDER COATED
DEGREE OF PROTECTION: IP67 (MATED)

注释:
1. 技术参数:
上壳材料: 铝合金
表面处理: 粉末喷涂
防护等级: IP67(配合)

D

C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 27FEB2017 QIANG YUAN	 TE Connectivity			
DIMENSIONS:		CHK 27FEB2017 KYLE ZENG				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 27FEB2017 CHRIS WANG	NAME H24BK-TSHC/TGHC-PG/M			
mm		PRODUCT SPEC	SIZE			
0 PLC ±		108-137276	CAGE CODE			
1 PLC ±		APPLICATION SPEC	DRAWING NO			
2 PLC ±		114-137276	RESTRICTED TO			
3 PLC ±		WEIGHT	A2 00779			
4 PLC ±		CUSTOMER DRAWING	SCALE 5:1			
ANGLES ±			SHEET 1 OF 3			
FINISH			REV A1			
MATERIAL						
-						
-						




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:

SEE SHEET 1


注释:


见页 1



ALL DIMENSIONS ARE SAME AS TYPE 1,
EXCEPT THOSE DEFINED IN THIS TYPE.
除了在本类型中定义的尺寸外,其它尺寸同类型1


TYPE-2: STANDARD TOP ENTRY
类 型-2: 标准顶出



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 27FEB2017 QIANG YUAN	 TE Connectivity			
DIMENSIONS:		CHK 27FEB2017 KYLE ZENG				
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD 27FEB2017 CHRIS WANG	NAME H24BK-TSHC/TGHC-PG/M			
	0 PLC	±-	PRODUCT SPEC			
	1 PLC	±-	108-137276			
	2 PLC	±-	APPLICATION SPEC			
	3 PLC	±-	114-137276			
MATERIAL	4 PLC	±-	WEIGHT			
	ANGLES	±-	-			
	FINISH	-	CUSTOMER DRAWING			
		-	SCALE 5:1 SHEET 2 OF 3 REV A1			

D

D



NOTES:

SEE SHEET 1

注释:
见页 1

C

C

ALL DIMENSIONS ARE SAME AS TYPE 1,
EXCEPT THOSE DEFINED IN THIS TYPE.
除了在本类型中定义的尺寸外,其它尺寸同类型 1



B

B

T1822242232-000	H24BK-TGHC-2M32	H24BK HOOD,CENTER LOCKING, TOP ENTRY 2M32,POWDER COATED,GREY H24BK上壳,中部锁定,顶出2M32,灰色粉末喷涂	-	-	2M32X1.5	TYPE-3 类型-3
T1822242132-000	H24BK-TGHC-M32	H24BK HOOD,CENTER LOCKING, TOP ENTRY M32,POWDER COATED,GREY H24BK上壳,中部锁定,顶出M32,灰色粉末喷涂	-	M32X1.5		TYPE-2 类型-2
T1822242125-000	H24BK-TGHC-M25	H24BK HOOD,CENTER LOCKING, TOP ENTRY M25,POWDER COATED,GREY H24BK上壳,中部锁定,顶出M25,灰色粉末喷涂	-	M25X1.5		
T1822242121-000	H24BK-TGHC-PG21	H24BK HOOD,CENTER LOCKING, TOP ENTRY PG21,POWDER COATED,GREY H24BK上壳,中部锁定,顶出PG21,灰色粉末喷涂	-	PG21		
T1812242132-000	H24BK-TSHC-M32	H24BK HOOD,CENTER LOCKING, SIDE ENTRY M32,POWDER COATED,GREY H24BK上壳,中部锁定,侧出M32,灰色粉末喷涂	M32X1.5	-		TYPE-1 类型-1
T1812242125-000	H24BK-TSHC-M25	H24BK HOOD,CENTER LOCKING, SIDE ENTRY M25,POWDER COATED,GREY H24BK上壳,中部锁定,侧出M25,灰色粉末喷涂	M25X1.5	-		
T1812242121-000	H24BK-TSHC-PG21	H24BK HOOD,CENTER LOCKING, SIDE ENTRY PG21,POWDER COATED,GREY H24BK上壳,中部锁定,侧出PG21,灰色粉末喷涂	PG21	-		
PART NUMBER 料号	PART DESCRIPTION 成品描述		PG/M THREAD-1 PG/M螺纹孔-1	PG/M THREAD-2 PG/M螺纹孔-2	PG/M THREAD-3 PG/M螺纹孔-3	TYPE 类型

A

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -

1 PLC ± -

2 PLC ± -

3 PLC ± -

4 PLC ± -

ANGLES ± -

FINISH -

DWN
QIANG YUAN 27FEB2017

CHK
KYLE ZENG 27FEB2017

APVD
CHRIS WANG 27FEB2017

PRODUCT SPEC
108-137276

APPLICATION SPEC
114-137276

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
H24BK-TSHC/TGHC-PG/M

SIZE
A2

CAGE CODE
00779

DRAWING NO
T18X224XXXX000

RESTRICTED TO

SCALE
5:1

SHEET
3

OF
3

REV
A1

1471-9 (3/13)

A