



D


C

B

A



- ¹ HOUSING MATERIAL: GLASS-FILLED POLYESTER. COLOR: GRAY.
- ² POST MATERIAL: BRASS.
- ³ POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN-LEAD PLATE ON POSTS.
- ⁴ RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- ⁵ PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- ⁶ MARKING ON THIS SIDE.
- ⁷ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



SECTION Z-Z

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L. BRINER 8/25/92	Tyco Electronics Corporation Harriaburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK R. PATTERSON 8/25/92	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R. PATTERSON 8/25/92	PRODUCT SPEC	
0.15 Ø ^{0.15} _[.006] (M)		APPLICATION SPEC		RESTRICTED TO
MATERIAL		WEIGHT	SIZE A1	CAGE CODE 00779
FINISH		SCALE 5:1	DRAWING NO 536437	SHEET 1 OF 3
CUSTOMER DRAWING		REV AY2		

8	7	6	5	4	3	2	1																
THIS DRAWING IS UNPUBLISHED.								LOC		DIST		REVISIONS											
© COPYRIGHT 2005 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.								AD		25		TP		LTR		DESCRIPTION		DATE		DWN		APVD	
												—		—		SEE SHEET 1		—		—		—	
D	1—21,23,27—32		22,24—26		C	32	3—536437—8 OBSOLETE																
	1—32		NONE		B	32																	
	1—32		NONE		A	32																	
	2—31		1,32		C	32																	
	2—31		1,32		B	32	3—536437—7 OBSOLETE																
	2—31		1,32		A	32																	
	1—3,22,29—32		4—21,23—28		C	32																	
	1—3,30—32		4—29		B	32																	
	1—4,30—32		5—29		A	32	3—536437—6 OBSOLETE																
	25—28		1—24,29—32		C	32																	
NONE		NONE		B	0	3—536437—5 OBSOLETE																	
25—28		1—24,29—32		A	32																		
21,22,29		1—20,23—28,30—32		C	32																		
NONE		NONE		B	0																		
21,22,29		1—20,23—28,30—32		A	32	3—536437—4 OBSOLETE																	
1,2,6,10,16,20,25		3—5,7—9,11—15,17—19,21—24,26—32		C	32																		
NONE		1—32		B	32																		
1,2,6,8,10,14,16,18,20,25		3—5,7,9,11—13,15,17,19,21—24,26—32		A	32	3—536437—3 OBSOLETE																	
NONE		1—32		C	32																		
NONE		NONE		B	0																		
1,32		2—31		A	32	3—536437—2 OBSOLETE																	
NONE		NONE		C	0																		
2,12,22,31		1,13,32		B	7																		
NONE		NONE		A	0																		
9		31,32		C	3	3—536437—1 OBSOLETE																	
20,23		4—11,31,32		B	12																		
9,11,15,17,19		21,22,31,32		A	9																		
1,8,13,15,18,19,32		2—7,9—12,14,16,17,20,22,24,26,28,30		C	26																		
NONE		NONE		B	0	2—536437—9 OBSOLETE																	
1,8,13,15,18,19,32		2—7,9—12,14,16,17,20,22,24,26,28,30		A	26																		
1,14,15,20,26,32		3,5,7,9,11,13,16—19,21—25,27—31		C	26	2—536437—8 OBSOLETE																	
NONE		NONE		B	0																		
1,14,15,20,26,32		3,5,7,9,11,13,16—19,21—25,27—31		A	26																		
1,12,14,21,22,32		2—11,13,15—20,23—31		C	32																		
12,14,21,22,32		1—11,13,15—20,23—31		B	32	2—536437—7 OBSOLETE																	
1,12,14,21,22,32		2—11,13,15—20,23—31		A	32																		
9,11,12,15		1—8,10,13,14,16—32		C	32																		
NONE		NONE		B	0																		
9,11,12,15		1—8,10,13,14,16—32		A	32	2—536437—6 OBSOLETE																	
1		2—32		C	32																		
NONE		1—32		B	32																		
1		2—32		A	32																		
2,3		1,4—32		C	32	2—536437—5 OBSOLETE																	
2,3		1,4—32		B	32																		
2,3		1,4—32		A	32																		
NONE		1—32		C	32																		
NONE		2—32		B	31	2—536437—4 OBSOLETE																	
2		1,3—32		A	32																		
1,32		2—31		C	32	2—536437—3 OBSOLETE																	
NONE		NONE		B	0																		
1,32		2—31		A	32																		
8,9		1—7,10—32		C	32																		
9		1—8,10—32		B	32	2—536437—2 OBSOLETE																	
NONE		1—32		A	32																		
NONE		2,4,6,8,...30,32		C	16																		
NONE		NONE		B	0																		
2,32		4,6,8,10,...28,30		A	16	2—536437—1 OBSOLETE																	
2—31		1,32		C	32																		
1—32		NONE		B	32																		
2—32		1		A	32																		
1—5,16—20,29—32		6—15,21—28		C	32	1—536437—9 OBSOLETE																	
1—5,16—20,29—32		6—15,21—28		B	32																		
1—5,16—20,29—32		6—15,21—28		A	32																		
POSITIONS LOADED WITH 4.93[.194] CONTACTS		POSITIONS LOADED WITH 4.16[.164] CONTACTS		ROWS	NO. OF LOADED POSITION																		
C	1—21,23,27—32		22,24—26		C	32	3—536437—8 OBSOLETE																
	1—32		NONE		B	32																	
	1—32		NONE		A	32																	
	2—31		1,32		C	32																	
	2—31		1,32		B	32	3—536437—7 OBSOLETE																
	2—31		1,32		A	32																	
	1—3,22,29—32		4—21,23—28		C	32																	
	1—3,30—32		4—29		B	32																	
	1—4,30—32		5—29		A	32	3—536437—6 OBSOLETE																
	25—28		1—24,29—32		C	32																	
NONE		NONE		B	0	3—536437—5 OBSOLETE																	
25—28		1—24,29—32		A	32																		
21,22,29		1—20,23—28,30—32		C	32																		
NONE		NONE		B	0																		
21,22,29		1—20,23—28,30—32		A	32	3—536437—4 OBSOLETE																	
1,2,6,10,16,20,25		3—5,7—9,11—15,17—19,21—24,26—32		C	32																		
NONE		1—32		B	32																		
1,2,6,8,10,14,16,18,20,25		3—5,7,9,11—13,15,17,19,21—24,26—32		A	32	3—536437—3 OBSOLETE																	
NONE		1—32		C	32																		
NONE		NONE		B	0																		
1,32		2—31		A	32	3—536437—2 OBSOLETE																	
NONE		NONE		C	0																		
2,12,22,31		1,13,32		B	7																		
NONE		NONE		A	0																		
9		31,32		C	3	3—536437—1 OBSOLETE																	
20,23		4—11,31,32		B	12																		
9,11,15,17,19		21,22,31,32		A	9																		
1,8,13,15,18,19,32		2—7,9—12,14,16,17,20,22,24,26,28,30		C	26																		
NONE		NONE		B	0	2—536437—9 OBSOLETE																	
1,8,13,15,18,19,32		2—7,9—12,14,16,17,20,22,24,26,28,30		A	26																		
1,14,15,20,26,32		3,5,7,9,11,13,16—19,21—25,27—31		C	26	2—536437—8 OBSOLETE																	
NONE		NONE		B	0																		
1,14,15,20,26,32		3,5,7,9,11,13,16—19,21—25,27—31		A	26																		
1,12,14,21,22,32		2—11,13,15—20,23—31		C	32																		
12,14,21,22,32		1—11,13,15—20,23—31		B	32	2—536437—7 OBSOLETE																	
1,12,14,21,22,32		2—11,13,15—20,23—31		A	32																		
9,11,12,15		1—8,10,13,14,16—32		C	32																		
NONE		NONE		B	0																		
9,11,12,15		1—8,10,13,14,16—32		A	32	2—536437—6 OBSOLETE																	
1		2—32		C	32																		
NONE		1—32		B	32																		
1		2—32		A	32																		
2,3		1,4—32		C	32	2—536437—5 OBSOLETE																	
2,3		1,4—32		B	32																		

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2005 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOCAD

DIST25

REV

LTR

DESCRIPTION

DATE

DWN

APVD

—

SEE SHEET 1

—

—

—

1	2-32	C	32	4-536437-7
1	2-32	B	32	OBSOLETE
1	2-32	A	32	
1,2,3,30,31,32	4-29	C	32	4-536437-6
1,2,3,30,31,32	4-29	B	32	OBSOLETE
1,2,3,30,31,32	4-29	A	32	
1-26,32	27-31	C	32	4-536437-4
NONE	NONE	B	0	OBSOLETE
1-32	NONE	A	32	
NONE	NONE	C	0	4-536437-3
NONE	1-32	B	32	OBSOLETE
2,4,6,7,30,31,32	1,3,5,8-29	A	32	
3-31	1,2,32	C	32	4-536437-2
3-32	1,2	B	32	OBSOLETE
1,3-32	2	A	32	
32	1-31	C	32	4-536437-1
NONE	NONE	B	0	OBSOLETE
32	1-31	A	32	
31,32	1-30	C	32	4-536437-0
32	1-31	B	32	OBSOLETE
32	1-31	A	32	
2,6,9,20,25,28	1,3-5,7,8,10-19,21-24,26,27,29-32	C	32	3-536437-9
2,14,19,31	1,3-13,15-18,20-30,32	B	32	OBSOLETE
5,8,13,15,24,27,31	1-4,6,7,9-12,14,16-23,25,26,28-30,32	A	32	
POSITIONS LOADED WITH 4.93[.194] CONTACTS	POSITIONS LOADED WITH 4.16[.164] CONTACTS	ROWS	NO. OF LOADED POSITION	ASSY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -

1 PLC ± -

2 PLC ± -

3 PLC ± 0.13[.005]

4 PLC ± -

ANGLES

FINISH

1

2

3

DWN L. BRINER 2/6/97

CHK C. RICHARD 2/6/97

APVD C. RICHARD 2/6/97

PRODUCT SPEC

APPLICATION SPEC

SIZE

WEIGHT

2/6/97

2/6/97

2/6/97

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

TYCO Electronics

Tyco Electronics Corporation

Harriaburg, PA 17105-3608

PIN ASSEMBLY, EUROCARD, TYPE C WITH MFBL CONTACTS

A100779

536437

CUSTOMER DRAWING

SCALE 5:1

SHEET 3 OF 3

REV AY2

AMP 4805 REV 31MAR2000