

B


A

4



B

A



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Propriete de c FCI. Droits de reproduction FCI.

A



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

B

1 | 2

3 |

4

PRODUCT NUMBER
10011575-001--
NOTE ③

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY

3. PLATING:
△ SEE ITEM 1 & 2 IN PRINT 10064183 FOR PLATING SPEC OF 10011575-001 AND 10011575-001LF RESPECTIVELY

4. NO LASER MARK ON THIS SURFACE.

5. PRODUCT SPECIFICATION GS-12-149,
APPLICATION SPECIFICATION BUS-20-067.

PCB NOTES:

6. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.

7. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.

8. $\varnothing .0453 \pm 0.0010$ [1.151 ± 0.025] DRILLED HOLES PLATED WITH
.0003 [0.008] MIN SnPb OR Sn OVER .001 [0.03]
TO .003 [0.08] Cu PLATING TO ACHIEVE
 $\varnothing .040 \pm .003$ [$1.02 \pm .07$] HOLE.

9. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.

10. CONNECTOR KEEP-OUT ZONE.

11. FOR PRESS FIT APPLICATION,
USE FCI CAM TOOL 430169-XXX

12. A △ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW,
OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT
DRAWING REVISION.

A

mat'l code				SEE NOTES		tolerances unless otherwise specified		CUSTOMER		FCI			
litr	ecn no.	dr	date					COPY		www.fciconnect.com			
F				linear		$.XX \pm .01 / 0.X \pm 0.3$		projection		title			
						$.XXX \pm .005 / 0.XX \pm 0.13$				2 POWER			
				angles		$.XXX \pm .0020 / 0.XXX \pm 0.051$				R/A SOLDER HEADER			
						$0^\circ \pm 2^\circ$				product family		PwrBlade	code
				dr	SJ	06/13/05		INCH/MM		size	dwg no	213	sheet
				enrg	SLUO	06/13/05		scale		10011575		3 of 3	
				chr	VICTOR LIN	06/13/05		1:1	A				
				appd	JOSEPH HSIA	06/13/05							
sheet index		revision sheet											

B

1 | 2

Pro/E

3 |

cage code 22526

4