

TECHNICAL DATA SHEET

Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M



Features:

- Frequency 868-928MHz
- Gain 1dBi
- Efficiency 70%
- Length 195mm straight
- Connectors:
 - W1063 RP-SMA Male
 - W1063M SMA Male
- RoHS Compliant

Applications:

- Indoor use
- 868MHz and 915MHz ISM band radios
- IoT devices
- Security
- Sensors
- Monitoring

All dimensions are in mm

Issue: 1830

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



TECHNICAL DATA SHEET

Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/ W1063M

ELECTRICAL SPECIFICATIONS

Frequency 863-928 MHz

Nominal Impedance 50 Ω

VSWR 2 Maximum

Radiation Pattern Omni
Gain 1 dBi
Efficiency 70 %

Efficiency 70 %
Polarization Linear

Power Withstanding 1 W

MECHANICAL SPECIFICATIONS

Overall Length 195+/-2 mm

Weight 23.5 g

Antenna Color / Material Black

Connector type W1063 RP SMA Male

W1063M SMA Male

IP Rating IP20, Indoor use

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature $-20 \,^{\circ}\text{C}$ /+65 $^{\circ}\text{C}$ Storage Temperature $-30 \,^{\circ}\text{C}$ /+75 $^{\circ}\text{C}$






TECHNICAL DATA SHEET

Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

MECHANICAL DRAWING



All dimensions are in mm




TECHNICAL DATA SHEET

Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

TEST SETUP







TECHNICAL DATA SHEET


Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

CHARTS

VSWR







TECHNICAL DATA SHEET


Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

CHARTS

Efficiency(%)







TECHNICAL DATA SHEET


Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

CHARTS

Peak Gain (dBi)









TECHNICAL DATA SHEET


Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

CHARTS

Free space radiation pattern









TECHNICAL DATA SHEET


Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/W1063M

CHARTS

Free space radiation pattern





TECHNICAL DATA SHEET


Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/ W1063M

CHARTS

Free space radiation pattern





TECHNICAL DATA SHEET

Description: 868-928MHz Swivel Type

dipole antenna

PART NUMBER: W1063/ W1063M

PACKAGING

1PCS/PE BAG 250PCS/ carton box Carton box dimensions (MM): 460x235x140

