



PRODUCT NUMBER  
SEE SHEET 3



2.35  $\phi$  OF EVEN COLUMNS  
2.25  $\phi$  OF ODD COLUMNS




SECTION AA-AA

|               |  |                                       |  |         |  |                                              |  |                 |  |                |  |                        |  |                        |  |              |  |           |  |          |  |
|---------------|--|---------------------------------------|--|---------|--|----------------------------------------------|--|-----------------|--|----------------|--|------------------------|--|------------------------|--|--------------|--|-----------|--|----------|--|
| spec ref      |  | ---                                   |  | dr      |  | Tao Zhan                                     |  | 2015/09/21      |  | projection     |  | MM                     |  | size                   |  | A2           |  | scale     |  | 6:1      |  |
| tolerance std |  | TOLERANCES UNLESS OTHERWISE SPECIFIED |  | eng     |  | Jackie Chen                                  |  | 2016/06/03      |  |                |  |                        |  | ecm no                 |  | -            |  | rel level |  | Released |  |
| ASME Y14.5M   |  |                                       |  | chr     |  | -                                            |  | -               |  |                |  |                        |  |                        |  |              |  |           |  |          |  |
|               |  |                                       |  | appr    |  | Pei-Ming Zheng                               |  | 2016/06/03      |  | product family |  | AirMax VS2             |  |                        |  |              |  |           |  |          |  |
| surface       |  | -<br>                                 |  | linear  |  | 0.X<br>±.3<br>0.XX<br>±.10<br>0.XXX<br>±.050 |  | Amphenol<br>FCi |  | title          |  | AirMax VS2 R.A. HEADER |  | dwg no                 |  | 10136589     |  | rev       |  | A        |  |
|               |  |                                       |  |         |  |                                              |  |                 |  |                |  |                        |  |                        |  |              |  |           |  |          |  |
|               |  |                                       |  |         |  |                                              |  |                 |  |                |  |                        |  |                        |  |              |  |           |  |          |  |
|               |  |                                       |  | angular |  | 0°<br>±2°                                    |  |                 |  | cat. no.       |  | -                      |  | Product - Customer Drw |  | sheet 1 of 3 |  |           |  |          |  |

PDS: Rev :A

STATUS:Released

Printed: Jun 03, 2016



Amphenol  
FCi

© 2016 APCI

RECOMMENDED PCB LAYOUT  
FOR DIFFERENTIAL APPLICATIONS  
COMPONENT SIDE  
(TWO ADJACENT FOOTPRINTS SHOWN)  
NOTES 8 & 12

SCALE 10:1

|               |  |             |  |                                       |  |          |  |                |  |              |  |               |  |                                            |  |                        |  |           |  |              |  |
|---------------|--|-------------|--|---------------------------------------|--|----------|--|----------------|--|--------------|--|---------------|--|--------------------------------------------|--|------------------------|--|-----------|--|--------------|--|
| spec ref      |  | ---         |  | dr                                    |  | Tao Zhan |  | 2015/09/21     |  | projection   |  | <div>MM</div> |  | size                                       |  | A2                     |  | scale     |  | 8:1          |  |
| tolerance std |  | ASME Y14.5M |  | TOLERANCES UNLESS OTHERWISE SPECIFIED |  | eng      |  | Jackie Chen    |  | 2016/06/03   |  |               |  | ecn no                                     |  | -                      |  |           |  |              |  |
|               |  |             |  |                                       |  | chr      |  | -              |  | -            |  |               |  | product family                             |  | AirMax VS2             |  | rel level |  | Released     |  |
|               |  |             |  |                                       |  | appr     |  | Pei-Ming Zheng |  | 2016/06/03   |  |               |  |                                            |  |                        |  |           |  |              |  |
| surface       |  | -           |  | linear                                |  | 0.X      |  | ±.3            |  | Amphenol FCI |  | title         |  | AirMax VS2 R.A. HEADER                     |  | dwg no                 |  | 10136589  |  | rev          |  |
|               |  | ✓           |  |                                       |  | 0.XX     |  | ±.10           |  |              |  |               |  | 3 Pair, 54 pos, 2mm, 6Col, Small Press Fit |  |                        |  |           |  | A            |  |
|               |  |             |  |                                       |  | 0.XXX    |  | ±.050          |  |              |  |               |  |                                            |  |                        |  |           |  |              |  |
|               |  |             |  | angular                               |  | 0°       |  | ±2°            |  |              |  | cat. no.      |  | -                                          |  | Product - Customer Drw |  |           |  | sheet 2 of 3 |  |

PDS: Rev :A

STATUS:Released

Printed: Jun 03, 2016

