







PRODUCT NUMBER SEE SHEET 2





spec ref				dr	Helen Zhang	2013/06/07	projection 	MM 	size	A3	scale	3:2
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Vicki Liu	2015/09/15			ecn no	ELX-DG-21868-1		
				chr	Fancy Zhang	2015/09/21						
									appr	Pei-Ming Zheng	2015/09/21	product family
surface 	linear	0.X	±0.50		title 2HDP VT PF RECEPTACLE				dwg no	10106139-2000201		rev B
		0.XX	±0.25									
		0.XXX	±0.10									
	ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.		Product - Customer Drw			sheet 1 of 3	

PRODUCT NO.	ROWS	HP			
		E1	P2	P1	E2
10106139-2000201LF	DCBA		HG	HG	


CODE	DESCRIPTION
HG	STD HIGH POWER CONTACT (3.43)



dr	Helen Zhang	2013/06/07	projection 	MM 	size	scale
eng	Vicking Liu	2015/09/15			A3	3:2
chr	Fancy Zhang	2015/09/21			ecn no	ELX-DG-21868-1
appr	Pei-Ming Zheng	2015/09/21	product family	PowerBlade+	rel level	Released
www.fci.com		cat. no.	Product - Customer Drw		sheet 2 of 3	
FCi		title	2HDP VT PF RECEPTACLE		dwg no	rev
					10106139-2000201	B

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
 - HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
 - SIGNAL CONTACT - COPPER ALLOY.
 - POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION: 10123565
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07MM HOLE.
- 8) PRODUCT SPECIFICATION: GS-12-658.
APPLICATION SPECIFICATION: GS-20-141.
PRODUCT PACKAGED IN TRAYS: GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZING THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.
- 10) A△SYMBOL WILL BE NEXT TO ANY DIMENSION,VIEW,OR NOTE
WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

dr	Helen Zhang	2013/06/07	projection 	MM 	size	A3	scale	1:1
eng	Vicking Liu	2015/09/15			ecn no	ELX-DG-21868-1		
chr	Fancy Zhang	2015/09/21			rel level	Released		
appr	Pei-Ming Zheng	2015/09/21			product family	PowerBlade+		
		title			2HDP		dwg no	
					VT PF RECEPTACLE		10106139-2000201	
www.fci.com		cat. no.			Product - Customer Drw		rev	
							B	
							sheet 3 of 3	