






PRODUCT NUMBER

SEE SHEET 2



spec ref	*	dr	Rainbow Zhan	2016/03/10	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2016/04/25	chr	Fancy Zhang	2016/04/25	ecn no	-	
surface	linear	appr	Pei-Ming Zheng	2016/04/25	product family	PwrBlade+	rel level	Released		
ASME Y14.5	angular	0°	±2°	Amphenol FCi	9ACP	RA STB PLUG	dwg no	10106124-9000002	rev	A
www.fci.com	cat. no.	Product - Customer Drw	sheet 1 of 3							

PRODUCT NO.	ROWS	HIGH POWER										E2
		E1	P1	P2	P3	P4	P5	P6	P7	P8	P9	
10106124-9000002LF	DCBA		H1	H1	H1	H1	H1	X	H1	X	H1	






CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
X	OMITTED

spec ref *				dr		Rainbow Zhan	2016/03/10	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2
tolerance std				eng		Rainbow Zhan	2016/04/25			ecn no -			
ASME Y14.5				chr		Fancy Zhang	2016/04/25			rel level Released			
TOLERANCES UNLESS OTHERWISE SPECIFIED				appr		Pei-Ming Zheng	2016/04/25			product family PwrBlade+			
<div>surface</div> <div></div> <div>ASME Y14.5</div>	linear	0.X	±0.5	Amphenol FCi	title 9ACP				dwg no	10106124-9000002		rev	
		0.XX	±0.25		RA STB PLUG								
		0.XXX	±0.10		www.fci.com								
	angular	0°	±2°	cat. no.				Product - Customer Drw				sheet 2 of 3	

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION :10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION :GS-20-141.
PRODUCT PACKAGE SPECIFICATION:GS-14-1502.

spec ref *				dr Rainbow Zhan		2016/03/10		projection 	MM 	size A3	scale 3:2
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng Rainbow Zhan		2016/04/25				ecn no -	
				chr Fancy Zhang		2016/04/25				rel level Released	
appr Pei-Ming Zheng			2016/04/25		product family PwrBlade+						
surface  ASME Y14.5	linear	0.X	±0.5	Amphenol FCi	title 9ACP RA STB PLUG	dwg no 10106124-9000002	rev A				
		0.XX	±0.25								
		0.XXX	±0.10								
	angular	0°	±2°	www.fci.com	cat. no.			Product - Customer Drw		sheet 3 of 3	