# xzcc43fcp40b



#### Main

Accessory / separate part category	Cabling accessories
Accessory / separate part type	Connector
Electrical connection	Elbowed female connector DIN 43650 A, 4 pins
Status LED	Without
Cable connection	Screw terminal / wire size <= 0 in <sup>2</sup> (1.5 mm <sup>2</sup> ) / clamping capacity 0.280.39 in (710 mm)

### Complementary

Cable gland type	Pg 11	
Cable connector fixing	Locking screw	
System Voltage	250 V AC	
Line Rated Current	16 A	
Enclosure material	Plastic	
Insulating resistance	> 0.1 GΩ	
Contact resistance	<= 4000 μOhm	
Product weight	0.08 lb(US) (0.035 kg)	

#### **Environment**

IP degree of protection	IP65	contai
ambient air temperature for operation	-40257 °F (-40125 °C)	licts

## Offer Sustainability


Not Green Premium product	Not Green Premium product	
Compliant - since 0726 - Schneider Electric declaration of conformity	Compliant - since 0726 - Schneider Electric declaration of conformity	
WARNING: This product can expose you to chemicals including:	WARNING: This product can expose you to chemicals including:	
Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and	Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and	
Di-isodecyl phthalate (DIDP), which is known to the StateDi-isodecyl phthalate (DIDP), which is known to the State of California to cause birth of California to cause birth defects or other reproductive harm.  harm.		
For more information go to www.p65warnings.ca.gov	For more information go to www.p65warnings.ca.gov	
Contractual warranty		

18 months

## **Dimensions**

Warranty period





(1) Pg 11 cable gland

## **Connections and Schemes**

