



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00		E8	RELEASE 2-3	10AUG2014	CZ	SZ
			E9	ADD NEW DASH NUMBER 3-0	19AUG2014	CZ	SZ

- 1 "AMP" TRADEMARK, PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN
- 2 MATERIAL:
HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
SIGNAL CONTACT - COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING:NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS.
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - ALL HOLES DIAMETERS ARE FINISHED HOLE SIZES.
- 7 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN. Sn OVER .001 TO .003 CU PLATING TO ACHIEVE A .040±.003 DIA HOLE.
- 8 NOT RELEASED FOR PRODUCTION
- 9 VARIABLE DIMENSIONS SHOWN ON VIEW (SHEET 2)


D




C



B



A



C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.GRZYBOWSKI	02FEB05	 TE Connectivity	
		CHK M.PERCHEKKE	02FEB05		
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RIGHT ANGLE HEADER ASSY W/GUIDES MULTI-BEAM XL -	RESTRICTED TO -
	0 P.LC 1 P.LC 2 P.LC 3 P.LC 4 P.LC	± ± ± ±.005 ±.0020	PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038		
	MATERIAL -	ANGLES FINISH	±2 -	WEIGHT -	CAGE CODE 6450122
				SCALE 4:1	SHEET 1 OF 10
CUSTOMER DRAWING				REV E9	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-		SEE SHEET 1	-	-	-

E9

8

8

8

8

8

8

1.700	.250	1.375	1.750	.450	2.050	4P + 16S	3-6450122-0
2.400	.250	1.875	2.450	.450	2.750	6P + 24S	2-6450122-9
1.300	.250	1.175	1.350	.450	1.650	3P + 8S	2-6450122-8
2.050	.250	1.925	2.100	.450	2.400	6P + 8S	2-6450122-7
4.425	.200	2.200	4.475	.450	4.775	9P + 92S	2-6450122-6
2.900	.250	2.375	2.950	.450	3.250	8P + 24S	2-6450122-5
2.700	.250	.875	2.750	.450	3.050	2P + 76S	2-6450122-4
2.300	.250	1.875	2.350	.450	2.650	6P + 20S	2-6450122-3
3.200	.250	2.875	3.250	.450	3.550	10P + 16S	2-6450122-2
1.650	.200	1.225	1.700	.450	2.000	4P + 20S	2-6450122-1
2.950	.200	2.425	3.000	.450	3.300	10P + 24S	2-6450122-0
1.800	.250	1.375	1.850	.450	2.150	4P + 20S	1-6450122-9
2.250	.250	1.975	2.300	.475	2.600	6P + 12S	1-6450122-7
1.000	.250	.875	1.050	.450	1.350	2P + 8S	1-6450122-6
1.850	.300	1.325	1.900	.475	2.200	3ACP + 24S	1-6450122-2
5.900	.250	5.375	5.950	.450	6.250	20P + 24S	1-6450122-1
1.400	.250	.875	1.450	.450	1.750	2P + 24S	1-6450122-0
3.050	.250	2.125	3.100	.450	3.400	7P + 40S	6450122-8
4.425	.250	3.875	4.475	.450	4.775	14P + 24S	6450122-6
3.800	9 -	3.550	3.850	.475	4.150	11P + 12S	6450122-3
4.600	.250	3.875	4.650	.450	4.950	14P + 32S	6450122-2
3.800	9 -	3.550	3.850	.475	4.150	11P + 12S	6450122-1
DIM U	DIM S	DIM W	DIM D	DIM K	DIM L	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±"

1 PLC ±.01

2 PLC ±.01

3 PLC ±.005

4 PLC ±.0020

ANGLES #2

FINISH

MATERIAL

-

DWN R.GRZYBOWSKI 02FEB05

CHK M.PERCHERKE 02FEB05

APVD M.PERCHERKE

PRODUCT SPEC 108-1973

APPLICATION SPEC 114-13038

WEIGHT

CUSTOMER DRAWING

NAME

TE

TE Connectivity

RIGHT ANGLE HEADER ASSY W/GUIDES
MULTI-BEAM XL

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A100779

6450122

-

SCALE

4:1

SHEET

2


OF

10

REV

E9

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-		SEE SHEET 1	-	-	-




SCALE 3:1

PART NUMBER	ROWS		POWER											SIGNAL			
			P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	1	2	3	
6450122-1	D C B A			PMPM		PMPM		PMPM		PM		PM		J	J	J	
														K	K	K	
														N	N	N	
														S	S	S	
11P + 12S																	


NO CONTACT LOADED

PART NUMBER	ROWS		POWER											SIGNAL					
			P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	I	2	3			
6450122-3	D C B A													J	J	J			
														K	K	K			
														N	N	N			
														S	S	S			
11P + 12S																			


NO CONTACT LOADED



PART NUMBER	ROWS		POWER														SIGNAL															
			P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14	1	2	3	4	5	6	7	8								
6450122-2	D C B A			PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM								
																									J	J	J	J	J	J	J	J
																									K	K	K	K	K	K	K	K
																									N	N	N	N	N	N	N	N
				HD																								HD				
14P + 32S																																



PART NUMBER	ROWS		POWER														SIGNAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
			P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14	1	2	3	4	5	6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
6450122-6	D C B A			PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM</



Z	STD	.090	D
Y	STD	.090	C
R	STD	.090	B
O	STD	.090	A
H	MLBF	.135	A
J	STD	.135	D
K	STD	.135	C
N	STD	.135	B
S	STD	.135	A
CODE	MATING SEQUENCE	TAIL LENGTH	ROW

SIGNAL CONTACT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±.
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.002
ANGLES ±.020
FINISH

0 PLC ±.
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.002
ANGLES ±.020
FINISH

0 PLC ±.
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.002
ANGLES ±.020
FINISH

0 PLC ±.
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.002
ANGLES ±.020
FINISH

DWN R. GRZYBOWSKI 02FEB05
CHK M. PERCHERKE 02FEB05
APVD M. PERCHERKE

PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT

CUSTOMER DRAWING

TE Connectivity







RIGHT ANGLE HEADER ASSY W/GUIDES
MULTI-BEAM XL



SIZE CAGE CODE DRAWING NO
A100779C=6450122

RESTRICTED TO


LOC		DIST		REVISIONS				
GP	00	P	LYR	DESCRIPTION	DATE	DWN	APVD	
		-		SEE SHEET 1	-	-	-	

PART NUMBER	ROWS		POWER							SIGNAL												
			P1	P2	P3	P4	P5	P6	P7	1	2	3	4	5	6	7	8	9	10			
6450122-8	D C B A			PM	PM	PM	PM	PM	PM	PM	J	J	J	J	J	J	J	J	J	J		
											K	K	K	K	K	K	K	K	K	K	K	K
											N	N	N	N	N	N	N	N	N	N	N	N
7P + 40S												S	S	S	S	S	S	S	S	S	S	
		HD																				
	</																					

PART NUMBER	ROWS		POWER		SIGNAL						
			P1	P2	1	2	3	4	5	6	
I-6450122-0	D C B A				J	J	J	J	J	J	
					K	K	K	K	K	K	
					N	N	N	N	N	N	
					S	S	S	S	S	S	
2P + 24S											




PART NUMBER	ROWS		POWER																				SIGNAL						
			P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14	P15	P16	P17	P18	P19	P20	1	2	3	4	5	6	
I-6450122-1	D C B A	HD	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	PM	J	J	J	J	J	J		
			K	K	K	K	K	K	K	K	K	K	K	K	K	K	K	K	K	K	K	K	N	N	N	N	N	N	
			S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
20P + 24S																													




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI	02FEB05	TE Connectivity	
DIMENSIONS: INCHES		CHK M. PERCHERKE	02FEB05		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. PERCHERKE	-	NAME RIGHT ANGLE HEADER ASSY W/GUIDES MULTI-BEAM XL	
0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.01 4 PLC ±.01 ANGLES ±.002		PRODUCT SPEC 108-1973	-	SIZE 114-13038	
MATERIAL -		APPLICATION SPEC 114-13038	-	WEIGHT -	
FINISH -		CUSTOMER DRAWING	-	SCALE 4:1	
		SHEET 4		OF 10	
		REV E9			




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-


PART NUMBER	ROWS		POWER			SIGNAL						
			P1	P2	P3	1	2	3	4	5	6	
1-6450122-2	D		PM	PM	PM	J	J	J	J	J	J	
	C					K	K	K	K	K	K	
	B					N	N	N	N	N	N	
	A					S	S	S	S	S	S	
3ACP + 24S												




PART NUMBER	ROWS						SIGNAL					
			P1	P2	P3	P4	1	2	3	4	5	
1-6450122-9	D		PM	PM	PM	PM	J	J	J	J		
	C						K	K	K	K		K
	B						N	N	N	N		N
	A						S	S	S	S		S
4P + 20S												



PART NUMBER	ROWS		POWER		SIGNAL		
			P1	P2	1	2	
1-6450122-6	D		PM	PM	J	J	
	C				K	K	
	B				N	N	
	A				S	S	
							
2P + 8S							



PART NUMBER	ROWS		POWER										SIGNAL						
			P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	1	2	3	4	5	6	
2-6450122-0	D												J	J	J	J	J	J	
	C												K	K	K	K	K	K	
	B												N	N	N	N	N	N	
	A												S	S	S	S	S	S	
10P + 24S																			



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01

1 PLC ±.01

2 PLC ±.01

3 PLC ±.005

4 PLC ±.002

ANGLES #2

FINISH

MATERIAL

DWN R.GRZYBOWSKI 02FEB05

CHK M.PERCHERKE 02FEB05

APVD M.PERCHERKE

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

CUSTOMER DRAWING

NAME

RIGHT ANGLE HEADER ASSY W/GUIDES MULTI-BEAM XL

SIZE

CAGE CODE

DRAWING NO

100779

SCALE

4:1

SHEET

5

OF



10

REV

E9


TE Connectivity




PART NUMBER	ROWS						SIGNAL					
			P1	P2	P3	P4	1	2	3	4	5	
2-6450122-1	D		PM	PM	PM	PM	J	J	J	J	J	
	C						K	K	K	K	K	
	B						N	N	N	N	N	
	A						H	H	H	H	H	
4P + 20S		HD										HD







LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER						SIGNAL					
			P1	P2	P3	P4	P5	P6	1	2	3	4	5	
2-6450122-3	D C B A	HD	PM	PM	PM	PM	PM	PM	J	J	J	J	J	
									K	K	K	K	K	
									N	N	N	N	N	
									S	S	S	S	S	
6P + 20S														HD

PART NUMBER	ROWS		POWER		SIGNAL																					
			P1	P2	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19			
2-6450122-4	D C B A		PA	PA	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z			
					Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		Y	
					R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R		R	R
					O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O		O	O
2P + 76S																										



PART NUMBER	ROWS		POWER								SIGNAL						
			P1	P2	P3	P4	P5	P6	P7	P8	1	2	3	4	5	6	
2-6450122-5	D C B A									J	J	J	J	J	J		
										K	K	K	K	K	K		
										N	N	N	N	N	N		
										S	S	S	S	S	S		
8P + 24S																	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

INCHES

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±.01

2 PLC ±.01

3 PLC ±.005

4 PLC ±.0020

ANGLES #2

FINISH

FINISH

-

DWN R. GRZYBOWSKI 02FEB05

CHK M. PERCHERKE 02FEB05

APVD M. PERCHERKE

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME

RIGHT ANGLE HEADER ASSY W/GUIDES MULTI-BEAM XL

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A100779



C=6450122

SCALE 4:1

SHEET 7 OF 10

REV E9

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

R.GRZYBOWSKI

02FEB05


CHK

M.PERCHERKE

02FEB05

DIMENSIONS:

INCHES



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01

1 PLC ±.01

2 PLC ±.01

3 PLC ±.005

4 PLC ±.0020

ANGLES ±.2

FINISH -

MATERIAL

-

APVD

M.PERCHERKE

-

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

-

CUSTOMER DRAWING

NAME

RIGHT ANGLE HEADER ASSY W/GUIDES
MULTI-BEAM XL

SIZE

CAGE CODE

DRAWING NO

A100779

©=6450122

RESTRICTED TO

-

SCALE

4:1

SHEET

8

OF


10

REV

E9

TE Connectivity

PART NUMBER	ROWS		POWER			SIGNAL		
			P1	P2	P3	1	2	
2-6450122-8	D C B A		PM	PM	PM	J K N S	J K N S	
3P + 8S								



4805 (3/11)

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS		POWER						SIGNAL						
			P1	P2	P3	P4	P5	P6	1	2	3	4	5	6	
2-6450122-9	D C B A			PM		PM		PM		J	J	J	J	J	J
										K	K	K	K	K	K
										N	N	N	N	N	N
6P + 24S										S	S	S	S	S	S

NO CONTACTS LOADED

PART NUMBER	ROWS						SIGNAL						
			P1	P2	P3	P4	1	2	3	4			
3-6450122-0	D C B A			PM		PM		PM	J	J	J	J	
									K	K	K	K	
									N	N	N	N	
									S	S	S	S	



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN R.GRZYBOWSKI 02FEB05
CHK M.PERCHERKE 02FEB05
APVD M.PERCHERKE

DIMENSIONS:
INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES #2
FINISH

MATERIAL

-

CUSTOMER DRAWING

SCALE 4:1

NAME RIGHT ANGLE HEADER ASSY W/GUIDES MULTI-BEAM XL

SIZE A1

CAGE CODE 00779

DRAWING NO. 6450122

RESTRICTED TO

TE Connectivity

10 OF 10

REV E9