

Cable gland - G-INSEC-M32-M68N-NCRS-S - 1411191

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Brass, nickel-plated, External cable diameter 14 mm ... 21 mm, Shielding: Yes, Connecting thread: M32, Color: silver

Product Features



Key commercial data

Packing unit	1 pc
Minimum order quantity	5 pc
Weight per Piece (excluding packing)	104.0 GRM
Custom tariff number	74199990
Country of origin	Germany

Technical data

Dimensions

Length	38 mm
Length without connecting thread	30 mm
Connecting thread diameter	32 mm
Wrench size, union nut	34 mm
Wrench size, support	34 mm
Hexagon angular dimension GRP	36 mm
Length of the connecting thread	8 mm
External cable diameter	14 mm ... 21 mm

Ambient conditions

Degree of protection	IP68
----------------------	------

Cable gland - G-INSEC-M32-M68N-NCRS-S - 1411191

Technical data

Ambient conditions

Ambient temperature (operation)	-20 °C ... 100 °C
---------------------------------	-------------------

General

Cable gland material	Brass, nickel-plated
Seal material	CR/NBR
Cable seal material	CR/NBR
O-ring material	NBR
Shielded	Yes
Thread type on connection side	M32
Color	silver

Classifications

eCl@ss

eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 8.0	27149109

ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

Approvals

Approvals

Approvals

UL Listed / UL Recognized / cUL Listed / cUL Recognized / cULus Recognized / cULus Listed

Ex Approvals


Approvals submitted

Approval details


Cable gland - G-INSEC-M32-M68N-NCRS-S - 1411191


Approvals

UL Listed 

UL Recognized 

cUL Listed 

cUL Recognized 

cULus Recognized 

cULus Listed 

Drawings

Dimensional drawing

