



DT10 BNC to Alligator Clips Test Lead

Data Sheet

Document Reference No.: CP_000054

Version 1.1

Issue Date: 2019-03-27

The DT10 Oscilloscope test leads are an ideal low-cost companion for the DS1M12 Multi-function instrument.

Connective Peripherals Pte Ltd
178 Paya Lebar Road, #07-03 Singapore 409030
Tel.: +65 67430980 Fax: +65 68416071

E-Mail (Support): support@connectiveperipherals.com Web: www.connectiveperipherals.com/products

Neither the whole nor any part of the information contained in, or the product described in this manual, may be adapted or reproduced in any material or electronic form without the prior written consent of the copyright holder. This product and its documentation are supplied on an as-is basis and no warranty as to their suitability for any particular purpose is either made or implied. Connective Peripherals Pte Ltd will not accept any claim for damages howsoever arising as a result of use or failure of this product. Your statutory rights are not affected. This product or any variant of it is not intended for use in any medical appliance, device or system in which the failure of the product might reasonably be expected to result in personal injury. This document provides preliminary information that may be subject to change without notice. No freedom to use patents or other intellectual property rights is implied by the publication of this document. Connective Peripherals Pte Ltd, 178 Paya Lebar Road, #07-03 Singapore 409030. Registered Number: 201617872E

Table of Contents

1	Description	3
2	Technical Information	4
3	Ordering Information	5
4	Contact Information	6
	Appendix - Revision History	7

1 Description

The DT10 Oscilloscope test leads are an ideal low-cost companion for the DS1M12 Multi-function instrument. The DS1M12 uses BNC connectors for its Channel A, Channel B and Waveform Generator/Trigger connections. The DT10 consists of a 1m cable with a 50-Ohm BNC connector at one end and a pair of sturdy crocodile (alligator) clips on the other end.



2 Technical Information

Please refer to the drawing for further technical details.

<p>1000±30</p> <p>860±20</p> <p>140±5</p> <p>SR:RED</p> <p>SR:BLACK</p> <p>1 2 3 4 5 6 7 8</p>		<table><tr><td>5</td><td>CABLE</td><td>BLACK</td><td>OD:2.0</td><td></td></tr><tr><td>4</td><td>MOLD</td><td>PVC</td><td>BLACK</td><td>1</td></tr><tr><td>3</td><td>CABLE</td><td>COAXIAL CABLE</td><td>OD:4.0</td><td></td></tr><tr><td>2</td><td>SR</td><td>PVC</td><td>BLACK</td><td>1</td></tr><tr><td>1</td><td>CON.</td><td>BNC</td><td>MALE</td><td>1</td></tr><tr><td>NO.</td><td>NAME</td><td colspan="2">MATERIAL SPEC.</td><td>QTY.</td></tr></table>		5	CABLE	BLACK	OD:2.0		4	MOLD	PVC	BLACK	1	3	CABLE	COAXIAL CABLE	OD:4.0		2	SR	PVC	BLACK	1	1	CON.	BNC	MALE	1	NO.	NAME	MATERIAL SPEC.		QTY.
5	CABLE	BLACK	OD:2.0																														
4	MOLD	PVC	BLACK	1																													
3	CABLE	COAXIAL CABLE	OD:4.0																														
2	SR	PVC	BLACK	1																													
1	CON.	BNC	MALE	1																													
NO.	NAME	MATERIAL SPEC.		QTY.																													
<table><tr><td>8</td><td>CON</td><td>CROCODILE CLIP</td><td>2</td></tr><tr><td>7</td><td>SR</td><td>STRAIN RELIEF MOULDING</td><td>2</td></tr><tr><td>6</td><td>CABLE</td><td>RED</td><td>OD:2.0</td></tr><tr><td>MTL. SPEC.</td><td>PROJ</td><td>SCALE</td><td>DATE</td></tr><tr><td></td><td>DRAWN</td><td>CHKD</td><td>APVD</td></tr><tr><td></td><td>UNIT</td><td>CONF</td><td></td></tr></table>		8	CON	CROCODILE CLIP	2	7	SR	STRAIN RELIEF MOULDING	2	6	CABLE	RED	OD:2.0	MTL. SPEC.	PROJ	SCALE	DATE		DRAWN	CHKD	APVD		UNIT	CONF		<table><tr><td colspan="2">Connective Peripherals Pte Ltd</td></tr><tr><td>DWG NAME</td><td>DT10</td></tr><tr><td>DWG No.</td><td>Connective Peripherals</td></tr></table>		Connective Peripherals Pte Ltd		DWG NAME	DT10	DWG No.	Connective Peripherals
8	CON	CROCODILE CLIP	2																														
7	SR	STRAIN RELIEF MOULDING	2																														
6	CABLE	RED	OD:2.0																														
MTL. SPEC.	PROJ	SCALE	DATE																														
	DRAWN	CHKD	APVD																														
	UNIT	CONF																															
Connective Peripherals Pte Ltd																																	
DWG NAME	DT10																																
DWG No.	Connective Peripherals																																
BNC MALE		CROCODILE CLIP																															
CONDUCTOR		RED																															
SHIELD		BLACK																															

3 Ordering Information

Part Number	Description
DT10	BNC to Alligator Clips Test Lead

4 Contact Information

Global Headquarters – Singapore

Connective Peripherals Pte Ltd
178 Paya Lebar Road
#07-03
Singapore 409030

Tel: +65 67430980
Fax: +65 68416071

E-Mail (Sales)	sales@connectiveperipherals.com
E-Mail (Support)	support@connectiveperipherals.com
Web Site URL	http://www.connectiveperipherals.com
Web Shop URL	http://www.connectiveperipherals.com

Appendix - Revision History

Revision	Changes	Date
1.0	Initial release	2011-07-12
1.1	Re-branding to reflect the migration of the product from EasySync to Connective Peripherals name – logo change, copyright changed, contact information Changed, all internal hyperlinks changed.	2019-03-27