

Cable gland - G-INS-PG48-L68N-PNES-GY - 1411150

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Polyamide, External cable diameter 34 mm ... 44 mm, Shielding: No, Connecting thread: Pg48, Color: silver grey

Product Features



Key commercial data

Packing unit	1 pc
Custom tariff number	39269097
Country of origin	Turkey

Technical data

Dimensions

Length	68.8 mm
Length without connecting thread	54.8 mm
Connecting thread diameter	59.3 mm
Wrench size, union nut	65 mm
Wrench size, support	65 mm
Hexagon angular dimension GRP	72.2 mm
Length of the connecting thread	14 mm
External cable diameter	34 mm ... 44 mm

Ambient conditions

Degree of protection	IP68 (5 bar, 30 min.)
Ambient temperature (operation)	-30 °C ... 80 °C (for a short period up to 150 °C)

General

Cable gland material	Polyamide
Seal material	Neoprene

Cable gland - G-INS-PG48-L68N-PNES-GY - 1411150

Technical data

General

Cable seal material	Neoprene
Shielded	No
Thread type on connection side	Pg48
Torque	20 Nm ... 25 Nm (Union nut)
Inflammability class according to UL 94	V2
Color	silver grey

Classifications

eCl@ss

eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 8.0	27149109

ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

Approvals

Approvals

Approvals

CSA / UL Recognized

Ex Approvals

Approvals submitted

Approval details

CSA 

Cable gland - G-INS-PG48-L68N-PNES-GY - 1411150

Approvals

UL Recognized



Drawings

Dimensional drawing

