

XRCGB32M000F0Z00R0










Appearance & Shape







Features

The crystal unit that realized small package and highly accurate frequency.

Based on Murata's excellent package technology and high grade quartz crystal elements, achieving small size and high accuracy resonators.

Features

- 1. The series is available in the applications to be necessary for high accuracy resonator.
- 2. The resonator is extremerly small size (2.0 x 1.6 x 0.7 (mm)), and contribute to reduction in mounting area.
- 3. The series complies to RoHS directive, being lead-free (phase 3).



Other Usage

Industrial



Packaging Information

| Packaging | Specifications | Minimum Order Quantity |
|-----------|--------------------|---------------------------|
| R0 | 180mm Plastic Tape | 3000 |


1 of 3

Attention





XRCGB32M000F0Z00R0




| Shape | SMD | |
|------------------------------------|----------------------|--|
| Frequency | 32.0000MHz | |
| Frequency Tolerance | ±100ppmmax. (25±3°C) | |
| Operating Temperature Range | -40°C to 105°C | |
| Frequency Shift by Temperature | ±100ppmmax. | |
| Frequency Aging | ±5ppmmax./year | |
| Wash | Not avairable | |
| Load Capacitance | 6pF | |
| Equivalent Series Resistance(max.) | 100Ω | |
| Drive Level(max.) | 300µW | |





XRCGB32M000F0Z00R0





Temperature Characteristics

3 of 3

