


THIS DRAWING IS UNPUBLISHED.
RELEASED FOR PUBLICATION
AUG ,2006.
© COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS					
DW	—	P	LTR	DESCRIPTION			DATE	DWN	APVD
			D	REVISED. (ECR-12-016806)			13DEC12	JL	WK



NOTE:
1. MATERIAL:
HOUSING: PA9T W/ 33% GF, UL 94V-0, COLOR:BLACK.
CONTACT: PHOSPHOR BRONZE, THICKNESS:0.25±0.05mm.
SHELL: PHOSPHOR BRONZE, THICKNESS:0.40±0.05mm.
MYLAR: POLYESTER FILM.
2. FINISH:
CONTACTS: 0.762um [30u"] MIN GOLD PLATED ON CONTACT AREA,
2.54um [100u"] MIN MATTE-TIN PLATED ON SOLDER TAILS,
1.27um [50u"] MIN. NICKEL UNDERPLATED ALL OVER.
SHELL : 2.032um [80u"] MIN. NICKEL PLATED ALL OVER.
3. REFLOW SOLDER CAPABLE TO 260°C PER TE SPEC
109-201 CONDITION B.

W/	1.0	REEL	2-1734328-2
W/O	0.6	REEL	1-1734328-2
W/O	0.6	TRAY	1-1734328-1
W/O	1.0	REEL	1734328-2
W/O	1.0	TRAY	1734328-1
MYLAR	DIM.A	PACKAGE	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN F. YANG 13JUL2009	STE TE Connectivity	
DIMENSIONS: MM		CHK S. CHIEN 13JUL2009		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD W. KODAMA 13JUL2009	NAME MINI USB CONNECTOR, TYPE AB, RCPT, R/A, SMT TYPE	
0 PLC ± - 1 PLC ± 0.3 2 PLC ± 0.2 3 PLC ± 0.15 4 PLC ± - ANGLES ± 3°		PRODUCT SPEC 108-57062		
MATERIAL SEE NOTE		APPLICATION SPEC	SIZE A3	
FINISH SEE NOTE		WEIGHT 0.76 GRAMS	CAGE CODE 00779	DRAWING NO C-1734328
CUSTOMER DRAWING		SCALE -	SHEET 1 of 3	REV D

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.

© COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

P

LTR


DESCRIPTION

DATE

DWN





APVD

SEE SHEET 1.





TRAY

PAPER BOARD




SHIPPING BOX



TRAY LAYOUT

150	56	8400	9.2	6.7	1-1734328-1
PCS/TRAY	TRAYS/BOX	QUANTITY	G/W (Kg)	N/W (Kg)	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 TE Connectivity			
		CHK					
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD		NAME	
		0 PLC ± —		PRODUCT SPEC		MINI USB CONNECTOR, TYPE AB, RCPT, R/A, SMT TYPE	
		1 PLC ± —		—			
		2 PLC ± —		APPLICATION SPEC			
		3 PLC ± —		—			
4 PLC ± —		4 PLC ± —		WEIGHT		SIZE	
MATERIAL		FINISH		—		CAGE CODE	
						DRAWING NO	
						RESTRICTED TO	
						A3 00779 C=1734328	
				CUSTOMER DRAWING		SCALE	
						SHEET	
						2 of 3	
						REV	
						D	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.



COPYRIGHT 2009

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE


DWN

APVD



SEE SHEET 1.




DETAIL A




SECTION B-B



SHIPPING BOX



PACKING BOX



700	5	3500	6.5	5.5	2-1734328-2
					1-1734328-2
					1734328-2
PCS/REEL	REELS/BOX	QUANTITY	G/W (Kg)	N/W (Kg)	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:

MM



MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± .
1 PLC	± .
2 PLC	± .
3 PLC	± .
4 PLC	± .
ANGLES	± .

FINISH

STE

TE Connectivity

NAME

MINI USB CONNECTOR,
TYPE AB, RCPT, R/A, SMT TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734328

SCALE

SHEET 3 of 3

REV D