





12. CERTAIN MATING TRANSCEIVERS MAY REQUIRE ADDITIONAL PCB THICKNESS THAT WOULD NEED TO BE DETERMINED BY THE CUSTOMER.
13. PRODUCT COMPLIES WITH SPECIFICATION SFF-8433 IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES.







EMI SPRINGS

2143294-1
FINISHED ASSEMBLY
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN C. ROHLER	24FEB2010	 TE Connectivity	
DIMENSIONS: mm		CHW M. SCHMITT	24FEB2010		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPROVED B. WERTZ	24FEB2010	NAME	SFP: 1X6 CAGE ASSEMBLY PRESS FIT, EXTERNAL EMI SPRINGS WITH REDUCED LENGTH LIGHT PIPES
		PRODUCT SPEC 108-2364		SIZE	
MATERIAL		APPLICATION SPEC 114-13120		CAGE CODE	
		FINISH 		DRAWING NO	RESTRICTED TO
CUSTOMER DRAWING		WEIGHT -		A1 00779  2143294	
		SCALE A:1		SHEET 1	OF 1
				REV A	

LOC		DIST		REVISONS			
GP		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	C. ROHLER	24FEB2010	 TE Connectivity				
DIMENSIONS:				CHK	M. SCHMITT	24FEB2010					
mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:			APVD	B. WERTZ	24FEB2010	NAME	SFP+ 1X6 CAGE ASSEMBLY PRESS FIT, EXTERNAL EMI SPRINGS WITH REDUCED LENGTH LIGHT PIPES		
		0 PLC	±0.1	PRODUCT SPEC							
		1 PLC	±0.1	108-2364							
		2 PLC	±0.1	APPLICATION SPEC							
MATERIAL		FINISH			114-13120			SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
-		-			-			A100779	C=2143294		-
CUSTOMER DRAWING											
				SCALE		4:1		SHEET		2 OF 4	
								REV		A	

