



LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
AA	00		A9	ADD NEW PARTS	15OCT2014	OL
			A10	ECR-15-001425	22DEC2014	SZ






1. HOUSING: GLASS FILLED LIQUID CRYSTAL POLYMER, COLOR: BLACK, UL 94 V-O RATED
SIGNAL CONTACT: PHOSPHOR BRONZE
SIGNAL OVERMOLD: GLASS FILLED POLYESTER
POWER CONTACT: COPPER ALLOY
2. SIGNAL CONTACT:0.00127mm MIN NICKEL ALL OVER,
MATING AREA: 0.00076mm MIN GOLD OR 0.00008mm MIN GOLD OVER
0.00076mm MIN PALLADIUM-NICKEL,
TAIL AREA: 0.0005mm MIN MATTE TIN

POWER CONTACT: 0.00127mm MIN NICKEL ALL OVER,
MATING AREA: 0.00076mm MIN GOLD OR 0.00008mm MIN GOLD OVER
0.00076mm MIN PALLADIUM-NICKEL,
TAIL AREA: 0.0005mm MIN MATTE TIN
3. CONTACT MATING AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT,
TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995
4. THIS CONNECTOR EMPLOYS UL RECOGNIZED Z-PACK 2mm HM SIGNAL CONTACTS
- 5 DATUMS AND BASIC DIMENSIONS TO BE ESTABLISHED BY CUSTOMER
- 6 SEE APPLICATION SPEC 114-13215 FOR PLATED THROUGH HOLE INFORMATION
7. SEE CUSTOMER DRAWING 1926730 OR 1926732 FOR MATING CONNECTOR
- 8 UNPLATED HOLES

12	10	1	1	18.95	23.74	10S X 2P	1-1892787-4
12	15	1	2	20.95	25.74	15S X 2P	1-1892787-3
12	25	1	4	24.95	29.74	25S X 2P	1-1892787-2
120	35	19	6	78.45	83.24	35S X 20P	1-1892787-1
108	35	17	6	72.95	77.74	35S X 18P	1-1892787-0
48	20	7	3	39.45	44.24	20S X 8P	1892787-9
60	25	9	4	46.95	51.74	25S X 10P	1892787-6
24	20	3	3	28.45	33.24	20S X 4P	1892787-4
24	10	3	1	24.45	29.24	10S X 4P	1892787-2
F PLC	E PLC	D SPACES	C SPACES	DIM B	DIM A	NO OF POSITIONS	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN ORANDO LI 28OCT2011	 TE Connectivity					
				CHK SUNY ZHAO 28OCT2011						
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD SUNY ZHAO 28OCT2011	NAME					
mm		0 PLC ± 1 PLC ± 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±		PRODUCT SPEC 108-2325 APPLICATION SPEC 114-13215	RECEPTACLE ASSEMBLY, VERTICAL, PASSIVE GUIDE, SIGNAL/POWER, SCREW MOUNT OPTION, MINIPAK HDL					
										
MATERIAL SEE NOTE 1		FINISH SEE NOTE 2		WEIGHT -	SIZE A100779		CAGE CODE C=1892787		DRAWING NO	RESTRICTED TO
Customer Drawing				SCALE 2:1		SHEET 1 OF 3		REV. A10		

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AA	00	-					
		-	SEE SHEET 1		-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: ORANDO L1 28OCT2011	TE Connectivity	
		CHK: SUNY ZHAO 28OCT2011		
DIMENSIONS:		APVD: SUNY ZHAO 28OCT2011	NAME: RECEPTACLE ASSEMBLY, VERTICAL, PASSIVE GUIDE, SIGNAL/POWER, SCREW MOUNT OPTION, MINIPAK HDL	
mm		PRODUCT SPEC		
		108-2325	SIZE: A100779 CAGE CODE: 1892787	
		APPLICATION SPEC		
		114-13215	RESTRICTED TO: -	
		ANGLES		
MATERIAL: SEE NOTE 1		FINISH: SEE NOTE 2	Customer Drawing	
		WEIGHT: -	SCALE: 2:1 SHEET 2 OF 3 REV: A10	

LOC		DIST		REVISIONS					
AA		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



RECOMMENDED PRINTED CIRCUIT BOARD LAYOUT
(COMPONENT SIDE OF BOARD SHOWN)