

2019



wiha 

Tools that work for you

PROFESSIONAL QUALITY BITS




COMPLETE BITS PROGRAM










Slotted • Phillips • TORX® • Security TORX® • Hex Inch/Metric • Ball End Hex
MagicRing Hex • Security Hex • Nut Driver • Pozidriv® • Square • Tri-Wing
Spanner • Torq Set • TORXPlus® • Security TORXPlus® • Xeno Phillips























Terminator Impact Insert & Power Bits

| DESCRIPTION | Page |
|--|------|
|  Terminator Impact Bits | 4-9 |



Standard Contractor Bits

| DESCRIPTION | Page |
|---|---------|
|  Torx® Insert/Power Bits | 9-11 |
|  Phillips Insert/Power Bits | 9,18-19 |
|  Hex Metric & Inch Insert/Power Bits | 9,21-22 |
|  Square Insert/Power Bits | 9,26 |
|  Slotted Insert/Power Bits | 26-27 |
|  Pozidriv® Insert/Power Bits | 28 |
|  Nut Setters | 50 |




Specialty Bits

| DESCRIPTION | Page |
|--|------|
|   Xeno Phillips Terminal Block | 20 |
|   Torx® Align Bits | 13 |
|   Security Torx® Insert/Power Bits | 14 |
|   TorxPlus® Insert/Power Bits | 16 |
|   Ball End Torx® | 17 |
|   Security Pentalobe | 17 |
|   Security Hex Triple Square Insert Bits | 23 |
|   XZN Insert | 30 |
|   Tri-Wing Insert/Power Bits | 29 |
|   Torq Set Insert/Power Bits | 29 |
|   Spanner | 30 |









Cutting Tools

| DESCRIPTION | Page |
|--|------|
|  Counter Sink | 30 |
|  Drill Bit | 30 |



High Performance Bits

| DESCRIPTION | Page |
|---|------|
|  Dura Bits Slotted, Phillips, Pozidriv®, Torx® Insert/Power Bits - Tungsten Carbide Coated | 31 |
|  Diamond Bits Slotted, Phillips, Pozidriv®, Torx® Insert/Power Bits | 31 |
|  TiN Coated Bits Phillips & Torx® - Titanium Insert/Power Bits | 32 |

Insert & Power Bit Sets

| DESCRIPTION | Page |
|--|-------|
|  Security Bits Collector | 38 |
|  26inOne Ultra Drivers | 35-37 |
|  Insert Bit Selectors | 39 |
|  XSelector/XLSelectors | 39 |
|  6-in-1 Multi-Bit Sets | 40 |
|  Stubby Bit Holder Sets | 34 |
|  Pop-Up Bit Holder Sets | 34 |
|  Power Bit Belt Packs | 41 |


Power Blades & Sets

| DESCRIPTION | Page |
|--|-------------|
|  Power Blades Slotted/Phillips/Security Torx® & Hex TriWing/Square/Spanner/Pozidriv® | 15,20,25,33 |
|  Power Blade Sets | 15,20,25,33 |


ESD 1/4" Quick Release Bit Holder Blade Set

|  | DESCRIPTION | Page |
|---|--------------------|------|
| | 1/4" Quick Release | 43 |


TorqueControl Insert & Micro Bit Sets

|  | DESCRIPTION | Page |
|---|------------------------|------|
| | TorqueControl Bit Sets | 41 |


ESD Safe Micro Bit Handles/Bits & Sets

|  | DESCRIPTION | Page |
|---|-------------------------|-------|
| | Micro Bits | 44-49 |
| | ESD Safe Micro Bit Sets | 49 |

Bit Holders

|  | DESCRIPTION | Page |
|--|----------------------------|------|
| | ESD Safe Bit Holders | 43 |
| | SoftFinish® Cushion Grip | 42 |
| | MicroFinish Non-Slip Grip | 42 |
| | T-handle | 42 |
| | SoftGrip Stubby Bit Holder | 42 |
| | Flexible Shaft Bit Holder | 42 |
| | Drive-Loc VI Bit Holder | 42 |
| | Protturn Precision | 42 |
| | Multi-Bit Holders | 42 |

Bit Holders

|  | DESCRIPTION | Page |
|--|--|------|
| | Micro Bit Power Tool Adapte | 46 |
| | ClicFix Quick Release Insert Bits | 43 |
| | CentroFix Quick Release All 1/4" Drive Tools | 43 |
| | Protturn Quick Release 1/4" Drive | 42 |
| | Stainless Steel Bit Holder | 43 |
| | Magnetic Bit Holders & Retaining Ring Bit Holder | 43 |
| | "SlimFix" Impact Bit Holder Quick Release | 43 |

Bit Sockets

|  | DESCRIPTION | Page |
|---|----------------------------------|-------|
| | Torx® 1/4" Drive | 51 |
| | Torx® 3/8" Drive | 51 |
| | Torx® 3/8" - 5/16" Bits | 51 |
| | Security Torx® 3/8" | 51 |
| | Slotted Bit Sockets 1/2" Drive | 51 |
| | Phillips Bit Socket 1/2" Drive | 51 |
| | Hex Bit Sockets 1/4" Drive | 52 |
| | Hex Bit Sockets 3/8" Drive | 52 |
| | Ball End Hex Sockets | 52 |
| | Socket Adapters | 52 |
| | Impact Bit Holding Sockets | 53 |
| | 6" Bit Sockets 1/4" & 3/8" Drive | 53 |
| | Socket Sets | 54-55 |

Wiha Terminator Impact Bits

Impact Bits

Ready For Sudden Impact!

1/4" Drive Insert & Power Bits



765 TORX® Terminator Impact Bits,

1/4" Insert - 10 Bit Pack

| Item | + | □ | + |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76510 | T10 | 29 | 10 |
| 76511 | T15 | 29 | 10 |
| 76512 | T20 | 29 | 10 |
| 76513 | T25 | 29 | 10 |
| 76514 | T27 | 29 | 10 |
| 76516 | T30 | 29 | 10 |
| 76517 | T40 | 29 | 10 |

768 TORX® Terminator Impact Bits,

1/4" Insert - 2 Bit Pack

| Item | + | □ | + |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76810 | T10 | 29 | 2 |
| 76811 | T15 | 29 | 2 |
| 76812 | T20 | 29 | 2 |
| 76813 | T25 | 29 | 2 |
| 76814 | T27 | 29 | 2 |
| 76816 | T30 | 29 | 2 |
| 76817 | T40 | 29 | 2 |



765 Phillips Terminator Impact Bits,

1/4" Insert - 10 Bit Pack

| Item | + | □ | + |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76501 | 1 | 29 | 10 |
| 76502 | 2 | 29 | 10 |
| 76503 | 3 | 29 | 10 |

768 Phillips Terminator Impact Bits,

1/4" Insert - 2 Bit Pack

| Item | + | □ | + |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76801 | 1 | 29 | 2 |
| 76802 | 2 | 29 | 2 |
| 76803 | 3 | 29 | 2 |



765 Square Terminator Impact Bits,

1/4" Insert - 10 Bit Pack

| Item | □ | □ | + |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76538 | 1 | 29 | 10 |
| 76539 | 2 | 29 | 10 |
| 76540 | 3 | 29 | 10 |

768 Square Terminator Impact Bits,

1/4" Insert - 2 Bit Pack

| Item | □ | □ | + |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76838 | 1 | 29 | 2 |
| 76839 | 2 | 29 | 2 |
| 76840 | 3 | 29 | 2 |



765 Pozidriv® Terminator Impact Bits,

1/4" Insert - 10 Bit Pack


| Item | + | □ | + |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76506 | 1 | 29 | 10 |
| 76507 | 2 | 29 | 10 |
| 76508 | 3 | 29 | 10 |

768 Pozidriv® Terminator Impact Bits,

1/4" Insert - 2 Bit Pack

| Item | + | □ | + |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76806 | 1 | 29 | 2 |
| 76807 | 2 | 29 | 2 |
| 76808 | 3 | 29 | 2 |

Up To 30X Performance Over Standard Screwdriver Bits



Dual material impact absorbing torsion zone

Special energy absorbing dual material design

Tough impact absorbing torsional zone

Up to 30 times performance over standard bits





Precision heat treated & premium CVM tool steel

No special bit holder required





Standard 1/4" drive



765 Hex Inch Terminator Impact Bits, 1/4" Insert - 10 Bit Pack





| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | mm | pkg. | |
| 76530 | 1/8 | 29 | 10 | |
| 76531 | 9/64 | 29 | 10 | |
| 76532 | 5/32 | 29 | 10 | |
| 76533 | 3/16 | 29 | 10 | |
| 76534 | 7/32 | 29 | 10 | |
| 76535 | 1/4 | 29 | 10 | |

768 Hex Inch Terminator Impact Bits, 1/4" Insert - 2 Bit Pack





| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | mm | pkg. | |
| 76830 | 1/8 | 29 | 2 | |
| 76831 | 9/64 | 29 | 2 | |
| 76832 | 5/32 | 29 | 2 | |
| 76833 | 3/16 | 29 | 2 | |
| 76834 | 7/32 | 29 | 2 | |
| 76835 | 1/4 | 29 | 2 | |



765 Hex Metric Terminator Impact Bits, 1/4" Insert - 10 Bit Pack

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | mm | pkg. | |
| 76523 | 3.0 | 29 | 10 | |
| 76524 | 4.0 | 29 | 10 | |
| 76525 | 5.0 | 29 | 10 | |
| 76526 | 6.0 | 29 | 10 | |


768 Hex Metric Terminator Impact Bits, 1/4" Insert - 2 Bit Pack

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | mm | pkg. | |
| 76823 | 3.0 | 29 | 2 | |
| 76824 | 4.0 | 29 | 2 | |
| 76825 | 5.0 | 29 | 2 | |
| 76826 | 6.0 | 29 | 2 | |



76897 28 Pc. Terminator Impact Insert Bit Set With SlimFix 1/4" Locking Bit Holder

Item No. Set includes the following bits:



| | |
|--|---|
| 76897 | Phillips: #1, 2 (2), 3 |
|  | Sq: #1, 2, 3 & Pozidriv®: #1, 2, 3 |
| lbs. .47 | Hex Metric: 3.0, 4.0, 5.0, 6.0mm |
| | Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" |
| | Torx®: T10, T15, T20, T25(2), T30, T40 |

Wiha Insert Terminator Impact Bit Sets



76876 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm


76876 Set includes the following bits:

-  Hex In: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
-  Hex Metric: 3.0, 4.0, 5.0, 6.0mm



76877 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm




76877 Set includes the following bits:

-  Torx®: T10, T15, T20 (2), T25 (2), T27, T30 (2), T40



76881 10 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm


76881 Set includes the following bits:

-  Phillips: #1, 2, 3
-  Square: #1, 2, 3
-  Torx®: T20, T25, T30, T40



76899 34 Pc. Terminator Impact Insert Bit Set With 3K Bit Holder Handle & SlimFix 1/4" Locking Bit Holder

Item No. Set includes the following bits:




| | |
|---|---|
| 76899 | 2 Phillips: #1, 2, 3 |
|  | Square: #1, 2 (2), 3 |
| lbs. | Pozidriv®: #1, 2, 3 |
| 1.12 | Torx®: T10, T15, T20 (2), T25 (2), T30 (2), T40 |
| | Hex Metric: 3.0, 4.0, 5.0, 6.0mm |
| | Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" |



Includes magnetic bit holder

76890 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm

76890 Set includes the following bits:




-  3 Phillips: #2
-  Square: #2
-  Torx®: T15, T20, T25

Includes magnetic bit holder



76891 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm

76891 Set includes the following bits:



-  Phillips: #2, 3
-  Square: #2, 3
-  Torx®: T20, T25, T30

Includes magnetic bit holder



76893 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm

76893 Set includes the following bits:


-  Hex Inch: 5/32, 3/16, 7/32, 1/4"
-  Hex Metric: 4, 5, 6mm

Includes magnetic bit holder



76895 8 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm

76895 Set includes the following bits:

-  Torx®: T10, T15, T20, T25, T27, T30, T40

Includes magnetic bit holder

Wiha Power Terminator Impact Bits & Power Terminator Impact Bit Sets



765 Phillips Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item | + | — | — |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76543 | 1 | 49 | 10 |
| 76544 | 2 | 49 | 10 |
| 76545 | 3 | 49 | 10 |

768 Phillips Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item | + | — | — |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76843 | 1 | 49 | 2 |
| 76844 | 2 | 49 | 2 |
| 76845 | 3 | 49 | 2 |



765 Pozidriv® Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item | + | — | — |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76548 | 1 | 49 | 10 |
| 76549 | 2 | 49 | 10 |
| 76550 | 3 | 49 | 10 |

768 Pozidriv® Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item | + | — | — |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76848 | 1 | 49 | 2 |
| 76849 | 2 | 49 | 2 |
| 76850 | 3 | 49 | 2 |



765 Square Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item | □ | — | — |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76578 | 1 | 49 | 10 |
| 76579 | 2 | 49 | 10 |
| 76580 | 3 | 49 | 10 |

768 Square Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item | □ | — | — |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76878 | 1 | 49 | 2 |
| 76879 | 2 | 49 | 2 |
| 76880 | 3 | 49 | 2 |



765 TORX® Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item | ⊕ | — | — |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76553 | T10 | 49 | 10 |
| 76554 | T15 | 49 | 10 |
| 76555 | T20 | 49 | 10 |
| 76556 | T25 | 49 | 10 |
| 76557 | T27 | 49 | 10 |
| 76558 | T30 | 49 | 10 |
| 76559 | T40 | 49 | 10 |

768 TORX® Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item | ⊕ | — | — |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76853 | T10 | 49 | 2 |
| 76854 | T15 | 49 | 2 |
| 76855 | T20 | 49 | 2 |
| 76856 | T25 | 49 | 2 |
| 76857 | T27 | 49 | 2 |
| 76858 | T30 | 49 | 2 |
| 76859 | T40 | 49 | 2 |



765 Hex Inch Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item | ⬡ | — | — |
|-------|------|----|------|
| No. | Inch | mm | pkg. |
| 76570 | 1/8 | 49 | 10 |
| 76571 | 9/64 | 49 | 10 |
| 76572 | 5/32 | 49 | 10 |
| 76573 | 3/16 | 49 | 10 |
| 76574 | 7/32 | 49 | 10 |
| 76575 | 1/4 | 49 | 10 |

768 Hex Inch Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item | ⬡ | — | — |
|-------|------|----|------|
| No. | Inch | mm | pkg. |
| 76870 | 1/8 | 49 | 2 |
| 76871 | 9/64 | 49 | 2 |
| 76872 | 5/32 | 49 | 2 |
| 76873 | 3/16 | 49 | 2 |
| 76874 | 7/32 | 49 | 2 |
| 76875 | 1/4 | 49 | 2 |



765 Hex Metric Terminator Impact Bits, 1/4" Power - 10 Bit Pack

| Item | ⬡ | — | — |
|-------|-----|----|------|
| No. | mm | mm | pkg. |
| 76563 | 3.0 | 49 | 10 |
| 76564 | 4.0 | 49 | 10 |
| 76565 | 5.0 | 49 | 10 |
| 76566 | 6.0 | 49 | 10 |

768 Hex Metric Terminator Impact Bits, 1/4" Power - 2 Bit Pack

| Item | ⬡ | — | — |
|-------|-----|----|------|
| No. | mm | mm | pkg. |
| 76863 | 3.0 | 49 | 2 |
| 76864 | 4.0 | 49 | 2 |
| 76865 | 5.0 | 49 | 2 |
| 76866 | 6.0 | 49 | 2 |



76892 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76892 Set includes the following bits:

- ⊕ Phillips: #2, 3
- Square: #2, 3
- ⊕ Torx®: T20, T25, T30



76896 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76896 Set includes the following bits:

- ⊕ Torx®: T10, T15, T20, T25, T27, T30, T40



76894 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

76894 Set includes the following bits:

- ⬡ Hex Inch: 5/32, 3/16, 7/32, 1/4"
- ⬡ Hex Metric: 4, 5, 6mm

Wiha Terminator Impact Bit Box Packs



766 Phillips Terminator Impact Bits, 1/4" Insert - 25 Bit Box Pack

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76601 | 1 | 29 | 25 |
| 76602 | 2 | 29 | 25 |
| 76603 | 3 | 29 | 25 |



766 Phillips Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76641 | 1 | 49 | 15 |
| 76642 | 2 | 49 | 15 |
| 76643 | 2 | 49 | 15 |



766 Hex Inch Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack

| Item | | | |
|-------|------|----|------|
| No. | Inch | mm | pkg. |
| 76670 | 1/8 | 49 | 15 |
| 76671 | 9/64 | 49 | 15 |
| 76672 | 5/32 | 49 | 15 |
| 76673 | 3/16 | 49 | 15 |
| 76674 | 7/32 | 49 | 15 |
| 76675 | 1/4 | 49 | 15 |



766 Square Terminator Impact Bits, 1/4" Insert - 25 Bit Box Pack

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76605 | 2 | 29 | 25 |



766 Square Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76645 | 2 | 49 | 15 |



766 Hex Metric Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack

| Item | | | |
|-------|-----|----|------|
| No. | mm | mm | pkg. |
| 76663 | 3.0 | 49 | 15 |
| 76664 | 4.0 | 49 | 15 |
| 76665 | 5.0 | 49 | 15 |
| 76666 | 6.0 | 49 | 15 |



766 TORX® Terminator Impact Bits, 1/4" Insert - 25 Bit Box Pack

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76610 | T10 | 29 | 25 |
| 76611 | T15 | 29 | 25 |
| 76612 | T20 | 29 | 25 |
| 76613 | T25 | 29 | 25 |
| 76614 | T27 | 29 | 25 |
| 76615 | T30 | 29 | 25 |
| 76616 | T40 | 29 | 25 |



766 TORX® Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76650 | T10 | 49 | 15 |
| 76651 | T15 | 49 | 15 |
| 76652 | T20 | 49 | 15 |
| 76653 | T25 | 49 | 15 |
| 76654 | T27 | 49 | 15 |
| 76655 | T30 | 49 | 15 |
| 76656 | T40 | 49 | 15 |

Case Pack of 10 Bit Boxes Includes Counter Top Display



Identification on bits allows quick bit selection



766 Pozidriv® Terminator Impact Bits, 1/4" Power - 15 Bit Box Pack

| Item | | | |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76647 | 1 | 49 | 15 |
| 76648 | 2 | 49 | 15 |
| 76649 | 3 | 49 | 15 |

Wiha Power Terminator Impact Bits 100 Bit Packs



735 Phillips Terminator Impact Bits, 1/4" Insert - 100 Bit Pack

| Item | + | — | ■ |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 73501 | 1 | 29 | 100 |
| 73502 | 2 | 29 | 100 |



735 TORX® Terminator Impact Bits, 1/4" Insert - 100 Bit Pack

| Item | ✳ | — | ■ |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 73507 | T15 | 29 | 100 |
| 73508 | T20 | 29 | 100 |
| 73509 | T25 | 29 | 100 |
| 73510 | T27 | 29 | 100 |
| 73511 | T30 | 29 | 100 |



735 Square Terminator Impact Bits, 1/4" Power - 100 Bit Pack

| Item | □ | — | ■ |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 73546 | 1 | 49 | 100 |
| 73547 | 2 | 49 | 100 |



735 Square Terminator Impact Bits, 1/4" Insert - 100 Bit Pack

| Item | □ | — | ■ |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 73522 | 1 | 29 | 100 |
| 73523 | 2 | 29 | 100 |



735 Phillips Terminator Impact Bits, 1/4" Power - 100 Bit Pack

| Item | + | — | ■ |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 73525 | 1 | 49 | 100 |
| 73526 | 2 | 49 | 100 |



735 TORX® Terminator Impact Bits, 1/4" Power - 100 Bit Pack

| Item | ✳ | — | ■ |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 73531 | T15 | 49 | 100 |
| 73532 | T20 | 49 | 100 |
| 73533 | T25 | 49 | 100 |
| 73534 | T27 | 49 | 100 |
| 73535 | T30 | 49 | 100 |

Wiha Power Terminator Impact Bits 250 Bit Packs



765 Phillips Terminator Impact Bits, 1/4" Insert - 250 Bit Pack

| Item | + | — | ■ |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76581 | 1 | 29 | 250 |
| 76582 | 2 | 29 | 250 |



765 TORX® Terminator Impact Bits, 1/4" Insert - 250 Bit Pack

| Item | ✳ | — | ■ |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76585 | T15 | 29 | 250 |
| 76586 | T20 | 29 | 250 |
| 76587 | T25 | 29 | 250 |
| 76588 | T27 | 29 | 250 |
| 76589 | T30 | 29 | 250 |



765 Square Terminator Impact Bits, 1/4" Power - 250 Bit Pack

| Item | □ | — | ■ |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76592 | 1 | 49 | 250 |
| 76593 | 2 | 49 | 250 |



765 Square Terminator Impact Bits, 1/4" Insert - 250 Bit Pack

| Item | □ | — | ■ |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76583 | 1 | 29 | 250 |
| 76584 | 2 | 29 | 250 |



765 Phillips Terminator Impact Bits, 1/4" Power - 250 Bit Pack

| Item | + | — | ■ |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76590 | 1 | 49 | 250 |
| 76591 | 2 | 49 | 250 |



765 TORX® Terminator Impact Bits, 1/4" Power - 250 Bit Pack

| Item | ✳ | — | ■ |
|-------|------|----|------|
| No. | Size | mm | pkg. |
| 76594 | T15 | 49 | 250 |
| 76595 | T20 | 49 | 250 |
| 76596 | T25 | 49 | 250 |
| 76597 | T27 | 49 | 250 |
| 76598 | T30 | 49 | 250 |

Impact Bits

Longest life impact bit available, 30X performance increase over standard bits.

Available in 1 1/29mm Insert or 2 7/49mm Power bits.

Precision tuned torsion zones are individually matched to bit profile reducing stress on the tip when used in an impact driver.

German formulated MoV tool steel combined with precision hardening & heat treating.

Hardest working tip selection in 15ct or 25ct bit box, 100ct or 250ct bulk packs.

Contractor Bits

Available in 1 1/25mm Insert or 2 7/50mm Power bits.

Suitable for all machine and manual screw driving applications.

German formulated CRV tool steel combined with precision hardening and heat treating.

Widest selection of bit offering in 15ct or 30ct bit box, 100ct or 250ct bulk packs.






250 Count Bulk Packs
Includes Bit Bowl

Wiha Terminator Impact Bits 250-piece Bit Bowls






768 Phillips Terminator Impact Bits, 1/4" Insert - 250-piece Bit Bowl

| Item |  |  |  |
|-------|--|---|---|
| No. | Size | mm | pkg. |
| 76841 | 2 | 29 | 250 |






768 Phillips Terminator Impact Bits, 1/4" Power - 250-piece Bit Bowl

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | pkg. |
| 76851 | 2 | 49 | 250 |






768 Square Terminator Impact Bits, 1/4" Insert - 250-piece Bit Bowl

| Item |  |  |  |
|-------|--|---|---|
| No. | Size | mm | pkg. |
| 76847 | 2 | 29 | 250 |






768 Square Terminator Impact Bits, 1/4" Power - 250-piece Bit Bowl

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | pkg. |
| 76861 | 2 | 49 | 250 |






768 TORX Terminator Impact Bits, 1/4" Insert - 250-piece Bit Bowl

| Item |  |  |  |
|-------|--|---|---|
| No. | Size | mm | pkg. |
| 76842 | T25 | 29 | 250 |






768 TORX Terminator Impact Bits, 1/4" Power - 250-piece Bit Bowl

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | pkg. |
| 76852 | T25 | 49 | 250 |






768 Hex Inch Terminator Impact Bits, 1/4" Insert - 250-piece Bit Bowl

| Item |  |  |  |
|-------|--|---|---|
| No. | Inch | mm | pkg. |
| 76846 | 5/32 | 29 | 250 |






768 Hex Inch Terminator Impact Bits, 1/4" Power - 250-piece Bit Bowl

| Item |  |  |  |
|-------|---|---|---|
| No. | Inch | mm | pkg. |
| 76860 | 3/16 | 49 | 250 |

Wiha Contractor Bits 250-piece Bit Bowls







723 Phillips Insert Bits, 1/4"

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | pkg. |
| 72304 | 2 | 25 | 250 |






723 Square Insert Bits, 1/4"

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | |
| 72347 | 2 | 25 | 250 | |






723 TORX Bits, 1/4"

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | pkg. |
| 72343 | T25 | 25 | 250 |







723 Hex Inch Insert Bits, 1/4"

| Item |  |  |  |
|-------|---|---|---|
| No. | Inch | mm | pkg. |
| 72328 | 5/32 | 25 | 250 |







723 Phillips Power Bits 1/4" Hex Drive, Length 2.0"/50mm

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | |
| 72351 | 2 | 50 | 250 | |






723 Square Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | |
| 72391 | 2 | 50 | 250 | |






723 TORX Power Bits 1/4" Hex Drive, Length 2.0"/50mm

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | pkg. |
| 72378 | T25 | 50 | 250 |



723 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

| Item |  |  |  |
|-------|---|---|---|
| No. | Inch | mm | pkg. |
| 72354 | 3/16 | 50 | 10 |

TORX® Bits

The ideal multi-purpose bits for all around quality and performance

Made by Wiha - Production Quality

Suitable for all applications for both manual and machine
Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life

Impact resistant modified CVM, tool steel, hardened



Wiha TORX® Bit Packs



71571 TORX® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71571 Set includes the following bits:



T15, T20, T25, T27,
wt. .08 T30, T40 x 1" (25mm)



71570 TORX® Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc bit pack.

71570 Set includes the following bits:



T5, T6, T7, T8, T9,
wt. .07 T10 x 1" (25mm)

Wiha TORX® Insert Bit



10 bit pack

715 TORX® Bits, 1/4"

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 71523 | T3 | 25 | 10 | .12 |
| 71524 | T4 | 25 | 10 | .12 |
| 71505 | T5 | 25 | 10 | .12 |
| 71506 | T6 | 25 | 10 | .12 |
| 71507 | T7 | 25 | 10 | .12 |
| 71508 | T8 | 25 | 10 | .12 |
| 71509 | T9 | 25 | 10 | .12 |
| 71510 | T10 | 25 | 10 | .12 |
| 71515 | T15 | 25 | 10 | .12 |
| 71520 | T20 | 25 | 10 | .12 |
| 71525 | T25 | 25 | 10 | .12 |
| 71527 | T27 | 25 | 10 | .13 |
| 71530 | T30 | 25 | 10 | .14 |
| 71540 | T40 | 25 | 10 | .15 |

30 Piece Contractor Grade Bits

725 TORX® Insert Bit Packs, 30 Pcs., 1/4"

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 72572 | T7 | 25 | .36 |
| 72573 | T8 | 25 | .36 |
| 72574 | T9 | 25 | .36 |
| 72575 | T10 | 25 | .36 |
| 72576 | T15 | 25 | .36 |
| 72577 | T20 | 25 | .36 |
| 72578 | T25 | 25 | .36 |
| 72579 | T27 | 25 | .36 |
| 72580 | T30 | 25 | .36 |
| 72581 | T40 | 25 | .36 |

Wiha TORX® Bit Packs

2 bit pack



715 TORX® Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 71548 | T3 | 25 | .03 |
| 71549 | T4 | 25 | .03 |
| 71550 | T5 | 25 | .03 |
| 71551 | T6 | 25 | .03 |
| 71552 | T7 | 25 | .03 |
| 71553 | T8 | 25 | .03 |
| 71554 | T9 | 25 | .03 |
| 71555 | T10 | 25 | .03 |
| 71556 | T15 | 25 | .03 |
| 71557 | T20 | 25 | .03 |
| 71558 | T25 | 25 | .03 |
| 71559 | T27 | 25 | .04 |
| 71560 | T30 | 25 | .04 |
| 71561 | T40 | 25 | .04 |

2 bit pack



777 TORX® Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item No. | Size | mm |
|----------|---------|----|
| 77701 | T6+T7 | 30 |
| 77702 | T8+T9 | 30 |
| 77703 | T10+T15 | 30 |
| 77704 | T20+T25 | 30 |
| 77705 | T27+T30 | 30 |

Wiha TORX® 5/16" Bits



10 bit pack

725 TORX® Bits, 5/16"

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 72525 | T25 | 35 | 10 | .27 |
| 72527 | T27 | 35 | 10 | .27 |
| 72530 | T30 | 35 | 10 | .27 |
| 72540 | T40 | 35 | 10 | .28 |
| 72545 | T45 | 35 | 10 | .31 |
| 72550 | T50 | 35 | 10 | .32 |
| 72555 | T55 | 35 | 10 | .52 |
| 72570 | T60 | 35 | 10 | .52 |

2 bit pack



5/16" Insert Bits

725 TORX® Insert Bit Packs, 5/16"

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 72531 | T30 | 35 | .28 |
| 72551 | T50 | 35 | .32 |
| 72569 | T60 | 35 | .52 |

Wiha TORX® Power Bits



745 TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm


| Item | No. | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
| | 74511 | T6 | 50 | 10 | .18 |
| | 74512 | T7 | 50 | 10 | .18 |
| | 74513 | T8 | 50 | 10 | .18 |
| | 74517 | T9 | 50 | 10 | .19 |
| | 74519 | T10 | 50 | 10 | .20 |
| | 74521 | T15 | 50 | 10 | .20 |
| | 74523 | T20 | 50 | 10 | .20 |
| | 74529 | T25 | 50 | 10 | .20 |
| | 74531 | T27 | 50 | 10 | .20 |
| | 74533 | T30 | 50 | 10 | .20 |
| | 74535 | T40 | 50 | 10 | .25 |



745 TORX® Power Bit Packs, 2"

CVM S2 modified tool steel.

| Item | No. | Size | mm | lbs. |
|------|-------|------|----|------|
| | 74525 | T1 | 50 | .05 |
| | 74527 | T2 | 50 | .05 |
| | 74530 | T3 | 50 | .05 |
| | 74540 | T4 | 50 | .05 |
| | 74559 | T5 | 50 | .05 |
| | 74501 | T6 | 50 | .05 |
| | 74502 | T7 | 50 | .05 |
| | 74503 | T8 | 50 | .05 |
| | 74504 | T9 | 50 | .05 |
| | 74506 | T10 | 50 | .05 |
| | 74508 | T15 | 50 | .05 |
| | 74510 | T20 | 50 | .05 |
| | 74514 | T25 | 50 | .06 |
| | 74515 | T27 | 50 | .06 |
| | 74516 | T30 | 50 | .06 |
| | 74518 | T40 | 50 | .08 |



745 TORX® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

| Item | No. | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
| | 74536 | T6 | 70 | 10 | .02 |
| | 74538 | T7 | 70 | 10 | .02 |
| | 74542 | T8 | 70 | 10 | .02 |
| | 74544 | T9 | 70 | 10 | .02 |
| | 74546 | T10 | 70 | 10 | .02 |
| | 74548 | T15 | 70 | 10 | .02 |
| | 74551 | T20 | 70 | 10 | .03 |
| | 74553 | T25 | 70 | 10 | .03 |
| | 74556 | T27 | 70 | 10 | .04 |
| | 74558 | T30 | 70 | 10 | .04 |
| | 74561 | T40 | 70 | 10 | .04 |



739 TORX® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

| Item | No. | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
| | 73936 | T6 | 70 | 1 | .02 |
| | 73937 | T7 | 70 | 1 | .02 |
| | 73938 | T8 | 70 | 1 | .02 |
| | 73939 | T9 | 70 | 1 | .02 |
| | 73940 | T10 | 70 | 1 | .02 |
| | 73941 | T15 | 70 | 1 | .02 |
| | 73942 | T20 | 70 | 1 | .03 |
| | 73943 | T25 | 70 | 1 | .03 |
| | 73944 | T27 | 70 | 1 | .04 |
| | 73945 | T30 | 70 | 1 | .04 |
| | 73946 | T40 | 70 | 1 | .04 |



745 TORX® Power Bits 1/4" Hex Drive, Length 3.5"/90mm


| Item | No. | Size | mm | pkg. | lbs. |
|------|-------|------|----|------|------|
| | 74563 | T6 | 90 | 1 | .03 |
| | 74565 | T7 | 90 | 1 | .03 |
| | 74567 | T8 | 90 | 1 | .03 |
| | 74569 | T9 | 90 | 1 | .03 |
| | 74571 | T10 | 90 | 1 | .03 |
| | 74573 | T15 | 90 | 1 | .03 |
| | 74575 | T20 | 90 | 1 | .04 |
| | 74577 | T25 | 90 | 1 | .04 |
| | 74579 | T27 | 90 | 1 | .04 |
| | 74581 | T30 | 90 | 1 | .04 |
| | 74583 | T40 | 90 | 1 | .04 |



745 TORX® Power Bits 1/4" Hex Drive, Length 6.0"/150mm


| Item | No. | Size | mm | pkg. | lbs. |
|------|-------|------|-----|------|------|
| | 74580 | T6 | 150 | 1 | .04 |
| | 74582 | T7 | 150 | 1 | .04 |
| | 74584 | T8 | 150 | 1 | .04 |
| | 74585 | T9 | 150 | 1 | .04 |
| | 74586 | T10 | 150 | 1 | .04 |
| | 74587 | T15 | 150 | 1 | .04 |
| | 74588 | T20 | 150 | 1 | .04 |
| | 74589 | T25 | 150 | 1 | .04 |
| | 74590 | T27 | 150 | 1 | .04 |
| | 74591 | T30 | 150 | 1 | .04 |

Wiha TORX® Double End Bits



744 TORX® Double End Bits 1/4" Hex Drive, Length 2.56"/65mm

| Item | No. | Size | Size | mm | pkg. | lbs. |
|------|-------|------|------|----|------|------|
| | 74413 | T7 | T7 | 65 | 10 | .32 |
| | 74415 | T8 | T8 | 65 | 10 | .32 |
| | 74419 | T10 | T10 | 65 | 10 | .32 |
| | 74431 | T27 | T27 | 65 | 10 | .34 |
| | 74433 | T30 | T30 | 65 | 10 | .35 |



744 TORX® Double End Bit Pack 1/4" Hex Drive, Length 2.56"/65mm

| Item | No. | Size | Size | mm | lbs. |
|------|-------|------|------|----|------|
| | 74461 | T7 | T7 | 65 | .05 |
| | 74462 | T8 | T8 | 65 | .05 |
| | 74464 | T10 | T10 | 65 | .05 |
| | 74465 | T15 | T15 | 65 | .05 |

Wiha Stainless Steel Power Bits



704 Stainless Steel **TORX**® Power Bits
1/4" Hex Drive, Length 2.0"/50mm

| Item No. | Size | mm | pkg. |
|----------|------|----|------|
| 70416 | T30 | 50 | 1 |

Wiha Insert Bit Blister Pack



72595 10 Pack **TORX**® Insert Bit Pack
CVM S2 modified tool steel.

| TORX ® : | lbs. |
|-------------------------|------|
| T7, T8, T9, T10, T15 | .16 |
| T20, T25, T27, T30, T40 | |

Wiha Insert Bit & Socket Set



72590 11 Piece **TORX**® Insert Bit Pack & Socket Set CVM S2 modified tool steel.

| | |
|---|------|
| 1/4" to 3/8" Drive Socket | |
| 1/4" Bits: T10, T15, T20, T25, T27, T30 | |
| 5/16" to 3/8" Drive Socket | lbs. |
| 5/16" Bits: T40, T45, T50 | .36 |

Wiha **TORX**® Insert Bit & Power Bit Sets



79445 XSelector Bit Set With **TORX**® Bits
Set Includes 1/4" Magnetic Bit Holder & the following 10 bits:

| | |
|------|--|
| lbs. | TORX ®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
|------|--|



71195 PokitPak - **TORX**® Insert Bits In Molded Case - Includes 6 - 1/4" Insert Bits & Magnetic Bit Holder

| | |
|------|--|
| lbs. | TORX ®: T8, T10, T15, T20, T25, T30 |
|------|--|

Wiha **TORX**® Insert Bit Sets

Bit holder stainless steel, magnetic



38044 **TORX**® Pop-Up Bit Screwdriver Set

Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle.

| | |
|------|--|
| lbs. | Set includes the following 1/4" bits: TORX ®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
|------|--|



38003 **TORX**® Multi-Bit Screwdriver

with Wiha Powerhandle.

Includes the following 1/4" bits:

| | |
|-----------------|-------------------------|
| TORX ® : | T5, T6, T7, T8, T9, T10 |
|-----------------|-------------------------|



74985 Power Bit Belt Pack With **TORX**® Bits
Includes the following 10 bits:

| | |
|------|---|
| lbs. | TORX ®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30 |
|------|---|



79242 Bit-Selector With **TORX**® Bits
Includes Universal Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:

| | |
|------|--|
| lbs. | TORX ®: T5, T6, T7, T8, T9, T10, T15, T20, T25, T30 |
|------|--|



38045 **TORX**® SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

| | |
|------|--|
| lbs. | Set includes the following 1/4" bits: TORX ®: T8, T10, T15, T20, T25, T30 |
|------|--|

79245 Bit-Selector With **TORX**® Bits
Includes Auto Lock Magnetic 1/4" Bit Holder & The Following 10 Insert Bits:

| | |
|------|--|
| lbs. | TORX ®: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40 |
|------|--|

Wiha TORX® Align Insert Bits and Power Bits

Wiha TORX® Align Coated Insert Bits PokitPak

Torx® Align Tapered For Snug Fit In Screw

Highly resistant to wear and tear for a long tool life



Impact resistant modified chrome-vanadium-molybdenum, tool steel, hardened

Made by Wiha - Production Quality

Suitable for all applications for both manual and machine
Hardness HRC 59-61



79283 PokitPak - TORX® Align Insert Bits In Molded Case -

Set Includes 6 - 1/4" Insert Bits

TORX® Align:

T10, T15, T20, T25, T30, T40

lbs. .12



10 bit pack

715 TORX® Align Bits, 1/4"

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 71536 | T6 | 25 | 10 | .12 |
| 71537 | T7 | 25 | 10 | .12 |
| 71538 | T8 | 25 | 10 | .12 |
| 71541 | T10 | 25 | 10 | .12 |
| 71542 | T15 | 25 | 10 | .12 |
| 71543 | T20 | 25 | 10 | .12 |
| 71544 | T25 | 25 | 10 | .13 |
| 71545 | T27 | 25 | 10 | .13 |
| 71546 | T30 | 25 | 10 | .14 |
| 71547 | T40 | 25 | 10 | .15 |

(Also Known As Torx Wedge Fit)



10 bit pack

747 TORX® Align Bits 1/4" Hex Drive, Length 2.0"/50mm

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 74711 | T6 | 50 | 10 | .18 |
| 74714 | T7 | 50 | 10 | .18 |
| 74717 | T8 | 50 | 10 | .18 |
| 74721 | T9 | 50 | 10 | .18 |
| 74724 | T10 | 50 | 10 | .18 |
| 74728 | T15 | 50 | 10 | .20 |
| 74732 | T20 | 50 | 10 | .22 |
| 74736 | T25 | 50 | 10 | .22 |
| 74739 | T27 | 50 | 10 | .22 |
| 74742 | T30 | 50 | 10 | .22 |

(Also Known As Torx Wedge Fit)



2 bit pack

733 TORX® Align Insert Bit Packs, 1"

CVM S2 modified tool steel

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 73310 | T6 | 25 | .03 |
| 73311 | T7 | 25 | .03 |
| 73312 | T8 | 25 | .03 |
| 73313 | T9 | 25 | .03 |
| 73314 | T10 | 25 | .03 |
| 73315 | T15 | 25 | .03 |
| 73316 | T20 | 25 | .03 |
| 73317 | T25 | 25 | .03 |
| 73318 | T27 | 25 | .03 |
| 73319 | T30 | 25 | .03 |



2 bit pack

747 TORX® Align Power Bit Packs, 2"

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 74760 | T6 | 50 | .05 |
| 74761 | T7 | 50 | .05 |
| 74762 | T8 | 50 | .05 |
| 74763 | T9 | 50 | .05 |
| 74764 | T10 | 50 | .05 |
| 74765 | T15 | 50 | .05 |
| 74766 | T20 | 50 | .06 |
| 74767 | T25 | 50 | .06 |
| 74768 | T27 | 50 | .06 |



74981 Power Bit Belt Pack With TORX® Align Bits

Set includes the following 10 bits:

TORX® Align: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

lbs. .28



Wiha Security TORX® Insert Bits and Power Bits

Security Torx®

Made by Wiha -
Production
Quality



Impact resistant modified
CVM tool steel, hardened

Highly resistant
to wear and
tear for a
long tool life

Suitable for all applications
for both manual and machine
Hardness HRC 59-61

10 bit pack



701 Security TORX® Bits, 1/4"

| Item | Icon | Size | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 70127 | T7s | 25 | 10 | .12 | |
| 70128 | T8s | 25 | 10 | .12 | |
| 70129 | T9s | 25 | 10 | .12 | |
| 70135 | T10s | 25 | 10 | .12 | |
| 70139 | T15s | 25 | 10 | .12 | |
| 70142 | T20s | 25 | 10 | .12 | |
| 70148 | T25s | 25 | 10 | .12 | |
| 70160 | T27s | 25 | 10 | .13 | |
| 70163 | T30s | 25 | 10 | .13 | |
| 70168 | T40s | 25 | 10 | .14 | |



701 Security TORX® Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item | Icon | Size | mm | lbs. |
|-------|------|------|-----|------|
| 70150 | T7s | 25 | .03 | |
| 70151 | T8s | 25 | .03 | |
| 70152 | T9s | 25 | .03 | |
| 70153 | T10s | 25 | .03 | |
| 70154 | T15s | 25 | .03 | |
| 70155 | T20s | 25 | .03 | |
| 70156 | T25s | 25 | .03 | |
| 70157 | T27s | 25 | .03 | |
| 70158 | T30s | 25 | .03 | |
| 70159 | T40s | 25 | .03 | |



725 Security TORX® Bits, 5/16"

| Item | Icon | Size | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 72514 | T25s | 35 | 10 | .26 | |
| 72515 | T27s | 35 | 10 | .27 | |
| 72516 | T30s | 35 | 10 | .28 | |
| 72542 | T40s | 35 | 10 | .28 | |
| 72547 | T45s | 35 | 10 | .32 | |
| 72558 | T60s | 35 | 10 | .65 | |



725 Security TORX® Bits, 5/16" 2 Bit Pk.

| Item | Icon | Size | mm | lbs. |
|-------|------|------|-----|------|
| 72559 | T25s | 35 | .26 | |
| 72560 | T27s | 35 | .27 | |
| 72561 | T30s | 35 | .28 | |
| 72562 | T40s | 35 | .28 | |
| 72563 | T45s | 35 | .29 | |
| 72564 | T50s | 35 | .30 | |
| 72567 | T55s | 35 | .32 | |
| 72568 | T60s | 35 | .35 | |

5 bit packs



745 Protturn Security TORX® Power Bits 1/4" Hex Drive, Length 3.0"/75mm

| Item | Icon | Size | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 74566 | T10s | 75 | 5 | .01 | |
| 74568 | T15s | 75 | 5 | .01 | |
| 74570 | T20s | 75 | 5 | .01 | |
| 74572 | T25s | 75 | 5 | .02 | |
| 74574 | T27s | 75 | 5 | .02 | |
| 74576 | T30s | 75 | 5 | .03 | |




705 Security TORX® Power Bits 1/4" Hex Drive, Length 2.0"/50mm

| Item | Icon | Size | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 70507 | T7s | 50 | 10 | .18 | |
| 70508 | T8s | 50 | 10 | .18 | |
| 70509 | T9s | 50 | 10 | .18 | |
| 70510 | T10s | 50 | 10 | .19 | |
| 70515 | T15s | 50 | 10 | .19 | |
| 70520 | T20s | 50 | 10 | .21 | |
| 70525 | T25s | 50 | 10 | .23 | |
| 70527 | T27s | 50 | 10 | .23 | |
| 70530 | T30s | 50 | 10 | .23 | |
| 70540 | T40s | 50 | 10 | .23 | |
| 70545 | T45s | 50 | 10 | .33 | |
| 70550 | T50s | 50 | 10 | .37 | |



705 Security TORX® Power Bit Packs, 2"

| Item | Icon | Size | mm | lbs. |
|-------|------|------|-----|------|
| 70556 | T7s | 50 | .07 | |
| 70557 | T8s | 50 | .07 | |
| 70558 | T9s | 50 | .07 | |
| 70559 | T10s | 50 | .07 | |
| 70560 | T15s | 50 | .07 | |
| 70561 | T20s | 50 | .07 | |
| 70562 | T25s | 50 | .07 | |
| 70563 | T27s | 50 | .07 | |
| 70564 | T30s | 50 | .07 | |
| 70565 | T40s | 50 | .07 | |
| 70566 | T45s | 50 | .08 | |
| 70567 | T50s | 50 | .08 | |
| 70568 | T55s | 50 | .09 | |




705 Security TORX® Power Bits 1/4" Hex Drive, Length 3.5"/90mm

| Item | Icon | Size | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 70533 | T10s | 90 | 5 | .02 | |
| 70534 | T15s | 90 | 5 | .02 | |
| 70535 | T20s | 90 | 5 | .02 | |
| 70536 | T25s | 90 | 5 | .02 | |
| 70537 | T27s | 90 | 5 | .03 | |
| 70538 | T30s | 90 | 5 | .03 | |
| 70539 | T40s | 90 | 5 | .03 | |

Wiha Security TORX® Insert Bit & Power Bit Sets



79247 Bit-Selector With Security TORX® Bits, Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:  lbs. .32

Security TORX®:

T7s, T8s, T9s, T10s, T15s,
T20s, T25s, T27s, T30s, T40s



70190 Bit-Selector With Security TORX® Bits, Includes The Following 7 Insert Bits:

Security TORX®:  lbs.

T7s, T8s, T9s, T10s, T15s, T20s, T25s .21



38009 Security TORX® Screwdriver with Wiha Powerhandle  lbs. .36

Includes The Following 1/4" Bits:

Security TORX®:

T7s, T8s, T9s, T10s, T15s, T20s



38047 Security TORX® SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Includes The Following 1/4" Bits:  lbs. .20

Security TORX®: T8s, T10s,

T15s, T20s, T25s, T30s



Bit holder stainless steel, magnetic



38046 Security TORX® Pop-Up Bit Screwdriver Set Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle.  lbs. .42

Includes The Following 1/4" Bits:

TORX®: T5, T6


Security TORX®: T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s



Bit holder stainless steel, magnetic

75mm Bits




38042 Security TORX® Pop-Up Bit Screwdriver Set Wiha Cushion Grip handle, multi-component. Compact storage for 6 bits in the handle.  lbs. .44

Includes The Following 75mm 1/4" Bits:

Security TORX®:

T10s, T15s, T20s, T25s, T27s, T30s



79447 XSelector Bit Set With Security TORX® Bits, Includes 1/4" Magnetic Bit Holder & The Following Bits:  lbs. .27


Security TORX®: T7s, T8s,

T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s



74987 Power Bit Belt Pack With Security TORX® Bits, Includes the following 10 bits:

Security TORX®:

 lbs. T7s, T8s, T9s, T10s, T15s, T20s,

.29 T25s, T27s, T30s, T40s

Wiha Security TORX® Power Blades & Holder



760 Security TORX® Power Blades S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item No. | Size | lbs. | pkg. |
|----------|------|------|------|
| 76008 | T8s | .02 | 1 |
| 76009 | T9s | .02 | 1 |
| 76010 | T10s | .02 | 1 |
| 76015 | T15s | .02 | 1 |
| 76020 | T20s | .02 | 1 |
| 76025 | T25s | .03 | 1 |
| 76027 | T27s | .03 | 1 |
| 76030 | T30s | .04 | 1 |
| 76040 | T40s | .04 | 1 |



76092 9 Piece Security TORX® Blade Set

| Item No. | lbs. | Set includes: |
|----------|------|--|
| 76092 | .30 | T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s |



76000 CentroFix Cushion Grip Blade Holder Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

| Item No. | mm | mm | Inch | mm | Inch | lbs. |
|----------|-----|-----|------|------|------|------|
| 76000 | 6.0 | 149 | 5.9 | 34.6 | 1.36 | .26 |



Wiha TORXPlus® Insert Bits and Power Bits

TORXPlus®

Made by Wiha -
Production Quality

Highly resistant
to wear and
tear for a
long tool life

Impact resistant modified
chrome-vanadium-molybdenum,
tool steel, hardened

Suitable for all applications
for both manual and
machine Hardness
HRC 59-61

 TORXPlus®
 Security Pentalobe



10 bit
pack

716 TORXPlus® Insert Bits, 1/4" Hex, 1" OAL

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 71603 | IP3 | 25 | 10 | .12 |
| 71604 | IP4 | 25 | 10 | .12 |
| 71605 | IP5 | 25 | 10 | .12 |
| 71606 | IP6 | 25 | 10 | .12 |
| 71607 | IP7 | 25 | 10 | .12 |
| 71608 | IP8 | 25 | 10 | .12 |
| 71609 | IP9 | 25 | 10 | .12 |
| 71610 | IP10 | 25 | 10 | .12 |
| 71615 | IP15 | 25 | 10 | .12 |
| 71620 | IP20 | 25 | 10 | .12 |
| 71625 | IP25 | 25 | 10 | .12 |
| 71627 | IP27 | 25 | 10 | .13 |
| 71630 | IP30 | 25 | 10 | .13 |
| 71640 | IP40 | 25 | 10 | .15 |



2 bit
pack

716 TORXPlus® Insert Bit Packs, 1"

CVM S2 modified tool steel

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 71631 | IP3 | 25 | .03 |
| 71632 | IP4 | 25 | .03 |
| 71633 | IP5 | 25 | .03 |
| 71634 | IP6 | 25 | .03 |
| 71635 | IP7 | 25 | .03 |
| 71636 | IP8 | 25 | .03 |
| 71637 | IP9 | 25 | .03 |
| 71638 | IP10 | 25 | .03 |
| 71639 | IP15 | 25 | .03 |
| 71641 | IP20 | 25 | .03 |
| 71642 | IP25 | 25 | .03 |
| 71643 | IP27 | 25 | .03 |
| 71644 | IP30 | 25 | .03 |
| 71645 | IP40 | 25 | .04 |



10 bit pack


746 TORXPlus® Power Bits, 1/4" Hex, 2" OAL

| Item No. | Size | mm | pkg. | lbs. |
|----------|------|----|------|------|
| 74601 | IP5 | 50 | 10 | .18 |
| 74602 | IP6 | 50 | 10 | .18 |
| 74603 | IP7 | 50 | 10 | .18 |
| 74604 | IP8 | 50 | 10 | .18 |
| 74608 | IP9 | 50 | 10 | .18 |
| 74612 | IP10 | 50 | 10 | .20 |
| 74616 | IP15 | 50 | 10 | .20 |
| 74620 | IP20 | 50 | 10 | .20 |
| 74624 | IP25 | 50 | 10 | .20 |
| 74628 | IP27 | 50 | 10 | .25 |
| 74632 | IP30 | 50 | 10 | .25 |
| 74636 | IP40 | 50 | 10 | .25 |



74982 Power Bit Belt Pack With TORXPlus®

Bits Includes The Following 10 Bits:

| | |
|---|------------------------|
|  | TORXPlus®: IP6, IP7, |
| lbs. | IP8, IP9, IP10, IP15, |
| .28 | IP20, IP25, IP27, IP30 |

2 bit
pack



746 TORXPlus® Power Bit Packs, 2"


| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 74611 | IP1 | 50 | .05 |
| 74613 | IP2 | 50 | .05 |
| 74614 | IP3 | 50 | .05 |
| 74617 | IP4 | 50 | .05 |
| 74659 | IP5 | 50 | .05 |
| 74660 | IP6 | 50 | .05 |
| 74661 | IP7 | 50 | .05 |
| 74662 | IP8 | 50 | .05 |
| 74663 | IP9 | 50 | .05 |
| 74664 | IP10 | 50 | .05 |
| 74665 | IP15 | 50 | .05 |
| 74666 | IP20 | 50 | .06 |
| 74667 | IP25 | 50 | .06 |
| 74668 | IP27 | 50 | .06 |
| 74669 | IP30 | 50 | .06 |
| 74670 | IP40 | 50 | .06 |

Wiha TORXPlus® Insert Bit Selectors




71690 Bit-Selector With TORXPlus® Bits Set Includes Magnetic 1/4" Bit Holder

& The Following 10 Bits:

| | |
|---|---------------------------|
|  | TORXPlus®: IP7, IP8, IP9, |
| lbs. | IP10, IP15, IP20, IP25 |
| .31 | IP27, IP30, IP40 |

71692 Bit-Selector With TORXPlus® Bits Set Includes Magnetic 1/4" Bit Holder





& The Following 10 Bits:

| | |
|---|--------------------------|
|  | TORXPlus®: IP3, IP4, |
| lbs. | IP5, IP6, IP7, IP8, IP9, |
| .31 | IP10, IP15, IP20 |


Wiha Security Pentalobe 5 Point Insert Bit







716 Security Pentalobe 5 Point Insert Bits, 1/4" Hex, 1" OAL

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 71648 | PLS8 | 25 | 1 | .11 |
| 71650 | PLS10 | 25 | 1 | .11 |
| 71652 | PLS15 | 25 | 1 | .11 |
| 71654 | PLS20 | 25 | 1 | .12 |
| 71656 | PLS25 | 25 | 1 | .13 |
| 71657 | PLS27 | 25 | 1 | .13 |
| 71658 | PLS30 | 25 | 1 | .14 |
| 71660 | PLS40 | 35 | 1 | .14 |

Wiha Ball End TORX® Bits







745 Ball End TORX® Bits. 1/4" Hex Drive, Length 2.0"/50mm

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 74524 | T9 | 50 | 10 | .18 |
| 74526 | T10 | 50 | 10 | .18 |
| 74528 | T15 | 50 | 10 | .18 |
| 74532 | T20 | 50 | 10 | .18 |
| 74534 | T25 | 50 | 10 | .18 |
| 74537 | T27 | 50 | 10 | .18 |
| 74539 | T30 | 50 | 10 | .18 |
| 74541 | T40 | 50 | 10 | .18 |

Wiha TORX® MagicSpring Screw Holding Power Bits




745 TORX® MagicSpring Screw Holding Power Bits, 1/4" Hex Drive, Length 2.0"/50mm

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 74552 | T10 | 50 | 2 | .05 |
| 74554 | T15 | 50 | 2 | .05 |
| 74555 | T20 | 50 | 2 | .05 |
| 74557 | T25 | 50 | 2 | .05 |
| 74564 | T40 | 50 | 2 | .05 |

Wiha Insert Security Pentalobe 5 Point XSelector







79450 XSelector Bit Set With Security Pentalobe 5 Point Bits Includes Magnetic Bit Holder & The Following 7 Bits:

|  | Security Pentalobe: PLS8, |
|---|---------------------------|
| lbs. | PLS10, PLS15, PLS20, |
| .24 | PLS25, PLS27, PLS30 |








745 Ball End TORX® Power Bit Packs, 1"

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | lbs. | |
| 74520 | T10 | 50 | .05 | |
| 74522 | T15 | 50 | .05 | |
| 74543 | T20 | 50 | .05 | |
| 74545 | T25 | 50 | .06 | |
| 74547 | T27 | 50 | .06 | |
| 74549 | T30 | 50 | .08 | |
| 74550 | T40 | 50 | .08 | |

NOTES:

Torx® Profiles

 **Torx®**
 **Ball End Torx®**
 **Security Torx®**

 **TorxPlus®**
 **Security Pentalobe 5 Point**

Wiha Phillips Insert Bits



711 Phillips Insert Bits, 1/4" - 10 Bit Packs

| Item | + | — | ↔ | ↔ |
|-------|------|----|------|------|
| No. | Size | mm | pkg. | lbs. |
| 71100 | 0 | 25 | 10 | .10 |
| 71101 | 1 | 25 | 10 | .11 |
| 71102 | 2 | 25 | 10 | .11 |
| 71103 | 3 | 25 | 10 | .11 |

711 Phillips Insert Bit Bulk Packs, 1/4"

| No. | Size | mm | pkg. | lbs. |
|-------|------|----|--------|------|
| 71125 | 2 | 25 | 25 pc | .30 |
| 71150 | 2 | 25 | 50 pc | .62 |
| 71199 | 2 | 25 | 100 pc | 1.20 |

725 Phillips Insert Contractor Grade, 1/4"

| No. | Size | mm | pkg. | lbs. |
|-------|------|----|-------|------|
| 72519 | 0 | 25 | 30 pc | .85 |
| 72521 | 1 | 25 | 30 pc | .85 |
| 72522 | 2 | 25 | 30 pc | .85 |
| 72523 | 3 | 25 | 30 pc | .85 |

Phillips Bits

The ideal multi-purpose bits for all around quality & performance

Made by Wiha - Production Quality

Suitable for all applications for both manual and machine
Hardness HRC 59-61



Impact resistant modified CVM, tool steel, hardened

Highly resistant to wear and tear for a long tool life



High grade CVM steel, hardened torsion zone to prevent uneven torque distribution DIN 3126 ISO 1173 with anti-camout ribs

Wiha Phillips Insert Bit Packs

2 bit pack



711 Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel

| Item | + | — | ↔ |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 71149 | 0 | 25 | .03 |
| 71151 | 1 | 25 | .03 |
| 71152 | 2 | 25 | .03 |
| 71153 | 3 | 25 | .04 |



71155 Phillips Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71155 Set includes the following bits:

↔ **Phillips:**
wt. .08 6 pieces 2 x 1" (25mm)

2 bit pack



777 Phillips Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item | + | — |
|-------|---------|----|
| No. | Size | mm |
| 77707 | #1 + #2 | 30 |
| 77708 | #0 + #3 | 30 |



71056 Slotted/Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel. Extra hard with natural finish, exact fit machined tips. 6 pc. bit pk.


71056 Set includes the following bits:

● **Slotted:**
4.5, 5.5, 6.5 x 1" (25mm)

⊕ **Phillips:** ↔ lbs.
1, 2, 3 x 1" (25mm) .08



10 bit pack



71132 Phillips Drywall Stop Bit

High grade Chrome-vanadium steel, through hardened. Ideal bit for drywall constructors. Blue ring prevents the screw from being recessed too deeply into the plasterboard.

| Item | + | — | ↔ | ↔ |
|-------|------|----|------|------|
| No. | Size | mm | lbs. | Pkg. |
| 71132 | 2 | 25 | .20 | 10 |



Wiha Phillips 5/16" Insert Bits

2 bit pack



721 Phillips Insert Bit Packs, 1"

CVM S2 modified tool steel. 5/16" Hex Drive.

| Item | + | — | — | — |
|-------|------|----|------|---|
| No. | Size | mm | lbs. | |
| 72102 | 2 | 32 | .05 | |
| 72103 | 3 | 32 | .06 | |
| 72104 | 4 | 32 | .07 | |

Wiha Phillips ACR Insert Bits



711 Phillips ACR Insert Bits, 1/4"

| Item | + | — | — | — |
|-------|------|----|------|------|
| No. | Size | mm | pkg. | lbs. |
| 71126 | 1 | 25 | 10 | .11 |

Wiha Phillips Long Insert Bits



711 Phillips Long Insert Bits. 1/4" Hex Drive, Length 2.0"/50mm

| Item | + | — | — | — |
|-------|------|----|------|------|
| No. | Size | mm | pkg. | lbs. |
| 71107 | 3 | 50 | 10 | .27 |

Wiha Phillips Power Bits



10 bit pack

741 Phillips Power Bits 1/4" Hex Drive, Length 2.0"/50mm

| Item | + | — | — | — |
|-------|------|----|------|------|
| No. | Size | mm | pkg. | lbs. |
| 74102 | 0 | 50 | 10 | .23 |
| 74103 | 1 | 50 | 10 | .24 |
| 74112 | 2 | 50 | 10 | .25 |
| 74124 | 3 | 50 | 10 | .26 |



2 bit pack

741 Phillips Power Bit Packs, 2"

CVM S2 modified tool steel.

| Item | + | — | — | — |
|-------|------|----|------|---|
| No. | Size | mm | lbs. | |
| 74157 | 00 | 50 | .06 | |
| 74158 | 0 | 50 | .06 | |
| 74164 | 1 | 50 | .06 | |
| 74165 | 2 | 50 | .06 | |
| 74166 | 3 | 50 | .06 | |



74150 Phillips Power Bit Packs, 2" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

74150 Set includes the following bits:

| + | — | — | — |
|---------|---------|------|--------|
| wt. .09 | 1, 2, 3 | x 2" | (50mm) |

10 bit pack



741 Phillips Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

| Item | + | — | — | — |
|-------|------|----|------|------|
| No. | Size | mm | pkg. | lbs. |
| 74167 | 00 | 70 | 10 | .29 |
| 74168 | 0 | 70 | 10 | .29 |
| 74106 | 1 | 70 | 10 | .29 |
| 74115 | 2 | 70 | 10 | .37 |
| 74127 | 3 | 70 | 10 | .41 |



2 bit pack

739 Phillips Power Bits. 1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

| Item | + | — | — | — |
|-------|------|----|------|------|
| No. | Size | mm | pkg. | lbs. |
| 73912 | 00 | 70 | 1 | .29 |
| 73913 | 0 | 70 | 1 | .29 |
| 73914 | 1 | 70 | 1 | .29 |
| 73915 | 2 | 70 | 1 | .37 |
| 73916 | 3 | 70 | 1 | .41 |



741 Phillips Power Bits 1/4" Hex Drive, Length 3.5"/90mm

| Item | + | — | — | — |
|-------|------|----|------|------|
| No. | Size | mm | pkg. | lbs. |
| 74104 | 00 | 90 | 1 | .32 |
| 74107 | 0 | 90 | 1 | .32 |
| 74109 | 1 | 90 | 1 | .34 |
| 74118 | 2 | 90 | 1 | .47 |
| 74130 | 3 | 90 | 1 | .53 |



741 Phillips Power Bits 1/4" Hex Drive, Length 4.33"/110mm

| Item | + | — | — | — |
|-------|------|-----|------|------|
| No. | Size | mm | pkg. | lbs. |
| 74111 | 1 | 110 | 1 | .40 |
| 74121 | 2 | 110 | 1 | .56 |
| 74131 | 3 | 110 | 1 | .65 |



741 Phillips Power Bits 1/4" Hex Drive, Length 127mm/5"


| Item | + | — | — | — |
|-------|------|-----|------|------|
| No. | Size | mm | pkg. | lbs. |
| 74113 | 1 | 127 | 1 | .04 |
| 74123 | 2 | 127 | 1 | .06 |
| 74133 | 3 | 127 | 1 | .07 |



741 Phillips Power Bits 1/4" Hex Drive, Length 150mm/5.9"

| Item | + | — | — | — |
|-------|------|-----|------|------|
| No. | Size | mm | pkg. | lbs. |
| 74116 | 1 | 150 | 1 | .05 |
| 74126 | 2 | 150 | 1 | .07 |
| 74136 | 3 | 150 | 1 | .09 |

Wiha PokitPak Bit Set



71198 PokitPak - Slotted & Phillips Insert Bits In Molded Case -

Set Includes 6 - 1/4" Insert Bits & lbs. Magnetic Bit Holder

.16 Slotted: 4.5, 6.0mm

Phillips: 0, 1, 2, 3

Wiha Phillips Power Bit Packs



743 Slotted & Phillips Double

End Bits. 1/4" Hex Drive, Length 2.36"/60mm

| Item | Icons |
|-------|----------------------|
| No. | mm Size mm pkg. lbs. |
| 74303 | 4.5 x 1 60 10 .22 |
| 74306 | 5.5 x 2 60 10 .30 |



2 bit pack

714 Phillips Double End

Power Bit Packs, 60mm OAL

| Item | Icons |
|-------|-------------------|
| No. | Size Size mm lbs. |
| 71464 | 1 + 1 60 .07 |
| 71465 | 2 + 2 60 .07 |
| 71466 | 3 + 3 60 .07 |



2 bit pack

743 Slotted/Phillips Double

End Power Bit Packs, 60mm OAL

| Item | Icons |
|-------|-----------------|
| No. | mm Size mm lbs. |
| 74304 | 4.5 + 1 60 .07 |
| 74308 | 5.5 + 2 60 .07 |
| 74310 | 7.0 + 3 60 .07 |

Terminal Block Xeno Bits



10 bit pack



714 Xeno Combination Terminal Block

Power Bits. 1/4" Hex Drive, OAL 2.0"/50mm

| Item | Icons |
|-------|-------------------|
| No. | Size mm pkg. lbs. |
| 71452 | 1 50 10 .24 |
| 71453 | 2 50 10 .25 |

2 bit pack



714 Xeno Combination Terminal Block

Power Bit Packs, 2" CVM S2 modified tool steel

| Item | Icons |
|-------|--------------|
| No. | Size mm lbs. |
| 71455 | 1 50 .06 |
| 71456 | 2 50 .06 |

Wiha Phillips Power Blades & Power Blade Holder



760 Phillips Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item | Icons |
|-------|----------------|
| No. | Size lbs. pkg. |
| 76041 | 0 .01 1 |
| 76042 | 1 .02 1 |
| 76043 | 2 .03 1 |
| 76044 | 3 .04 1 |



76094 4 Piece Phillips Blade Set

| Item | Icons |
|-------|--------------------------|
| No. | lbs. Phillips: #0, 1, 2, |
| 76094 | .17 3 x 90mm |



76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

| Item | Icons |
|-------|---------------------------|
| No. | mm mm Inch mm Inch lbs. |
| 76000 | 6.0 149 5.9 34.6 1.36 .26 |


Hex Bits

The ideal multi-purpose bits for all around quality & performance


Made by Wiha - Production Quality

Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual and machine
Hardness HRC 59-61



Highly resistant to wear and tear for a long tool life



Hex Inch & Metric Insert Bits

2 bit pack



713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item | | | | |
|-------|------|----|------|--|
| No. | Inch | mm | lbs. | |
| 71359 | .050 | 25 | .03 | |
| 71360 | 1/16 | 25 | .03 | |
| 71361 | 5/64 | 25 | .03 | |
| 71362 | 3/32 | 25 | .03 | |
| 71363 | 7/64 | 25 | .03 | |
| 71364 | 1/8 | 25 | .03 | |
| 71365 | 9/64 | 25 | .03 | |
| 71366 | 5/32 | 25 | .04 | |
| 71367 | 3/16 | 25 | .04 | |
| 71368 | 7/32 | 25 | .04 | |
| 71369 | 1/4 | 25 | .04 | |
| 71373 | 5/16 | 25 | .05 | |
| 71387 | 3/8 | 25 | .06 | |

733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

| Item | | | | |
|-------|------|----|------|--|
| No. | mm | mm | lbs. | |
| 73302 | 2.0 | 25 | .03 | |
| 73303 | 2.5 | 25 | .03 | |
| 73304 | 3.0 | 25 | .03 | |
| 73305 | 4.0 | 25 | .03 | |
| 73306 | 5.0 | 25 | .03 | |
| 73307 | 6.0 | 25 | .04 | |
| 73308 | 8.0 | 25 | .05 | |
| 73309 | 10.0 | 25 | .06 | |

Wiha Hex Inch & Metric Insert Bits



10 bit pack

713 Hex Inch Insert Bits, 1/4"

| Item | | | | |
|-------|------|----|------|------|
| No. | Inch | mm | pkg. | lbs. |
| 71329 | .050 | 25 | 10 | .12 |
| 71326 | 1/16 | 25 | 10 | .12 |
| 71328 | 5/64 | 25 | 10 | .12 |
| 71330 | 3/32 | 25 | 10 | .12 |
| 71333 | 7/64 | 25 | 10 | .12 |
| 71336 | 1/8 | 25 | 10 | .12 |
| 71339 | 9/64 | 25 | 10 | .12 |
| 71342 | 5/32 | 25 | 10 | .12 |
| 71345 | 3/16 | 25 | 10 | .13 |
| 71348 | 7/32 | 25 | 10 | .13 |
| 71351 | 1/4 | 25 | 10 | .13 |
| 71353 | 5/16 | 25 | 10 | .20 |
| 71356 | 3/8 | 25 | 10 | .25 |



713 Hex Metric Insert Bits, 1/4"

| Item | | | | |
|-------|------|----|------|------|
| No. | mm | mm | pkg. | lbs. |
| 71303 | 1.5 | 25 | 10 | .12 |
| 71306 | 2.0 | 25 | 10 | .12 |
| 71308 | 2.5 | 25 | 10 | .12 |
| 71309 | 3.0 | 25 | 10 | .12 |
| 71312 | 4.0 | 25 | 10 | .12 |
| 71315 | 5.0 | 25 | 10 | .14 |
| 71318 | 6.0 | 25 | 10 | .14 |
| 71321 | 8.0 | 25 | 10 | .20 |
| 71324 | 10.0 | 25 | 10 | .27 |

725 Hex Metric Insert Contractor Grade, 1/4"

| Item | | | | |
|-------|------|----|-------|------|
| No. | Size | mm | pkg. | lbs. |
| 72582 | 2.0 | 25 | 30 pc | .85 |
| 72583 | 2.5 | 25 | 30 pc | .85 |
| 72584 | 3.0 | 25 | 30 pc | .85 |
| 72585 | 4.0 | 25 | 30 pc | .85 |
| 72586 | 5.0 | 25 | 30 pc | .85 |
| 72587 | 6.0 | 25 | 30 pc | .85 |

725 Hex Inch Insert Contractor Grade, 1/4"

| Item | | | | |
|-------|------|----|-------|------|
| No. | Size | mm | pkg. | lbs. |
| 72502 | 1/16 | 25 | 30 pc | .85 |
| 72503 | 5/64 | 25 | 30 pc | .85 |
| 72504 | 3/32 | 25 | 30 pc | .85 |
| 72506 | 7/64 | 25 | 30 pc | .85 |
| 72507 | 1/8 | 25 | 30 pc | .85 |
| 72508 | 9/64 | 25 | 30 pc | .85 |
| 72509 | 5/32 | 25 | 30 pc | .85 |
| 72511 | 3/16 | 25 | 30 pc | .85 |
| 72512 | 7/32 | 25 | 30 pc | .85 |
| 72513 | 1/4 | 25 | 30 pc | .85 |



71397 Hex Metric Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

71397 Set includes the following bits:

| | | Hex Metric: |
|--|---------|------------------------------|
| | wt. .21 | 2.0, 2.5, 3.0, 4.0, 5.0, 6.0 |

Hex Metric Long Insert Bit On 5/16"



72388 Hex Metric Bit On 5/16" Stock

| Item | | | | |
|-------|------|----|------|------|
| No. | mm | mm | pkg. | lbs. |
| 72388 | 12.0 | 75 | 10 | .14 |

2 bit pack



777 Hex Inch Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item | | | | |
|-------|--------------|----|--|--|
| No. | Inch | mm | | |
| 77723 | 3/32 + 7/64" | 30 | | |
| 77724 | 1/8 + 9/64" | 30 | | |
| 77725 | 5/32 + 3/16" | 30 | | |
| 77726 | 7/32 + 1/4" | 30 | | |

777 Hex Metric Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item | | | | |
|-------|-------------|----|--|--|
| No. | Metric | mm | | |
| 77719 | 2.0 + 2.5mm | 30 | | |
| 77720 | 3.0 + 4.0mm | 30 | | |
| 77721 | 5.0 + 6.0mm | 30 | | |



71396 Hex Inch Insert Bit Packs, 1"

6 pc. bit pack.

71396 Set includes the following bits:

| | Hex Inch: |
|---------|------------------------|
| | 1/16, 3/32, 1/8, 5/32 |
| wt. .13 | 3/16, 1/4" x 1" (25mm) |

Wiha Hex Inch & Metric Power Bits



743 Hex Inch Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

| Item | No. | Inch | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 74311 | 3/32 | 50 | 10 | .30 | |
| 74312 | 7/64 | 50 | 10 | .30 | |
| 74313 | 1/8 | 50 | 10 | .30 | |
| 74314 | 9/64 | 50 | 10 | .30 | |
| 74315 | 5/32 | 50 | 10 | .30 | |
| 74316 | 3/16 | 50 | 10 | .30 | |
| 74317 | 7/32 | 50 | 10 | .30 | |
| 74318 | 1/4 | 50 | 10 | .30 | |




743 Hex Inch Power Bit Packs, 2"

| Item | No. | Inch | mm | lbs. |
|-------|------|------|-----|------|
| 74381 | 3/32 | 50 | .07 | |
| 74382 | 7/64 | 50 | .07 | |
| 74383 | 1/8 | 50 | .07 | |
| 74384 | 9/64 | 50 | .07 | |
| 74385 | 5/32 | 50 | .07 | |
| 74386 | 3/16 | 50 | .07 | |
| 74387 | 7/32 | 50 | .07 | |
| 74388 | 1/4 | 50 | .07 | |



743 Hex Metric Power Bits. 1/4" Hex Drive, Length 2.0"/50mm

| Item | No. | mm | mm | pkg. | lbs. |
|-------|-----|----|----|------|------|
| 74325 | 2.5 | 50 | 10 | .25 | |
| 74330 | 3.0 | 50 | 10 | .25 | |
| 74340 | 4.0 | 50 | 10 | .25 | |
| 74350 | 5.0 | 50 | 10 | .25 | |
| 74360 | 6.0 | 50 | 10 | .25 | |
| 74380 | 8.0 | 50 | 10 | .38 | |



743 Hex Metric Power Bit Packs, 2"

| Item | No. | mm | mm | lbs. |
|-------|-----|----|-----|------|
| 74361 | 2.5 | 50 | .07 | |
| 74362 | 3.0 | 50 | .07 | |
| 74363 | 4.0 | 50 | .07 | |
| 74364 | 5.0 | 50 | .07 | |
| 74365 | 6.0 | 50 | .07 | |
| 74366 | 8.0 | 50 | .09 | |




743 Hex Inch Power Bits 1/4" Hex Drive, Length 2.75"/70mm

| Item | No. | Inch | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 74343 | 7/64 | 70 | 10 | .36 | |
| 74344 | 1/8 | 70 | 10 | .36 | |
| 74345 | 9/64 | 70 | 10 | .36 | |
| 74346 | 5/32 | 70 | 10 | .36 | |
| 74348 | 7/32 | 70 | 10 | .36 | |
| 74349 | 1/4 | 70 | 10 | .36 | |



739 Hex Inch Power Bits 1/4" Hex Drive, Length 2.75"/70mm

| Item | No. | Inch | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 73920 | 7/64 | 70 | 1 | .36 | |
| 73921 | 1/8 | 70 | 1 | .36 | |
| 73922 | 9/64 | 70 | 1 | .36 | |
| 73923 | 5/32 | 70 | 1 | .36 | |
| 73924 | 3/16 | 70 | 1 | .36 | |
| 73925 | 7/32 | 70 | 1 | .36 | |
| 73926 | 1/4 | 70 | 1 | .36 | |



743 Hex Metric Power Bits 1/4" Hex Drive, Length 2.75"/70mm

| Item | No. | mm | mm | pkg. | lbs. |
|-------|-----|----|----|------|------|
| 74351 | 2.0 | 70 | 10 | .36 | |
| 74352 | 2.5 | 70 | 10 | .36 | |
| 74353 | 3.0 | 70 | 10 | .36 | |
| 74354 | 4.0 | 70 | 10 | .36 | |
| 74355 | 5.0 | 70 | 10 | .36 | |
| 74356 | 6.0 | 70 | 10 | .36 | |
| 74357 | 8.0 | 70 | 10 | .36 | |

739 Hex Metric Power Bits 1/4" Hex Drive, Length 2.75"/70mm

| Item | No. | mm | mm | pkg. | lbs. |
|-------|-----|----|----|------|------|
| 73928 | 2.0 | 70 | 1 | .36 | |
| 73929 | 2.5 | 70 | 1 | .36 | |
| 73930 | 3.0 | 70 | 1 | .36 | |
| 73931 | 4.0 | 70 | 1 | .36 | |
| 73932 | 5.0 | 70 | 1 | .36 | |
| 73933 | 6.0 | 70 | 1 | .36 | |
| 73934 | 8.0 | 70 | 1 | .36 | |



743 Hex Metric Power Bits 1/4" Hex Drive, Length 3.5"/90mm

| Item | No. | mm | mm | pkg. | lbs. |
|-------|-----|----|----|------|------|
| 74332 | 2.0 | 90 | 1 | .40 | |
| 74333 | 2.5 | 90 | 1 | .40 | |
| 74334 | 3.0 | 90 | 1 | .40 | |
| 74335 | 4.0 | 90 | 1 | .40 | |
| 74336 | 5.0 | 90 | 1 | .40 | |
| 74337 | 6.0 | 90 | 1 | .40 | |

Wiha Ball End Hex Inch Insert Bits



717 Ball End Hex Inch Insert Bits, 1/4"

| Item | No. | Inch | mm | pkg. | lbs. |
|-------|------|------|----|------|------|
| 71701 | 3/32 | 25 | 10 | .12 | |
| 71702 | 7/64 | 25 | 10 | .12 | |
| 71703 | 1/8 | 25 | 10 | .12 | |
| 71704 | 9/64 | 25 | 10 | .12 | |
| 71705 | 5/32 | 25 | 10 | .12 | |
| 71706 | 3/16 | 25 | 10 | .13 | |
| 71707 | 7/32 | 25 | 10 | .14 | |
| 71708 | 1/4 | 25 | 10 | .15 | |



717 Ball End Hex Inch Insert Bit Packs, 1"

| Item | No. | Inch | mm | lbs. |
|-------|------|------|-----|------|
| 71711 | 3/32 | 25 | .03 | |
| 71712 | 7/64 | 25 | .03 | |
| 71713 | 1/8 | 25 | .03 | |
| 71714 | 9/64 | 25 | .03 | |
| 71715 | 5/32 | 25 | .04 | |
| 71716 | 3/16 | 25 | .04 | |
| 71717 | 7/32 | 25 | .04 | |
| 71718 | 1/4 | 25 | .04 | |







717 Ball End Hex Metric Insert Bits 1/4" Hex Drive, Length 1.5"/38mm

| Item | No. | mm | mm | pkg. |
|-------|-----|----|----|------|
| 71719 | 1.5 | 38 | 2 | |
| 71720 | 2.0 | 38 | 2 | |
| 71721 | 2.5 | 38 | 2 | |
| 71722 | 3.0 | 38 | 2 | |
| 71723 | 4.0 | 38 | 2 | |
| 71724 | 5.0 | 38 | 2 | |
| 71725 | 6.0 | 38 | 2 | |

Wiha Security Hex Insert Bits






719 Security Hex Inch Insert Bits, 1/4"

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | mm | pkg. | lbs. |
| 71930 | 5/64 | 25 | 10 | .12 |
| 71932 | 3/32 | 25 | 10 | .12 |
| 71934 | 7/64 | 25 | 10 | .12 |
| 71936 | 1/8 | 25 | 10 | .12 |
| 71938 | 9/64 | 25 | 10 | .12 |
| 71940 | 5/32 | 25 | 10 | .12 |
| 71955 | 3/16 | 25 | 10 | .13 |
| 71956 | 7/32 | 25 | 10 | .14 |
| 71960 | 1/4 | 25 | 10 | .15 |






719 Security Hex Inch Insert Bit Packs, 1"


CVM S2 modified tool steel.

| Item |  |  |  |
|-------|---|---|---|
| No. | Inch | mm | lbs. |
| 71970 | 5/64 | 25 | .03 |
| 71971 | 3/32 | 25 | .03 |
| 71972 | 7/64 | 25 | .03 |
| 71973 | 1/8 | 25 | .03 |
| 71974 | 9/64 | 25 | .03 |
| 71975 | 5/32 | 25 | .03 |
| 71976 | 3/16 | 25 | .04 |
| 71977 | 7/32 | 25 | .04 |
| 71978 | 1/4 | 25 | .04 |






719 Security Hex Metric Insert Bits, 1/4"

| Item |  |  |  |
|-------|---|---|---|
| No. | mm | mm | pkg. lbs. |
| 71939 | 2.0 | 25 | 10 .12 |
| 71941 | 2.5 | 25 | 10 .12 |
| 71942 | 3.0 | 25 | 10 .12 |
| 71943 | 4.0 | 25 | 10 .12 |
| 71944 | 5.0 | 25 | 10 .15 |
| 71945 | 6.0 | 25 | 10 .15 |
| 71946 | 8.0 | 25 | 10 .20 |



719 Security Hex Metric Insert Bit Packs, 1"




CVM S2 modified tool steel.

| Item |  |  |  |
|-------|---|---|---|
| No. | mm | mm | lbs. |
| 71979 | 2.0 | 25 | .03 |
| 71980 | 2.5 | 25 | .03 |
| 71981 | 3.0 | 25 | .03 |
| 71982 | 4.0 | 25 | .03 |
| 71983 | 5.0 | 25 | .04 |
| 71984 | 6.0 | 25 | .04 |
| 71985 | 8.0 | 25 | .05 |

MagicRing Insert & Power Bits






713 MagicRing Metric Insert Bits, 1/4"

| Item |  |  |  |
|-------|---|---|---|
| No. | mm | mm | pkg. lbs. |
| 71304 | 3.0 | 25 | 1 .01 |
| 71307 | 4.0 | 25 | 1 .01 |
| 71310 | 5.0 | 25 | 1 .01 |
| 71311 | 6.0 | 25 | 1 .01 |






743 MagicRing Metric Power Bits, 1/4"

| Item |  |  |  |
|-------|---|---|---|
| No. | mm | mm | pkg. lbs. |
| 74301 | 3.0 | 50 | 1 .02 |
| 74305 | 4.0 | 50 | 1 .02 |
| 74307 | 5.0 | 50 | 1 .03 |
| 74319 | 6.0 | 50 | 1 .03 |






713 MagicRing Inch Insert Bits, 1/4"

| Item |  |  |  |
|-------|---|---|---|
| No. | Inch | mm | pkg. lbs. |
| 71343 | 1/8 | 25 | 1 .01 |
| 71346 | 9/64 | 25 | 1 .01 |
| 71349 | 5/32 | 25 | 1 .01 |
| 71352 | 3/16 | 25 | 1 .01 |
| 71354 | 7/32 | 25 | 1 .01 |






743 MagicRing Inch Power Bits, 1/4"

| Item |  |  |  |
|-------|---|---|---|
| No. | Inch | mm | pkg. lbs. |
| 74369 | 1/8 | 50 | 1 .02 |
| 74371 | 9/64 | 50 | 1 .02 |
| 74373 | 5/32 | 50 | 1 .02 |
| 74375 | 3/16 | 50 | 1 .03 |
| 74379 | 1/4 | 50 | 1 .03 |


Wiha Stainless Steel Hex Metric Insert Bits






701 Stainless Steel Hex MM Insert Bits, 1/4"

| Item |  |  |  |
|-------|---|---|---|
| No. | mm | mm | pkg. |
| 70175 | 5.0 | 25 | 1 |

1/4" Ball End MagicRing Bits






717 MagicRing Metric Power Ball End Bits

| Item |  |  |  |
|-------|---|---|---|
| No. | mm | mm | pkg. lbs. |
| 71730 | 3.0 | 50 | 1 .02 |
| 71740 | 4.0 | 50 | 1 .02 |
| 71750 | 5.0 | 50 | 1 .03 |
| 71760 | 6.0 | 50 | 1 .03 |



717 MagicRing Inch Power Ball End Bits

| Item |  |  |  |
|-------|---|---|---|
| No. | Inch | mm | pkg. lbs. |
| 71726 | 1/8 | 50 | 1 .02 |
| 71728 | 9/64 | 50 | 1 .02 |
| 71732 | 5/32 | 50 | 1 .02 |
| 71734 | 3/16 | 50 | 1 .03 |
| 71736 | 7/32 | 50 | 1 .03 |
| 71738 | 1/4 | 50 | 1 .03 |

Screw Holding Hex Bits



Wiha Hex Inch & Metric Bit Sets



79246 Bit-Selector With Hex Inch Bits Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits: lbs. .32

Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

79256 Bit-Selector With Hex Metric Bits Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits: lbs. .30

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm



38058 Hex Inch SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft. lbs. .22

Includes the following 1/4" bits:

Hex Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



38057 Hex Metric SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft. lbs. .21

Includes The Following 1/4" Bits:

Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



79446 XSelector Bit Set With Hex Inch Bits Set Includes Magnetic Bit Holder & The Following 10 Bits: lbs. .27

Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Bit holder stainless steel, magnetic



38049 Hex Inch & Metric Pop-Up Bit Screwdriver Set Cushion Grip handle, multi-component. Compact storage holds 12 bits.

Includes The Following 1/4" Bits:

Hex Inch: 5/64, 3/32, 1/8, 5/32, 3/16, 1/4"

lbs. Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



74986 Power Bit Belt Pack With Inch & Metric Hex Bits Set Includes The Following 10 Bits: lbs. .34

Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Metric: 3.0, 4.0, 5.0, 6.0mm

Wiha Security Hex Inch & Metric Bit Sets



79266 Bit-Selector With Security Hex Inch Bits Set Includes Magnetic 1/4" ClicFix Bit Holder & The Following 9 Bits:

Security Hex Inch: lbs. 5/64, 3/32, 7/64, 1/8, 9/64, .32 5/32, 3/16, 7/32, 1/4"



38014 Security Hex Inch Multi-Bit Screwdriver, 6 Pc. Set With Wiha Powerhandle & CVM steel, hardened shaft. lbs. .40

Set includes the following 1/4" bits:

Security Hex:

3/32, 1/8, 5/32, 3/16, 7/32"



71998 PokitPak - Security Hex Inch Insert Bits In Molded Case - Set Includes 6 - 1/4" Insert Bits lbs. .12

Inch Security Hex:

3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



71995 PokitPak - Security Hex Metric Insert Bits In Molded Case - Set Includes 6 - 1/4" Insert Bits lbs. .21

Metric Security Hex:

2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

Wiha Insert Bit Blister Pack



72596 10 Pack Hex Inch Insert Bit Pack

CVM S2 modified tool steel.

Hex Inch: lbs.

1/16, 5/64, 3/32, 7/64, 1/8, .16

9/64, 5/32, 3/16, 7/32, 1/4"

Wiha Hex Inch & Metric Power Blades



760 Hex Inch Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item | | | |
|-------|------|------|------|
| No. | Inch | lbs. | pkg. |
| 76045 | 1/16 | .01 | 1 |
| 76005 | 5/64 | .01 | 1 |
| 76006 | 3/32 | .02 | 1 |
| 76007 | 7/64 | .02 | 1 |
| 76014 | 1/8 | .03 | 1 |
| 76016 | 9/64 | .03 | 1 |
| 76017 | 5/32 | .04 | 1 |
| 76018 | 3/16 | .04 | 1 |
| 76019 | 7/32 | .05 | 1 |
| 76021 | 1/4 | .06 | 1 |

Wiha Ball End Hex Inch & Metric Bit Sets



79276 Bit-Selector With Ball End Hex Inch Bits Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

Ball End Hex Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



38056 Ball End Hex SoftFinish® CushionGrip Stubby Bit Holder with Wiha cushion grip handle and CVM tool steel shaft.

Set Includes The Following 1/4" Bits: lbs. **Ball End Hex Inch:** 1/8, 9/64, 5/32, .21 3/16, 7/32, 1/4"

Wiha MagicRing Hex Inch & Metric Bit Sets



74999 Power Bit Belt Pack With Ball End Screw Holding Hex Bits

Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
 Metric: 3.0, 4.0, 5.0, 6.0mm

Wiha Security Hex Inch & Metric Power Blades



760 Security Hex Metric Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item | | | |
|-------|-----|------|------|
| No. | mm | lbs. | pkg. |
| 76001 | 2.5 | .02 | 1 |
| 76002 | 3.0 | .02 | 1 |
| 76003 | 4.0 | .03 | 1 |
| 76004 | 5.0 | .04 | 1 |



760 Security Hex Inch Power Blades

| Item | | | |
|-------|------|------|------|
| No. | Inch | lbs. | pkg. |
| 76046 | 5/64 | .01 | 1 |
| 76047 | 3/32 | .02 | 1 |
| 76048 | 7/64 | .02 | 1 |
| 76049 | 1/8 | .03 | 1 |
| 76050 | 9/64 | .03 | 1 |
| 76051 | 5/32 | .04 | 1 |
| 76052 | 3/16 | .04 | 1 |
| 76053 | 7/32 | .05 | 1 |
| 76054 | 1/4 | .06 | 1 |



76090 4 Piece Security Hex Blade Set

| Item | | | |
|-------|------|-----------------|--|
| No. | lbs. | Metric: | |
| 76090 | .12 | 4.0, 5.0 x 90mm | |



76096 10 Piece Security Hex Blade Set

| Item | | | |
|-------|------|--|--|
| No. | lbs. | Inch: | |
| 76096 | .32 | 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 90mm | |

*1/16" Standard Inch Hex Only

Wiha Power Blade Holder



76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Quick release bit holder with magnet.

| Item | | | | | | | |
|-------|-----|-----|------|------|------|------|--|
| No. | mm | mm | Inch | mm | Inch | lbs. | |
| 76000 | 6.0 | 149 | 5.9 | 34.6 | 1.36 | .26 | |

Wiha Square Power Blades



760 Square Power Blades

| Item | | | |
|-------|------|------|------|
| No. | Size | lbs. | pkg. |
| 76056 | 1 | .02 | 1 |
| 76057 | 2 | .03 | 1 |
| 76058 | 3 | .04 | 1 |



76095 3 Piece Square Blade Set


| Item | | | |
|-------|------|-----------------|--|
| No. | lbs. | Square: | |
| 76095 | .11 | #1, 2, 3 x 90mm | |

Square Insert & Power Bits

Square Bits



CVM, tool steel, hardened





 Square

Suitable for all applications for both manual & machine hardness HRC 59-61







10 bit pack

718 Square Insert Bits, 1/4"

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 71801 | 1 | 25 | 10 | .11 |
| 71802 | 2 | 25 | 10 | .11 |
| 71803 | 3 | 25 | 10 | .11 |

30 Piece Contractor Grade Bits

725 Square Insert Contractor Grade, 1/4"





| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | mm | pkg. | lbs. |
| 72537 | 1 | 25 | 30 pc | .85 |
| 72538 | 2 | 25 | 30 pc | .85 |
| 72539 | 3 | 25 | 30 pc | .85 |



2 bit pack

718 Square Insert Bit Packs, 1"

CVM S2 modified tool steel.


| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | lbs. | |
| 71851 | 1 | 25 | .03 | |
| 71852 | 2 | 25 | .03 | |
| 71853 | 3 | 25 | .03 | |



71854 Square Insert Bit Packs, 1"

CVM S2 modified tool steel. 3 pc. bit pack



71854 Set includes the following bits:

 Square: wt. .04 1, 2, 3 x 1" (25mm)



2 bit pack





777 Square Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item |  |  |
|-------|---|---|
| No. | Size | mm |
| 77712 | #1 + #2 | 30 |
| 77713 | #0 + #3 | 30 |



10 bit pack

748 Square Power Bits, 1/4" Hex Drive, Length 2.0"/50mm




| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 74813 | 1 | 50 | 10 | .20 |
| 74816 | 2 | 50 | 10 | .20 |
| 74819 | 3 | 50 | 10 | .20 |



2 bit pack

748 Square Power Bit Packs, 2"

CVM S2 modified tool steel.


| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | lbs. |
| 74860 | 1 | 50 | .05 |
| 74861 | 2 | 50 | .05 |
| 74862 | 3 | 50 | .05 |



74890 Square Power Bit Packs, 2" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

74890 Set includes the following bits:


 Square: wt. .08 1, 2, 3 x 2.0" (50mm)



74895 Square Power Bit Packs, 2.0" CVM




S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack.

74895 Set includes the following bits:

 Square: 2 of each sizes wt. 1.2 1, 2, 3 x 2.0" (50mm)



748 Square Power Bit, 1/4" Hex Drive, Length 3.5"/90mm CVM S2 modified tool steel.

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | lbs. |
| 74811 | 1 | 90 | .08 |
| 74812 | 2 | 90 | .08 |
| 74814 | 3 | 90 | .08 |


Slotted Bits

The ideal multi-purpose bits for all around quality & performance

Made by Wiha - Production Quality

Highly resistant to wear and tear for a long tool life






Impact resistant modified CVM, tool steel, hardened

 Slotted







10 bit pack

710 Slotted Insert Bits, 1/4" Hex Drive, Length 25mm/.984"

| Item |  |  |  |  |  |
|-------|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | pkg. |
| 71001 | 4.5 | .177 | 0.6 | .024 | 10 |
| 71004 | 5.5 | .216 | 0.8 | .030 | 10 |
| 71002 | 6.5 | .255 | 1.2 | .039 | 10 |
| 71003 | 8.0 | .315 | 1.6 | .063 | 10 |

30 Piece Contractor Grade Bits






725 Slotted Insert Contractor Grade, 1/4"

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | mm | pkg. | lbs. |
| 72534 | 4.5 | 25 | 30 pc | .85 |
| 72535 | 5.5 | 25 | 30 pc | .85 |
| 72536 | 6.0 | 25 | 30 pc | .85 |



2 pc. bit pack!

710 Slotted Insert Bits, 1/4" Hex Drive, Length 1.54"/39mm 2 pc. Bit pack.

| Item |  |  |  |  |  |
|-------|---|---|---|---|---|
| No. | mm | Inch | mm | Inch | pkg. |
| 71030 | 3.0 | .118 | 0.5 | .020 | 2 |
| 71031 | 3.5 | .139 | 0.6 | .024 | 2 |
| 71032 | 4.0 | .157 | 0.8 | .031 | 2 |
| 71035 | 6.5 | .255 | 1.2 | .047 | 2 |
| 71036 | 8.0 | .315 | 1.6 | .063 | 2 |



2 bit pack

777 Slotted Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item |  |  |
|-------|---|---|
| No. | Size | mm |
| 77715 | 3.0 + 4.5mm | 30 |
| 77716 | 4.0 + 6.0mm | 30 |
| 77717 | 5.5 + 6.5mm | 30 |


Wiha Slotted Insert & Power Bits



720 Slotted Insert Bits, 5/16" Hex Drive,

Length 41mm

| Item | | | | | |
|-------|------|------|-----|------|------|
| No. | mm | Inch | mm | pkg. | lbs. |
| 72049 | 8.0 | .315 | 1.6 | 10 | .31 |
| 72050 | 10.0 | .393 | 1.6 | 10 | .46 |
| 72051 | 12.0 | .472 | 2.0 | 10 | .56 |



720 Slotted Insert Bit Packs, 1"

CVM S2 modified tool steel. 5/16" Hex Drive.

| Item | | | | | |
|-------|-----|------|------|----|------|
| No. | mm | mm | Inch | mm | lbs. |
| 72031 | 1.6 | 8.0 | .315 | 41 | .08 |
| 72039 | 1.6 | 10.0 | .393 | 41 | .10 |
| 72047 | 2.0 | 12.0 | .472 | 41 | .12 |



740 Slotted Power Bits,

1/4" Hex Drive, Length 2.75"/70mm

| Item | | | | | |
|-------|-----|------|-----|------|------|
| No. | mm | Inch | mm | Inch | pkg. |
| 74033 | 2.5 | .098 | 0.4 | .015 | 10 |
| 74034 | 3.0 | .118 | 0.5 | .020 | 10 |
| 74035 | 3.5 | .139 | 0.6 | .024 | 10 |
| 74036 | 4.0 | .157 | 0.8 | .020 | 10 |
| 74039 | 5.5 | .216 | 1.0 | .032 | 10 |
| 74041 | 6.5 | .255 | 1.2 | .039 | 10 |



739 Slotted Power Bits,

1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

| Item | | | | | |
|-------|-----|------|-----|------|------|
| No. | mm | Inch | mm | Inch | pkg. |
| 73905 | 2.5 | .098 | 0.4 | .015 | 1 |
| 73906 | 3.0 | .118 | 0.5 | .020 | 1 |
| 73907 | 3.5 | .139 | 0.6 | .024 | 1 |
| 73908 | 4.0 | .157 | 0.8 | .020 | 1 |
| 73909 | 5.5 | .216 | 1.0 | .032 | 1 |
| 73910 | 6.5 | .255 | 1.2 | .039 | 1 |



710 Slotted Insert Bit Packs, 1" CVM S2

modified tool steel.

| Item | | | | | |
|-------|-----|-----|------|----|------|
| No. | mm | mm | Inch | mm | lbs. |
| 71051 | 0.6 | 4.5 | .177 | 25 | .03 |
| 71052 | 0.8 | 5.5 | .216 | 25 | .03 |
| 71053 | 1.2 | 6.0 | .255 | 25 | .03 |
| 71054 | 1.6 | 8.0 | .315 | 25 | .03 |



740 Slotted Power Bits, 1/4" Hex Drive,

Length 2.0"/50mm 10pk. weight .20 lbs.

| Item | | | | | |
|-------|-----|------|-----|------|------|
| No. | mm | Inch | mm | Inch | pkg. |
| 74003 | 3.0 | .118 | 0.5 | .020 | 10 |
| 74006 | 3.5 | .139 | 0.6 | .024 | 10 |
| 74009 | 4.0 | .157 | 0.5 | .020 | 10 |
| 74010 | 4.0 | .157 | 0.8 | .030 | 10 |
| 74012 | 4.5 | .177 | 0.6 | .024 | 10 |
| 74015 | 5.5 | .216 | 0.8 | .032 | 10 |
| 74018 | 6.5 | .255 | 1.2 | .039 | 10 |
| 74021 | 8.0 | .315 | 1.2 | .039 | 10 |
| 74023 | 8.0 | .315 | 1.6 | .063 | 10 |



740 Slotted Power Bit Packs, 2"

CVM S2 modified tool steel.

| Item | | | |
|-------|-----|----|------|
| No. | mm | mm | lbs. |
| 74061 | 3.0 | 50 | .05 |
| 74062 | 3.5 | 50 | .05 |
| 74063 | 4.0 | 50 | .05 |
| 74064 | 4.0 | 50 | .05 |
| 74065 | 4.5 | 50 | .05 |
| 74066 | 5.5 | 50 | .05 |
| 74067 | 6.5 | 50 | .06 |
| 74068 | 8.0 | 50 | .08 |
| 74069 | 8.0 | 50 | .08 |




74050 Slotted Power Bit Packs, 2" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

74050 Set includes the following bits:

| | | Slotted: |
|---------|--------------------|-----------------|
| wt. .08 | 4.5, 5.5, 6.5 x 2" | (50mm) |



743 Slotted and Phillips Double End Bits,

1/4" Hex Drive, Length 2.36"/60mm

| Item | | | | | |
|-------|-------|------|----|------|------|
| No. | mm | Size | mm | pkg. | lbs. |
| 74303 | 4.5 x | 1 | 60 | 10 | .22 |
| 74306 | 5.5 x | 2 | 60 | 10 | .30 |

Wiha Slotted Power Blades



760 Slotted Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item | | | |
|-------|-----|------|------|
| No. | mm | lbs. | pkg. |
| 76035 | 2.5 | .02 | 1 |
| 76036 | 3.0 | .02 | 1 |
| 76037 | 4.5 | .03 | 1 |
| 76038 | 5.5 | .03 | 1 |
| 76039 | 6.0 | .04 | 1 |



76093 5 Piece Slotted Blade Set

| Item | | Set includes: |
|-------|------|-------------------------|
| No. | lbs. | Slotted: 2.5, 3.0, 4.5, |
| 76093 | .16 | 5.5, 6.0mm x 90mm |

Pozidriv® Bits

The ideal multi-purpose tools to meet production requirements for both quality and performance

Impact resistant modified CVM, tool steel, hardened



 Pozidriv®





Suitable for all applications for both manual and machine
Hardness HRC 59-61

PoziDriv® Insert & Power Bits



10 bit pack





712 Pozidriv® Insert Bits, 1/4"

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 71200 | 0 | 25 | 10 | .10 |
| 71201 | 1 | 25 | 10 | .10 |
| 71202 | 2 | 25 | 10 | .10 |
| 71203 | 3 | 25 | 10 | .10 |



10 bit pack

742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.0"/50mm





| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 74203 | 1 | 50 | 10 | .24 |
| 74212 | 2 | 50 | 10 | .25 |
| 74221 | 3 | 50 | 10 | .26 |



2 bit pack

712 Pozidriv® Insert Bit Packs, 1"

CVM S2 modified tool steel.





| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | lbs. | |
| 71250 | 0 | 25 | .03 | |
| 71251 | 1 | 25 | .03 | |
| 71252 | 2 | 25 | .03 | |
| 71253 | 3 | 25 | .04 | |



2 bit pack

742 Pozidriv® Power Bit Packs, 2"

CVM S2 modified tool steel.


| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | lbs. | |
| 74261 | 1 | 50 | .06 | |
| 74262 | 2 | 50 | .06 | |
| 74263 | 3 | 50 | .07 | |



71254 Pozidriv® Insert Bit Packs, 1" CVM

S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 3 pc. bit pack.

71254 Set includes the following bits:


 Pozidriv®:
wt. .04 1, 2, 3 x 1" (25mm)



2 bit pack





777 Pozidriv® Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

| Item |  |  |
|-------|---|---|
| No. | Size | mm |
| 77710 | #1 + #2 | 30 |



10 bit pack





742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | |
| 74201 | 0 | 70 | 10 | |
| 74205 | 1 | 70 | 10 | |
| 74214 | 2 | 70 | 10 | |







2 bit pack

739 Pozidriv® Power Bits. 1/4" Hex Drive, Length 2.75"/70mm 2 bit pack

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | |
| 73901 | 0 | 70 | 1 | |
| 73902 | 1 | 70 | 1 | |
| 73903 | 2 | 70 | 1 | |







742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 3.5"/90mm Single Pack

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 74231 | 1 | 90 | 1 | .03 |
| 74232 | 2 | 90 | 1 | .04 |
| 74233 | 3 | 90 | 1 | .05 |



10 bit pack

742 Pozidriv® Power Bits. 1/4" Hex Drive, Length 3.5"/90mm 10 Bit Pack





| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 74236 | 1 | 90 | 10 | .34 |
| 74237 | 2 | 90 | 10 | .46 |
| 74238 | 3 | 90 | 10 | .53 |

Wiha Pozidriv® Power Blades




760 Pozidriv® Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | lbs. | pkg. | |
| 76011 | 1 | .03 | 1 | |
| 76012 | 2 | .04 | 1 | |
| 76013 | 3 | .04 | 1 | |




76091 3 Piece Pozidriv® Blade Set

| Item |  | Set includes: |
|-------|---|-------------------|
| No. | lbs. | Pozidriv®: #1, 2, |
| 76091 | .12 | 3 x 90mm |

Specialty

Highly resistant to wear and tear for a long tool life







 Tri-Wing

Tri-Wing Bits






719 Triwing Insert Bits, 1/4"/25mm

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 71900 | 0 | 25 | 10 | .10 |
| 71901 | 1 | 25 | 10 | .10 |
| 71902 | 2 | 25 | 10 | .10 |
| 71903 | 3 | 25 | 10 | .10 |
| 71904 | 4 | 25 | 10 | .13 |



719 Tri-Wing Insert Bit Packs, 1"


| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | lbs. |
| 71949 | 0 | 25 | .03 |
| 71950 | 1 | 25 | .03 |
| 71951 | 2 | 25 | .03 |
| 71952 | 3 | 25 | .03 |
| 71953 | 4 | 25 | .03 |
| 71913 | 5 | 25 | .04 |



71954 Tri-Wing Insert Bit Packs, 1"

6 pc. bit pack.

71954 Set includes the following bits:

 Triwing: 0, 1, 2,
wt. .07 3, 4, 5 x 1" (25mm)

Bits







 Torq Set

Suitable for all applications for both manual & machine Hardness HRC 59-61

10 bit pack






749 Tri-Wing Power Bits, 1/4"/50mm

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 74901 | 3 | 50 | 10 | .24 |
| 74903 | 5 | 50 | 10 | .24 |
| 74904 | 6 | 50 | 10 | .46 |



749 Tri-Wing Power Bit Packs, 2"




| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | lbs. |
| 74961 | 4 | 50 | .06 |
| 74962 | 5 | 50 | .06 |
| 74963 | 6 | 50 | .10 |

Wiha Tri-Wing Power Blades




760 Tri-Wing Power Blades

S2 modified tool steel. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | lbs. | pkg. |
| 76031 | 1 | .02 | 1 |
| 76032 | 2 | .02 | 1 |
| 76033 | 3 | .03 | 1 |
| 76034 | 4 | .04 | 1 |







76088 4 Piece Tri-Wing Blade Set

| Item |  | Set includes: |
|-------|---|------------------|
| No. | lbs. | Tri-Wing: #1, 2, |
| 76088 | .16 | 3, 4 x 90mm |

Torq Set Bits







719 Torq Set Insert Bits, 1/4"

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 71921 | 0 | 25 | 10 | .10 |
| 71922 | 1 | 25 | 10 | .10 |
| 71923 | 2 | 25 | 10 | .10 |
| 71924 | 3 | 25 | 10 | .10 |
| 71907 | 4 | 25 | 10 | .10 |
| 71909 | 5 | 25 | 10 | .10 |
| 71906 | 6 | 25 | 10 | .10 |
| 71908 | 8 | 25 | 10 | .13 |
| 71910 | 10 | 25 | 10 | .13 |






749 Torq Set Power Bits, 1/4"/50mm

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 74911 | 4 | 50 | 10 | .03 |
| 74912 | 5 | 50 | 10 | .03 |
| 74913 | 6 | 50 | 10 | .03 |
| 74914 | 8 | 50 | 10 | .04 |
| 74915 | 10 | 50 | 10 | .04 |



719 Torq Set Insert Bit Packs, 1"




CVM S2 modified tool steel.

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | lbs. |
| 71911 | 4 | 25 | .03 |
| 71912 | 5 | 25 | .03 |
| 71957 | 6 | 25 | .03 |
| 71958 | 8 | 25 | .04 |
| 71959 | 10 | 25 | .04 |



749 Torq Set Power Bit Packs, 2"

CVM S2 modified tool steel.

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | mm | lbs. |
| 74964 | 4 | 50 | .06 |
| 74965 | 5 | 50 | .06 |
| 74966 | 6 | 50 | .06 |
| 74967 | 8 | 50 | .07 |
| 74968 | 10 | 50 | .07 |

Specialty Bits

Highly resistant to wear & tear for a long tool life

 Spanner

Suitable for all applications for both manual and machine
Hardness HRC 59-61







Spanner Bits



10 bit pack

719 Spanner Insert Bits, 1/4"





| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 71914 | 4 | 25 | 10 | .11 |
| 71916 | 6 | 25 | 10 | .12 |
| 71918 | 8 | 25 | 10 | .12 |
| 71920 | 10 | 25 | 10 | .12 |



2 bit pack

719 Spanner Insert Bit Packs, 1"

CVM S2 modified tool steel.




| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | lbs. | |
| 71963 | 4 | 25 | .03 | |
| 71964 | 6 | 25 | .03 | |
| 71965 | 8 | 25 | .04 | |
| 71966 | 10 | 25 | .04 | |

Wiha Spanner Power Blades




760 Spanner Power Blades

S2 modified tool steel. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

| Item |  |  |  |
|-------|---|---|---|
| No. | Size | lbs. | pkg. |
| 76022 | 6 | .03 | 1 |
| 76023 | 8 | .04 | 1 |
| 76024 | 10 | .04 | 1 |



76089 3 Piece Spanner Blade Set

| Item |  | Set includes: |
|-------|---|-----------------|
| No. | lbs. | Spanner: #6, 8, |
| 76089 | .12 | 10 x 90mm |

XZN Insert Bits


Specialty Bits

Suitable for all applications for both manual and machine Hardness HRC 59-61

Highly resistant to wear and tear for a long tool life







Impact resistant modified CVM, tool steel, hardened

 Triple Square







2 bit pack

701 XZN Insert Bits, 1/4"

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 70143 | M3 | 25 | 2 | .04 |
| 70144 | M4 | 25 | 2 | .04 |
| 70145 | M5 | 25 | 2 | .04 |
| 70146 | M6 | 25 | 2 | .04 |
| 70147 | M8 | 25 | 2 | .04 |



355 XZN Triple Square L-key

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | mm | pkg. | lbs. |
| 35512 | M12 | 124 | 1 | .02 |
| 35516 | M16 | 156 | 1 | .07 |

Countersink & Drill Bits




High quality HSS steel, ground with radial relief. Universal application in metal, plastic and wood. Guarantees outstanding chip removal, chatter free operation & smooth surface finish.

90° Countersink Bit - 1/4" Shank



786 HSS 1/4" Drive Countersinks

High quality HSS steel, ground with radial relief. 1/4" Hex shank according to DIN 3126 C 6.3.




| Item |  |  |  | | | |
|-------|---|---|---|------|------|-----|
| No. | Size | Inch | mm | Inch | size | pkg |
| 78615 | 6.3 | .26 | 35 | 1.38 | M3 | 1 |
| 78617 | 8.3 | .33 | 35 | 1.38 | M4 | 1 |
| 78619 | 10.4 | .41 | 35 | 1.38 | M5 | 1 |
| 78621 | 12.4 | .49 | 35 | 1.38 | M6 | 1 |
| 78622 | 16.5 | .65 | 35 | 1.38 | M8 | 1 |
| 78624 | 20.5 | .81 | 35 | 1.38 | M10 | 1 |

1/4" Shank High Speed Drill Bits



780 1/4" Shank Stubby High Speed Drill Bits

DIN 3126 C 6.3.






| Item |  |  |  | |
|-------|---|---|---|------|
| No. | Size | Inch | pkg | lbs. |
| 78002 | 1/16 | 1.26 | 1 | .02 |
| 78005 | 3/32 | 1.41 | 1 | .02 |
| 78008 | 1/8 | 1.57 | 1 | .02 |
| 78011 | 5/32 | 1.73 | 1 | .03 |
| 78015 | 3/16 | 1.97 | 1 | .03 |
| 78018 | 1/4 | 1.97 | 1 | .03 |

High Precision Tool Holder For Countersinks & Drill Bits



Quick release tool holder for Drills, Countersinks & Power bits

71480 CentroFix Bit Holder

| Item |  |  |  |  |  |
|-------|---|---|---|---|---|
| No. | Size | Size | mm | Inch | lbs. |
| 71480 | 1/4" | 1/4" | 60 | 2.3 | .09 |


Dura Torsion Insert and Power Bits

Carbide Coated

Positive location in the screw head with decrease of:

- necessary pressure forces
- working time
- costs
- wear & tear of bits & screw heads
- anti-cam-out effect

With the Dura bit Wiha has again proved it's power of innovation. The extra hard, elastic Quattro Torsion bit is equipped with an extremely wear resistant tungsten carbide coating that grips the screw head.



741 Dura Phillips Power Bits 1/4" Hex Drive, Length 2.0"/50mm

| Item | ⊕ | ≡ | ↺↻ |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 74141 | 1 | 50 | .04 |
| 74142 | 2 | 50 | .04 |



710 Dura Bits, Slotted, 1/4"

| Item | ⊕ | ≡ | ↺↻ | ≡ | |
|-------|-----|------|-----|------|----|
| No. | mm | Inch | mm | Inch | mm |
| 71010 | 0.6 | .024 | 4.5 | .177 | 25 |
| 71013 | 1.2 | .039 | 6.5 | .255 | 25 |



715 Dura Bits, TORX®, 1/4"

| Item | ⊕ | ≡ | ↺↻ |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 71576 | T15 | 25 | .02 |
| 71582 | T30 | 25 | .02 |



742 Dura Pozidriv® Power Bits 1/4" Hex Drive, Length 2.0"/50mm

| Item | ⊕ | ≡ | ↺↻ |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 74241 | 1 | 50 | .04 |
| 74242 | 2 | 50 | .04 |



711 Dura Bits, Phillips, 1/4"

| Item | ⊕ | ≡ | ↺↻ |
|-------|------|----|------|
| No. | Size | mm | lbs. |
| 71112 | 2 | 25 | .02 |

Diamond Torsion Insert and Power Bits

Diamond bits supplement Wiha's range of high-quality special bits. When used with machines, the increased tool life of the Wiha Diamond bit reduces cost.

- High wear resistance
- Micro particle coating with sapphire and diamond contents
- Optimized torsion zone

Reduction of:

- pressure forces to be applied
- wear and tear of bit and screw head
- working time & costs
- Cam-out effect



The ideal bit even for the most difficult of applications




710 Diamond Bits, Slotted, 1/4"

| Item | ⊕ | ≡ | ↺↻ | ≡ | |
|-------|-----|------|-----|------|----|
| No. | mm | Inch | mm | Inch | mm |
| 71020 | 4.5 | .177 | 0.6 | .024 | 25 |
| 71021 | 5.5 | .216 | 0.8 | .030 | 25 |
| 71023 | 6.5 | .255 | 1.2 | .039 | 25 |

Wiha TiN Coated Insert/Power Bits

The abbreviation TiN stands for Titanium-Nitride, which has a hardness up to 85 HRC. This coating guarantees a high wear and tear resistance.



- Tough, hard torsion quality with very hard TiN coating
- Optimized torsion zone
- High wear resistance



| 715 TORX® TiN Coated Insert Bits, 1/4" | | | | |
|--|------|----|------|--|
| Item | | | | |
| No. | Size | mm | lbs. | |
| 71585 | T5 | 25 | .02 | |
| 71587 | T7 | 25 | .02 | |
| 71564 | T15 | 25 | .02 | |

TiN - Titanium Nitride




| 741 Phillips TiN Coated Power Bits 1/4" Hex Drive, Length 2.0"/50mm | | | | |
|--|------|----|------|--|
| Item | | | | |
| No. | Size | mm | lbs. | |
| 74101 | 1 | 50 | .04 | |
| 74105 | 2 | 50 | .04 | |
| 74108 | 3 | 50 | .04 | |

TiN - Titanium Nitride

NOTES:

Wear Characteristics









Blank area for notes, consisting of multiple horizontal lines.

Wiha Power Blade Sets

Blade Holder For Power Blades






76000 CentroFix Cushion Grip Blade Holder
 Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

| Item |  |  |  |  |  |  |
|--------------|---|---|---|---|---|---|
| No. | mm | mm | Inch | mm | Inch | lbs. |
| 76000 | 6.0 | 149 | 5.9 | 34.6 | 1.36 | .26 |




76079 Canvas Folding Wallet

Holds 38 90mm power blades.

| Item |  |  |  |
|--------------|---|---|---|
| No. | Size | lbs. | pkg. |
| 76079 | 7-1/8" x 6" x 2" | .42 | 1 |




76099 37 Pc. Power Blade Set, In Durable Belt Pack Set includes cushion grip CentroFix Blade Holder & 36 interchangeable blades.

| | |
|-------------------------------------|---|
| Item No. 76099 |  lbs. 2.06 |
| Slotted: | 2.5, 3.0, 4.5, 5.5, 6.0mm |
| Phillips: | #0, 1, 2, 3 |
| Security TORX®: | T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s |
| Security Hex Inch: | 1/16*, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" |
| Pozidriv®: | #1, 2, 3 & Square: #1, 2, 3 |
| 4" Nut Setters: | 1/4, 5/16, 3/8" |
| Cushion Grip CentroFix Blade Holder | |
| * 1/16" Standard Inch Hex Only | |




76085 9 Pc. Power Blade Nut Driver Set
 30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

| | |
|-----------------------|--|
| Item No. 76085 |  lbs. .96 |
| Inch: | 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2" |




76086 12 Pc. Power Blade Nut Driver Set
 30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

| | |
|-----------------------|---|
| Item No. 76086 |  lbs. 1.22 |
| Metric: | 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm |




76087 61 Pc. Power Blade Service Kit, In Durable Zipper Case Set includes Bit Holding Handle, MicroBit Storage Handle, 4mm to 1/4" Magnetic Adapter, 9 power blades, 46 bits & 3 nut setters.

| | |
|----------------------------------|--|
| Item No. 76087 |  lbs. 1.34 |
| 90mm Power Blades: | Slotted: 4.5, 5.5, 6.0mm |
| Phillips: | #1, 2, 3 & Square: #1, 2, 3 |
| 75mm Security TORX® Bits: | T10s, T15s, T20s, T25s, T27s, T30s |
| MicroBits: | Phillips: #000, 00, 0, 1, 2, Slotted: .8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm |
| Hex Inch: | .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| Hex Metric: | 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm |
| TORX®: | T1, T2, T3, T4, T5, T6, T7, T8, T9, T10 |
| Magnetic Nut Setters: | 1/4, 5/16, 3/8" |




76098 36 Pc. Power Blade Set, In Durable Belt Pack Set includes cushion grip CentroFix Blade Holder & 35 interchangeable blades.

| | |
|-------------------------------------|---|
| Item No. 76098 |  lbs. 1.86 |
| Slotted: | 2.5, 3.0, 4.5, 5.5, 6.0mm |
| Phillips: | #0, 1, 2, 3 |
| Security TORX®: | T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s |
| Security Hex Metric: | 2.5, 3.0, 4.0, 5.0mm |
| Pozidriv®: | #1, 2, 3 & Square: #1, 2, 3 |
| Spanner: | #6, 8, 10 & Tri-Wing: #1, 2, 3, 4 |
| Cushion Grip CentroFix Blade Holder | |



76084 12 Pc. Power Blade Inch & Metric Nut Driver Set
 30mm deep drilled Nut drivers. Use with #76000 CentroFix Blade Holder. 100mm OAL

| | |
|-------------------------------------|---|
| Item No. 76084 |  lbs. 2.97 |
| Inch: | 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2" |
| Metric: | 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm |
| Cushion Grip CentroFix Blade Holder | |

CushionGrip Stubby Bit Sets



38043 SoftFinish® Cushion Grip Stubby Bit Holder with Wiha cushion grip handle & CVM tool steel shaft.

Set includes the following 1/4" bits:

- ⊖ Slotted: 4.5, 6.0mm
- ⊕ Phillips: #1, #2 lbs.
- ⊕ Pozidriv®: #1, #2 .20



38048 SoftFinish® Cushion Grip Stubby Bit Holder with Wiha cushion grip handle & CVM tool steel shaft.

Set includes the following 1/4" bits:

- ⊖ Slotted: 4.5, 6.0mm
- ⊕ Phillips: #1, #2 lbs.
- ⊖ Square: #1, #2 .20

NOTES:

Blank lines for notes.

Wiha Cushion Grip Pop-Up Screwdriver Bit Sets



38032 Pop-Up Bit Screwdriver Set

Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle. Bit holder stainless steel, magnetic. 8.25" OAL

- ⊖ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: 1, 2, 3 .42
- ⊕ TORX®: T10, T15, T20, T25, T27, T30



38041 Pop-Up Bit Screwdriver Set

Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle. Bit holder stainless steel, magnetic. 8.25" OAL

- ⊖ Slotted: 4.5, 6.0mm
- ⊖ Square: 1, 2 lbs.
- ⊕ Phillips: 1, 2 .42
- ⊖ Hex: 4.0, 5.0, 6.0mm
- ⊕ TORX®: T20, T25, T30



38035 Pop-Up Bit Screwdriver Set


Wiha Cushion Grip handle, multi-component. Compact storage for 12 bits in the handle. Bit holder stainless steel, magnetic. 8.25" OAL

- ⊖ Slotted: 4.5, 5.5, 6.5mm lbs.
- ⊕ Phillips: 0, 1, 2 .42
- ⊕ TORX®: T6, T15, T20, T25
- ⊕ Security TORX®: T8s, T10s

Wiha Insulated Pop-Up Insert Bit Sets



Convenient rotating cap




38050 Insulated Pop-Up Bit Holder Set With 1/4" Insert Bits

Insulated cushion grip multi-component handle. Bit holder holds 1/4" Insert bits. Convenient rotating cap.

Item Set includes the following bits:

- | No. | ⊖ Slotted: 4.5, 5.5, 6.0mm |
|-------|----------------------------|
| 38050 | ⊕ Phillips: #0, 1, 2, 3 |
| | ⊖ Square: #1, 2, 3 |
| | ⊕ Pozidriv®: #1, 2, 3 |
| | ⊖ lbs. .46 |



38051 Insulated Pop-Up Bit Holder Set With 1/4" Insert Bits

Insulated cushion grip multi-component handle. Bit holder holds 1/4" Insert bits. Convenient rotating cap.

Item Set includes the following bits:

- | No. | ⊖ Slotted: 4.5, 5.5, 6.0mm |
|-------|----------------------------|
| 38051 | ⊕ Phillips: #0, 1, 2, 3 |
| | ⊖ Square: #1, 2, 3 |
| | ⊕ TORX®: T15, T20, T25 |
| | ⊖ lbs. .46 |

26inOne!

- Includes:
- 13 double end bits
- Locking bit holder
- Pop-up bit access
- Rugged Industrial Design
- Cushion grip handle
- Professional quality



**Twenty-Six
Screwdrivers
in One**

**Ultra Lite!
Ultra Compact!
Ultra Fast Access!
Ultra Quality!**

“Grab & Go Tool Box”



Tradesman



Technician's



Industrial

77790 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .45
- Square: #1+2, #0+3
- TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm

Tradesman Bit Reload



77780 13 Pc. Double End Insert Bit Reload

For the 26inOne (For #77790)

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .14
- Square: #1+2, #0+3
- TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm

77791 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .45
- Square: #1+2, #0+3
- TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30

Technician's Bit Reload



77781 13 Pc. Double End Insert Bit Reload

For the 26inOne (For #77791)

Includes the following 1/4" double end bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- Phillips: #1+2, #0+3 lbs.
- Pozidriv®: #1+2 .14
- Square: #1+2, #0+3
- TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30

77792 Cushion Grip Ultra Driver 26inOne

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Includes the following 1/4" double end bits:

- Slotted: 4.0+6.0mm
- Phillips: #1+2 lbs.
- TORX®: T8+T9, T10+T15, T20+T25, T27+T30 .45
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

Industrial Bit Reload



77782 13 Pc. Double End Insert Bit Reload

For the 26inOne (For #77792)

Includes the following 1/4" double end bits:

- Slotted: 4.0+6.0mm
- Phillips: #1+2 lbs.
- TORX®: T8+T9, T10+T15, T20+T25, T27+T30 .14
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

Ultra Driver Accessories






Fits 26inOne
Ultra Driver



Fits 26inOne
Ultra Driver

77740 Valve Stem Double End Tool,

2 Pack CVM steel, hardened.

| Item |  |  |  |
|-------|---|---|---|
| No. | mm | Inch | lbs. |
| 77740 | 30 | 1.18 | .02 |

77741 1/4" Socket Adapter 1/4" Hex to 1/4"

Square Drive. CVM steel, hardened.

| Item |  |  |  |
|-------|---|---|---|
| No. | mm | Inch | lbs. |
| 77741 | 30 | 1.18 | .01 |

26inOne! Ultra Driver Displays



30 Piece Display "Tradesman"

97790 30 Ultra Drivers Display

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97790

Tradesman 1/4" Double End Bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3
- ⊕ Pozidriv®: #1+2
- Square: #1+2, #0+3
- ⊗ TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm



30 Piece Display "Technician's"

97791 30 Ultra Drivers Display

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97791

Technician's 1/4" Double End Bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3
- ⊕ Pozidriv®: #1+2
- Square: #1+2, #0+3
- ⊗ TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30



30 Piece Display "Industrial"

97792 30 Ultra Drivers Display

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97792

Industrial 1/4" Double End Bits:

- Slotted: 4.0+6.0mm
- ⊕ Phillips: #1+2
- ⊗ TORX®: T8+T9, T10+T15, T20+T25, T27+T30
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm



6 Pack "Tradesman"

97780 6 Pack Ultra Drivers Display Reorder

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97780

Tradesman 1/4" Double End Bits:

- Slotted: 3.0+4.5, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3
- ⊕ Pozidriv®: #1+2
- Square: #1+2, #0+3
- ⊗ TORX®: T10+T15, T20+T25
- Hex Inch: 1/8+9/64, 5/32+3/16"
- Hex Metric: 3.0+4.0, 5.0+6.0mm



6 Pack "Technician's"

97781 6 Pack Ultra Drivers Display Reorder

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97781

Technician's 1/4" Double End Bits:

- Slotted: 3.0+4.5, 4.0+6.0, 5.5+6.5mm
- ⊕ Phillips: #1+2, #0+3
- ⊕ Pozidriv®: #1+2
- Square: #1+2, #0+3
- ⊗ TORX®: T6+T7, T8+T9, T10+T15, T20+T25, T27+T30



6 Pack "Industrial"

97782 6 Pack Ultra Drivers Display Reorder

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Item No. 97782

Industrial 1/4" Double End Bits:

- Slotted: 4.0+6.0mm
- ⊕ Phillips: #1+2
- ⊗ TORX®: T8+T9, T10+T15, T20+T25, T27+T30
- Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm

Ultra Driver Bonus Pack



77795 24 Piece Cushion Grip Ultra Driver
26inOne Bonus Pack

Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Includes:

- ➊ **Slotted:** 3.0+4.5, 4.0+6.0, 5.5+6.5mm lbs.
- ➋ **Phillips:** #1+2, #0+3 .60
- ➌ **Pozidriv®:** #1+2
- ➍ **Square:** #1+2, #0+3
- ➎ **TORX®:** T6+T7, T8+T9, T10+T15, T20+T25, T27+T30
- ➏ **Hex Inch:** 3/32+7/64, 1/8+9/64, 5/32+3/16, 7/32+1/4"
- ➐ **Hex Metric:** 2.0+2.5, 3.0+4.0, 5.0+6.0mm
- 1/4" Hex to 1/4" Square Socket Adapter
- Double End Valve Stem Tool

Combo Pliers & Bit Set

BiCut SuperCut & Ultra Driver
26inOne!



77786 15 Pc. Ultra Driver & Pliers Set With BiCut SuperCut & Ultra Driver Bit Set

Item No. 77786 lbs. 1.17
8.0" Soft Grip Vinyl BiCut SuperCut
For cutting various materials from soft to extremely hard. Double the power at the press of a button.

Ultra Driver Double End Bits:

- Slotted:** 3.0+4.5, 5.5+6.5mm
- Phillips:** #1+2, #0+3
- Pozidriv®:** #1+2
- Square:** #1+2, #0+3
- TORX®:** T10+T15, T20+T25
- Hex Inch:** 1/8+9/64, 5/32+3/16"
- Hex MM:** 3.0+4.0, 5.0+6.0mm

Security Ultra Driver



77789 Security Cushion Grip Ultra Driver
26inOne Wiha cushion grip handle & CVM tool steel shaft. Locking bit holder.

Includes 1/4" double end Security bits:

- ➊ **Slotted/Phillips:** 5.5mm+#2 lbs.
- ➋ **Square:** #1+#2
- ➌ **TORX®:** T8s+T9s, T10s+T15s, T20s+T25s, T27s+T30s .45
- ➍ **Hex Inch:** 1/8+9/64, 5/32+3/16, 7/32+1/4"
- ➎ **Hex Metric:** 3.0+4.0, 5.0+6.0mm
- ➏ **Spanner:** #4+#6, #8+#10

Security Bit Reload

77783 13 Pc. Double End Insert Bit Reload
For the 26inOne (For #77789)

Includes the following 1/4" double end bits:

- ➊ **Slotted/Phillips:** 5.5mm+#2 lbs.
- ➋ **Square:** #1+#2
- ➌ **TORX®:** T8s+T9s, T10s+T15s, T20s+T25s, T27s+T30s .14
- ➍ **Hex Inch:** 1/8+9/64, 5/32+3/16, 7/32+1/4"
- ➎ **Hex Metric:** 3.0+4.0, 5.0+6.0mm
- ➏ **Spanner:** #4+#6, #8+#10

1/4" Sockets & Bit Set

Tradesman Ultra Driver & 1/4" To 1/4" Sq. Drive Sockets
26inOne!



77793 29 Pc. Ultra Driver & Socket Set

1/4" Sockets, Adapter & Ultra Driver Bit Set

Item No. 77793 lbs. .92

1/4" Square Drive Sockets

Inch: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"
Metric: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm

1/4" x 1/4" Socket Adapter

Ultra Driver Double End Bits:

- Slotted:** 3.0+4.5, 5.5+6.5mm
- Phillips:** #1+2, #0+3
- Pozidriv®:** #1+2
- Square:** #1+2, #0+3
- TORX®:** T10+T15, T20+T25
- Hex Inch:** 1/8+9/64, 5/32+3/16"
- Hex MM:** 3.0+4.0, 5.0+6.0mm



Cushion Grip



26 Tips on 13 Bits



Standard 1/4" Drive

Locking Bit Holder

NOTES:

Notes area with horizontal lines for writing.

Wiha Security Bits Collectors



71990 Bits Collector with Security **TORX**[®], Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv[®] and Square bits. 39 Pc. Set includes: Handle, 1/4" bit holder, 1/4" Bit holding socket adapter, storage box & the following 1/4" bits:

- ⊕ Security **TORX**[®]: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ Tri-Wing: 1, 2, 3, 4
- ⊕ Torq Set: 6, 8, 10
- ⊖ Spanner: 4, 6, 8, 10
- ⊖ Slotted: 6.0, 8.0mm
- ⊕ Phillips: 1, 2
- lbs. ⊕ Pozidriv[®]: 0, 1, 2, 3
- 1.03 ⊖ Square: 1, 2, 3



71991 Bits Collector with Security **TORX**[®], Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv[®] and Square bits. 39 Pc. Set includes: Handle, 1/4" SlimFix bit holder & 1/4" Bit holding socket adapter, storage box & the following 1/4" bits:

- ⊕ Security **TORX**[®]: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ Tri-Wing: 1, 2, 3, 4
- ⊕ Torq Set: 6, 8, 10
- ⊖ Spanner: 4, 6, 8, 10
- ⊖ Slotted: 6.5, 8.0mm
- ⊕ Phillips: 1, 2
- lbs. ⊕ Pozidriv[®]: 0, 1, 2, 3
- 1.04 ⊖ Square: 1, 2, 3



71994 Bits Collector with **TORX**[®], Slotted, Phillips, Pozidriv[®], Square & Hex Bits. 38 Pc. Set Includes: Handle, 1/4" bit holder, storage box & the following 1/4" bits:

- ⊕ **TORX**[®]: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40
- ⊖ Square: 1, 2, 3 & Pozidriv[®]: 1, 2, 3
- ⊖ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: 0, 1, 2, 3
- ⊖ Hex Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm
- lbs. ⊖ Hex Inch: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"

Wiha Security Bits Collector With Extra Fine 72 Tooth Ratchet



Low profile 72 tooth Fast action thumb ring



71988 Bits Collector with Security **TORX**[®], Tri-Wing, Torq Set, Spanner, Security Hex, Slotted, Phillips, Pozidriv[®] and Square bits. 38 Pc. Set includes: 1/4" Bit Holding Ratchet, 1/4" magnetic bit holder, storage box and 1/4" Insert bits:

- ⊕ Security **TORX**[®]: T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- ⚙ Tri-Wing: 1, 2, 3, 4
- ⊕ Torq Set: 6, 8, 10
- ⊖ Spanner: 4, 6, 8, 10
- ⊖ Slotted: 6.5, 8.0mm
- ⊕ Phillips: 1, 2
- lbs. ⊕ Pozidriv[®]: 0, 1, 2, 3
- 1.02 ⊖ Square: 1, 2, 3



71095 Bits Collector with Phillips & Hex Inch bits. 51 Piece Set Includes: 1/4" SlimFix Bit Holder, storage box and the following 1/4" bits:

- ⊕ 10 Each Phillips: 1, 2 & 5 Phillips: 3
- lbs. ⊖ 10 Each Hex Inch: 1/8, 3/16" & 5 Hex Inch: 5/32"



71992 Bits Collector with Security 1/4" Insert bits. 29 Piece Set Includes: 1/4" Bit Holder, 1/4" Bit holding socket adapter, 1/4" Universal Magnetic Bit Holder, storage box and the following 1/4" bits:

- ⊕ Security **TORX**[®]: T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
- ⊖ Security Hex: 1/8, 3/32, 7/64, 9/64, 5/32, 3/16, 7/32, 1/4"
- ⚙ Tri-Wing: 4, 5 & Torq Set: 5, 8,
- lbs. ⊕ Pozidriv[®]: 2 & Square: 1, 2,
- .99 Spanner: 6, 8, 10

Wiha Bit Selectors

Compact size and easy bit selection make the Bit Selector an ideal maintenance tool



Slide out drawer allows quick bit access and secure storage



Plastic storage box is compact, durable and light weight

1/4" Magnetic Adapter fits all standard 1/4" bits

Molded hex cavity in box end

Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

792 Sets Bit-Selector Sets

These handy sets include 10 hardened bits of chrome-vanadium-molybdenum steel. 1/4" magnetic bit holder can be used in power tools. Plastic storage box is compact, durable and light weight. Molded hex cavity turns box into handle for quick fastening jobs. Quick bit access with slide out drawer. Packaged in clear blister pack.



79243 Bit-Selector With Slotted, Phillips & TORX® Bits, Includes 1/4" Bit Holder & The Following 10 Bits: lbs. .32

- ↓ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2, 3
- ⊗ TORX®: T10, T15, T20



79248 Bit-Selector With Slotted, Phillips & Square Bits, Includes 1/4" Bit Holder & The Following 10 Bits: lbs. .32

- ↓ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2, 3
- Square: #1, 2, 3



71090 Bit-Selector With Slotted, Phillips & Hex 1/4" Bits, Includes Universal Magnetic 1/4" Bit Holder & The Following 9 Bits:

- ↓ Slotted: 4.5, 5.5, 6.5mm lbs.
- ⊕ Phillips: #1, 2, 3
- ⬢ Hex Inch: 1/8, 5/32, 3/16"

Wiha XSelector & XLSelector Bit Sets

Compact size and easy bit selection make the Wiha XSelector an ideal maintenance tool



XLSelector Pocket Sized 5.3" x 3.1" x .7"
XSelector Pocket Sized 3 1/8" x 2 1/8" x 1/2"

Easy bit access with hinged cover



Sets include Clicfix quick release holder

These handy sets include 10 hardened bits of CVM steel. 1/4" Quick Release holder can be used in power tools. Quick bit access through integrated bit-clamp.



79443 XSelector Bit Set With Slotted, Phillips, and TORX® Bits Set Includes 1/4" Magnetic Holder & the following 10 bits:

- ↓ Slotted: 5.5, 6.5, 8.0mm
- ⊕ Phillips: #0, 1, 2, 3 lbs.
- ⊗ TORX®: T10, T15, T20 .27




79499 XLSelector 1/4" Ratchet & Bit Set Wiha 1/4" ratchet bit handle, bit holder & 15 Insert bits Includes:

- ↓ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2
- ⊗ TORX®: T7, T8, T9, T10, T15, T20, T25
- Square: #1, 2
- ↶ lbs. .56




79491 XLSelector 1/4" Ratchet & Bit Set Wiha 1/4" ratchet bit handle, bit holder & 15 Insert bits Includes:

- ↓ Slotted: 4.5, 6.0mm
- ⊕ Phillips: #1, 2, 3 lbs.
- Square: #1, 2 .56
- ⊕ Pozidriv: #1, 2
- ⬢ Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



79495 XLSelector Bit Set With Slotted, Phillips, TORX®, Hex Bits, 31 Pc. Set Includes: 1/4" Magnetic Bit Holder & 30 Insert Bits:

- ↓ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #0, 1, 2, 3
- ⊗ TORX®: T6, T7, T8, T9, T10, T15, T20, T25
- ⬢ Metric Hex: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm lbs. .62
- ⬢ Inch Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



79490 XLSelector Security Bit Set, 31 Pc. Set Includes Universal Bit Holder-magnetic and the following 30 bits:

- ↓ Slotted: 6.0mm
- ⊕ Phillips: #1, 2
- ⊕ Torq Set: #6, 8, 10
- ⊕ Square: #1, 2
- ⊕ Triwing: #2, 3, 4, 5
- ⊕ Pozidriv: #1, 2
- ↶ Spanner: #4, 6, 8, 10
- ⊗ Security TORX®: T8s, T10s, T15s, T20s, T25s lbs. .64
- ⬢ Security Hex: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"



79493 XLSelector Security Bit Set, 31 Pc. Set Includes Universal Bit Holder-magnetic and the following 30 bits:

- ↓ Slotted: 4.5, 5.5, 6.0mm
- ⊕ Phillips: #1, 2, 3
- Square: #1, 2
- ⊗ TORX®: T7, T8, T9, T10, T15, T20, T25
- ⬢ Hex Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm
- ⬢ Hex Inch: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
- ↶ lbs. .64

Wiha Multi-Bit Screwdrivers

Six Tools in One!

1/4" Magnetic Bit Holder
directs magnetism through the bit for powerful screw holding

Cap snaps
on & off, doesn't unscrew while you're using the tool



Chambered Bit Storage

- Turn the transparent selector to the bit you need
- No time wasted fumbling or sorting to find the right bit

Cap rotates eliminating palm blisters

Allows one handed

turning & frees other hand for positioning the work piece



Ergonomic Powerhandle

for maximum comfort & exceptional torque

Computer Tech Bit Set

12 Piece 1/4" Bit Set



38490 1/4" Computer Tech 12 Pc. Set

with Wiha Cushion Grip Bit Holders. CVM steel, hardened shaft.

↓ **Slotted:** 4.5, 5.5, 6.5mm

⊕ **Phillips:** #1, 2

⊛ **TORX:** T6, T15, T20

⊛ **Security TORX:** T8s, T10s

⊙ **Magnetic Bit holder** 1/4" x 125mm

⊙ **Stubby Bit Holder** 1/4" x 57mm

↔ lbs. .60

CentroFix Security Bit Set



71987 29pc Security Bit Set With CentroFix Bit Holder Handle

1/4" CRV steel, hardened shaft.

⊛ **Security TORX:** T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s

⊙ **Security Hex:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

⊕ **Tri-Wing:** #4, 5

⊕ **Torq Set:** #5, 8

⊙ **Spanner:** #6, 8, 10

⊕ **Pozidriv:** #2

⊙ **Square:** #1, 2

CentroFix Cushion Grip Handle

⊙ **Magnetic Bit holder** 1/4"

Socket Adapter 1/4"

↔ lbs. 1.18

Wiha 1/4" Ratchet & Bit Sets

Insulated Bit Holder



38006 Slotted/Phillips Multi-Bit Screwdriver

with Wiha Powerhandle and insulated shaft.

Set includes the following 1/4" bits:

↓ **Slotted:** 5.5, 6.0mm ↔ lbs.

⊕ **Phillips:** 0, 1, 2, 3 .39




38033 Slotted/Phillips & ClicFix Quick Release Magnetic Bit Holder 7 Pc. Set

with Wiha Powerhandle and CVM steel, hardened shaft.

↓ **Slotted:** 6.5, 8.0mm ↔ lbs.

⊕ **Phillips:** 0, 1, 2, 3 .43



74992 Ratchet Bit Set, 29 Pcs. In Canvas Pouch.

Includes Wiha 1/4" ratchet bit handle, bit holder & 27 Insert bits.

Item No. 1/4" Ratchet Bit Set

74992 Set includes the following bits:

↓ ⊕ **Slotted:** 5.5, 6.0mm/Phillips: #0, 1, 2

⊙ ⊕ **Square:** #1, 2 / Pozidriv®: #1, 2

⊛ **TORX:** T8, T9, T10, T15, T20, T25

⬢ **Hex Metric:** 2.0, 2.5, 3.0, 4.0, 5.0mm

⬢ **Hex Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"

⊙ **1/4" Bit Holder**

↔ lbs. .90

In metal storage box



74996 Ratchet Bit Set, 35 Pcs. Includes:

Wiha 1/4" ratchet bit handle, bit holder, Hex/Sqr. Adapter & 33 Insert bits.

Item No. 74996 1/4" Ratchet Bit Set

↓ **Slotted:** 5.5, 6.0mm

⊕ **Phillips:** #0, 1, 2, 3

⊙ **Square:** #1, 2

⊛ **TORX:** T8, T10, T15, T20, T25, T27, T30

⬢ **Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

⬢ **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

⊙ **1/4" Magnetic Bit Holder**


1/4" Hex to 1/4" Square Adapter

↔ lbs. .80

Wiha Insert Bit Blister Pack



72593 10 Pack Slotted, Phillips & Square Insert Bit Pack CVM S2 modified tool steel.

- **Slotted:** 4.5, 5.5, 6.0mm  lbs.
- ⊕ **Phillips:** #1, 2, 3 .16
- **Square:** #1, 2, 3

Wiha Adjustable TorqueControl Tool Sets In Durable Storage Box




With Certificate of Calibration

28590 24 Pc. TorqueVario-S Micro-Bit Set Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder & Torque adjustment tool. Packed in a compact durable storage box.

Item No. Slotted: 1.5, 2.0, 3.0, 4.0mm

28590 Phillips: #00, #0, #1

TORX®: T6, T7, T8, T9, T10, T15

 **Hex Inch:** .050, 1/16, 5/64, 3/32, 1.35

28504 - Handle Range 7.5-20 In/lbs.




With Certificate of Calibration

28593 24 Pc. TorqueVario-S Micro-Bit Set Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 21 Micro Bits, Micro Bit holder and Torque adjustment tool. Packed in a compact durable storage box.

Item No. Slotted: 1.5, 2.0, 3.0, 4.0mm

28593 Phillips: #00, #0, #1

 **TORX®:** T6, T7, T8, T9, T10, T15


lbs. Hex Inch: .050, 1/16, 5/64, 3/32, 1.35

28501 - TorqueVario-S handle Range 15 - 80 Inch/oz (+/- 10%)

Wiha Power Bit Belt Packs




74983 Power Bit Belt Pack With Slotted, Phillips & TORX® Bits Includes the following 10 bits:

- **Slotted:** 4.5, 5.5, 6.5mm  lbs.
- ⊕ **Phillips:** #1, 2, 3
- ⊗ **TORX®:** T10, T15, T20, T25 .30



74988 Power Bit Belt Pack With Slotted, Phillips & Square Bits Includes the following 10 bits:


- **Slot:** 3.0, 4.5, 5.5, 6.5mm  lbs.
- ⊕ **Phillips:** #1, 2, 3
- **Square:** #1, 2, 3 .30



With Certificate of Calibration

28595 53 Pc. TorqueVario-S Bit Set, In Storage Box Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes ergonomic multi-component adjustable TorqueVario-S handle, 50 Insert bits, 1/4" Bit holder and Torque adjustment tool.

Item No. 28595

 **Slotted:** 4.5, 5.5, 6.5, 8.0mm

lbs. Phillips: #0, #1, #2, #3

2.85 TORX®: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30

Hex Inch: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

Pozidriv: #0, #1, #2, #3

Torq Set: #4, #5, #6, #8

Square: #1, #2, #3

Triwing: #0, #1, #2, #3, #4

28506-Handle Range 10 - 50 In/lbs.

28581 - 1/4" Bit Holder




59 Pc. Set

With Certificate of Calibration

28589 59 Piece TorqueVario-S Bit Set, In Storage Box Certified to EN ISO 6798, BS EN 26789, ASME B107.14M. Set includes 3 ergonomic multi-component adjustable TorqueVario-S handles, 39 Insert bits, 15 Sockets, 1/4" Bit holder, 1/4" Hex to 1/4" Square adapter and Torque adjustment tool.

Item No. Slotted: 4.5, 5.5, 6.5mm

28589 Phillips: #0, 1, 2

 **TORX®:** T5, T6, T7, T8, T9, T10, T15, T20, T25, T30

lbs. Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

Pozidriv: #1, 2 & **Square:** #1, 2, 3

Inch Sockets: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8"

Metric Sockets: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0mm

3 Handles: 15-80 Inch/oz., 5-10 & 10-50 In/lbs.


Wiha Bit Holders

For working in confined spaces




28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips.

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|--------------|------|----|------|-----|------|------|------|
| No. | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
| 28103 | 1/4" | 57 | 2.2 | .11 | 1 | | |



38800 Bit Holder With Wiha T-handle Retainer out of stainless steel. Wiha-T-handle high quality plastic, impact resistant.

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|--------------|------|-----|------|----|------|------|------|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
| 38800 | 1/4" | 150 | 6.0 | 80 | 3.0 | .18 | 1 |



38801 Bit Holders With Wiha Soft Grip T-handle Chrome-V-Moly, hardened, hard chrome finish. Wiha soft grips are molded on with through the handle side torque drive.

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|--------------|------|-----|------|-----|------|------|------|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
| 38801 | 1/4" | 178 | 7.0 | 102 | 4.0 | .18 | 1 |




48400 1/4" Bit Holding Screwdriver, With Wiha Protturn Handle Magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|--------------|------|-----|------|-----|------|------|------|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
| 48400 | 1/4 | 125 | 5.0 | 243 | 9.6 | .24 | 10 |




Plastic coated flexible metal
with stainless steel retaining ring
38600 Bit Holder 1/4" with Retaining Ring With Flexible Shaft Wiha-SoftFinish® handle multi-component, cushion grips.

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|--------------|------|-----|------|-----|------|------|------|
| No. | Inch | mm | Inch | mm | Inch | lbs. | pkg. |
| 38600 | 1/4" | 150 | 5.9 | 268 | 10.6 | .30 | 1 |




Adjustable Blade Length
Magnetic Bit Holder
28489 Drive-Loc VI Bit Holder High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips.

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|--------------|------|------------------|------|------|---|---|---|
| No. | Inch | Extends | lbs. | pkg. | | | |
| 28489 | 1/4" | 1-3/4" to 4-7/8" | .36 | 1 | | | |



Magnetic
Retainer out of stainless steel
384 1/4" Magnetic Bit Holding Drivers, With Wiha SoftFinish® Handle Ergonomic cushion grip, magnetic, holds bit and screw. Shaft CVM steel, nickel-plated.

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|--------------|------|-----|------|-----|-------|------|------|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
| 38450 | 1/4" | 125 | 5.0 | 240 | 9.46 | .23 | |
| 38460 | 1/4" | 300 | 11.8 | 400 | 15.69 | .37 | |



Non-slip grip, magnetic
Holds bit and screw
52650 1/4" Bit holding Screwdriver, With Wiha MicroFinish Handle Retainer out of stainless steel. Shaft CVM steel, nickel-plated. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|--------------|------|-----|------|-----|------|------|------|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
| 52650 | 1/4" | 125 | 5.0 | 244 | 9.6 | .24 | 1 |




Holds 6 bits
(bits not included)
38025 Magnetic Bit Holder, 1/4" Wiha-Powerhandle, Insulated, impact resistant. Snap-lock rotatable cap. Chambered bit holder equipped with transparent selector for easy selection of bits. 1/4" bit holder, shielded, magnetic, holds bit and screw.

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|--------------|------|-----|------|-----|------|------|------|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
| 38025 | 1/4" | 120 | 4.7 | 230 | 9.0 | .26 | 1 |



66850 1/4" Bit Holding Screwdriver, With Wiha Protturn Precision handle. Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft CVM steel, nickel-plated.

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|--------------|------|----|------|-----|------|------|------|
| No. | Size | mm | Inch | mm | Inch | lbs. | pkg. |
| 66850 | 1/4" | 60 | 2.36 | 170 | 6.7 | .07 | |



714 Protturn 1/4" Quick Release Bit Holder

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|--------------|------|-----|------|------|---|---|---|
| No. | Size | mm | Inch | lbs. | | | |
| 71475 | 2.4" | 60 | 2.4 | .06 | | | |
| 71476 | 3.9" | 100 | 3.9 | .09 | | | |
| 71477 | 5.9" | 150 | 5.9 | .11 | | | |
| 71478 | 7.9" | 200 | 7.8 | .14 | | | |
| 71479 | 9.9" | 250 | 9.8 | .17 | | | |

71474 5 Pc. Protturn 1/4" Quick Release Bit Holder Set With magnets
Includes: 60mm, 100mm, 150mm, 200mm, 250mm

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|------|---|---|---|---|---|------|---|
| | | | | | | lbs. | |
| | | | | | | .58 | |



714 Screw Cap Bit Holder with O-Ring

| Item | ○ | ▬ | ▬ | ▬ | ▬ | ▬ | ▬ |
|--------------|------|------|----|------|------|--------------|---|
| No. | Size | Size | mm | Inch | lbs. | | |
| 71492 | 1/4" | 1/4" | 62 | 2.4 | .10 | Non Magnetic | |
| 71493 | 1/4" | 1/4" | 76 | 3.0 | .10 | Magnetic | |

Wiha Bit Holders

**“SlimFix”
Impact Rated**



Rated to
70Nm / 600 In.lbs.

71496 “SlimFix” Impact Rated Locking

1/4” Bit Holder For 1/4” Insert Bits Faster, sleeker, more productive “SlimFix” for instant bit changes. Just 10.9mm / 0.42 Diameter. Bit Locks securely in place. CV hardened sleeve.

| Item | | | | | |
|-------|------|------|------|------|------|
| No. | Size | Size | mm | Inch | lbs. |
| 71496 | 1/4” | 1/4” | 66.5 | 2.62 | .06 |




**711 Universal Magnetic Bit Holder,
1/4” For Insert Bits**

| Item | | | | | |
|-------|------|------|----|------|------|
| No. | Size | Size | mm | Inch | lbs. |
| 71130 | 1/4” | 1/4” | 74 | 2.9 | .06 |
| 71131 | 1/4” | 1/4” | 59 | 2.3 | .05 |



**71139 Magnetic Bit Holder, 1/4”
For Insert Bits**

| Item | | | | | |
|-------|------|------|-----|------|------|
| No. | Size | Size | mm | Inch | lbs. |
| 71139 | 1/4” | 1/4” | 100 | 4.0 | .08 |



**Retaining Ring
Bit Holders**

Magnetic

714 Bit Holder, Retaining Ring & Magnetic

| Item | | | | | |
|-------|------|------|-----|------|------|
| No. | Size | Size | mm | Inch | lbs. |
| 71431 | 1/4” | 1/4” | 60 | 2.4 | .05 |
| 71433 | 1/4” | 1/4” | 67 | 2.6 | .05 |
| 71435 | 1/4” | 1/4” | 100 | 3.9 | .07 |
| 71437 | 1/4” | 1/4” | 150 | 5.9 | .11 |
| 71439 | 1/4” | 1/4” | 200 | 7.8 | .13 |
| 71441 | 1/4” | 1/4” | 253 | 10.0 | .16 |

71499 5 Pc. Bit Holder Set In Vinyl Pouch
Includes: 60mm, 100mm, 150mm, 200mm, 253mm



38060 Mini Bit Ratchet & SlimFix Set

Extra fine 72 tooth ratchet, rugged drop forged steel. SlimFix impact rated locking 1/4” bit holder. Accepts 1/4” Bits.


Item No. Includes Phillips: #2
38060 lbs. .28

High Precision Tool Holder



71480 CentroFix Bit Holder

| Item | | | | | | |
|-------|------|------|----|------|------|------|
| No. | Size | Size | mm | Inch | lbs. | pkg. |
| 71480 | 1/4” | 1/4” | 60 | 2.4 | .09 | 1 |



- Narrow Profile
- One handed bit changes
- Internal bit lock mechanism



**71491 ClicFix Bit Holder,
Magnetic For Insert Bits**

| Item | | | | | | |
|-------|------|------|----|------|------|------|
| No. | Size | Size | mm | Inch | lbs. | pkg. |
| 71491 | 1/4” | 1/4” | 75 | 2.9 | .07 | 1 |



**71494 Stainless Steel Bit Holder,
1/4” For Insert Bits**

Internal C-ring for bit holding & magnet.

| Item | | | | | |
|-------|------|------|----|------|------|
| No. | Size | Size | mm | Inch | lbs. |
| 71494 | 1/4” | 1/4” | 54 | 2.1” | .05 |

 **ESD Safe** Bit holders - non-magnetic



For working on static sensitive components

Dissipative material offers protection against electrostatic discharge
Surface resistance of handles is 10⁶ - 10⁹ Ohms

 **ESD Safe Stubby 1/4” Bit Holder With Ring Retainer, Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173** Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10⁶ - 10⁹ Ohm.



| Item | | | | | |
|-------|------|----|------|------|------|
| No. | Inch | mm | Inch | lbs. | pkg. |
| 28180 | 1/4” | 57 | 2.2 | .11 | 1 |

 **ESD Safe Quick Release 1/4” Bit Holder, With Wiha-SoftFinish® Cushion Grip Handle, IEC 61340-5-1, DIN 3126, ISO 1173** Stainless steel with retaining ring bit holder. Dissipative SoftFinish® cushion grip handle, multi-component, ESD Safe surface resistance 10⁶ - 10⁹ Ohm.



| Item | | | | | |
|-------|------|-----|------|------|-----------|
| No. | Inch | mm | Inch | lbs. | pkg. |
| 38701 | 1/4” | 148 | 5.8 | 38 | 1.5 .24 1 |

 Surface resistance of handle is 10⁶ - 10⁹ Ohms



38790 ESD Safe 1/4” Quick Release Blade Holder Set 20 Pc. Set With Interchangeable Blades & Quick Release Blade Holder Extension Blades are CVM tool steel, hardened.

Item No. 38790 lbs. .67

Slotted: 2.5, 3.0, 3.5, 4.0, 5.5, 6.5mm

Phillips: #0, 1, 2

TORX®: T6, T7, T8, T9, T10, T15


Pozidriv®: 0, 1, 2



Micro Bits Made in Germany

Wiha SYSTEM 4 Micro Bits - 10 Bit Packs

CVM steel, hardened, on 4 mm hex stock.



Bits High alloy CVM steel, hardened

Tips Exact fit, precision machined

Use bits directly in handle or with 4" bit extension



756 SYSTEM 4 Hex Metric Micro Bits

| Item | Hex | mm | Inch | lbs. |
|-------|-----|----|------|------|
| No. | mm | mm | Inch | lbs. |
| 75616 | .7 | 28 | 1.1 | .06 |
| 75617 | .9 | 28 | 1.1 | .06 |
| 75618 | 1.3 | 28 | 1.1 | .06 |
| 75619 | 1.5 | 28 | 1.1 | .07 |
| 75620 | 2.0 | 28 | 1.1 | .07 |
| 75621 | 2.5 | 28 | 1.1 | .07 |
| 75622 | 3.0 | 28 | 1.1 | .08 |
| 75623 | 4.0 | 28 | 1.1 | .08 |



756 SYSTEM 4 TORX® Micro Bits

| Item | TORX | mm | Inch | lbs. |
|-------|------|----|------|------|
| No. | Size | mm | Inch | lbs. |
| 75660 | T1 | 28 | 1.1 | .06 |
| 75661 | T2 | 28 | 1.1 | .06 |
| 75662 | T3 | 28 | 1.1 | .06 |
| 75663 | T4 | 28 | 1.1 | .06 |
| 75664 | T5 | 28 | 1.1 | .06 |
| 75665 | T6 | 28 | 1.1 | .06 |
| 75666 | T7 | 28 | 1.1 | .06 |
| 75667 | T8 | 28 | 1.1 | .07 |
| 75668 | T9 | 28 | 1.1 | .07 |
| 75669 | T10 | 28 | 1.1 | .07 |
| 75670 | T15 | 28 | 1.1 | .08 |
| 75671 | T20 | 28 | 1.1 | .08 |



756 SYSTEM 4 Slotted Micro Bits

| Item | Slotted | mm | Inch | lbs. |
|-------|---------|----|------|------|
| No. | mm | mm | Inch | lbs. |
| 75602 | 0.8 | 28 | 1.1 | .06 |
| 75603 | 1.2 | 28 | 1.1 | .06 |
| 75604 | 1.5 | 28 | 1.1 | .06 |
| 75605 | 1.8 | 28 | 1.1 | .06 |
| 75606 | 2.0 | 28 | 1.1 | .07 |
| 75607 | 2.5 | 28 | 1.1 | .07 |
| 75608 | 3.0 | 28 | 1.1 | .07 |
| 75609 | 3.5 | 28 | 1.1 | .07 |
| 75610 | 4.0 | 28 | 1.1 | .08 |



756 SYSTEM 4 Hex Inch Micro Bits

| Item | Hex | Inch | mm | Inch | lbs. |
|-------|------|------|------|------|------|
| No. | Inch | mm | Inch | lbs. | |
| 75628 | .028 | 28 | 1.1 | .06 | |
| 75629 | .035 | 28 | 1.1 | .06 | |
| 75630 | .050 | 28 | 1.1 | .06 | |
| 75631 | 1/16 | 28 | 1.1 | .06 | |
| 75632 | 5/64 | 28 | 1.1 | .06 | |
| 75633 | 3/32 | 28 | 1.1 | .07 | |
| 75634 | 7/64 | 28 | 1.1 | .07 | |
| 75635 | 1/8 | 28 | 1.1 | .07 | |
| 75636 | 9/64 | 28 | 1.1 | .08 | |
| 75637 | 5/32 | 28 | 1.1 | .08 | |



756 SYSTEM 4 Security TORX® Micro Bits

| Item | Security TORX | mm | Inch | lbs. |
|-------|---------------|----|------|------|
| No. | Size | mm | Inch | lbs. |
| 75681 | T10s | 28 | 1.1 | .07 |
| 75683 | T20s | 28 | 1.1 | .08 |



756 SYSTEM 4 Phillips Micro Bits

| Item | Phillips | Size | mm | Inch | lbs. |
|-------|----------|------|------|------|------|
| No. | Size | mm | Inch | lbs. | |
| 75611 | 000 | 28 | 1.1 | .06 | |
| 75612 | 00 | 28 | 1.1 | .06 | |
| 75613 | 0 | 28 | 1.1 | .06 | |
| 75614 | 1 | 28 | 1.1 | .07 | |
| 75615 | 2 | 28 | 1.1 | .07 | |



756 SYS 4 Metric Security Hex Micro Bits

| Item | Metric Security Hex | mm | mm | Inch | lbs. |
|-------|---------------------|----|------|------|------|
| No. | mm | mm | Inch | lbs. | |
| 75624 | 2.0 | 28 | 1.1 | .06 | |
| 75626 | 3.0 | 28 | 1.1 | .07 | |
| 75627 | 4.0 | 28 | 1.1 | .08 | |



756 SYSTEM 4 Inch Nut Setters

| Item No. | Inch | mm | mm | Inch | lbs. |
|----------|------|----|-----|------|------|
| 75644 | 5/64 | 30 | 1.2 | .07 | |
| 75645 | 3/32 | 30 | 1.2 | .07 | |
| 75646 | 7/64 | 30 | 1.2 | .07 | |
| 75647 | 1/8 | 30 | 1.2 | .07 | |
| 75648 | 9/64 | 30 | 1.2 | .08 | |
| 75649 | 5/32 | 30 | 1.2 | .08 | |
| 75650 | 3/16 | 30 | 1.2 | .08 | |
| 75651 | 7/32 | 30 | 1.2 | .09 | |



756 SYSTEM 4 Pentalobe Micro Bits

| Item | Pentalobe | Size | mm | Inch | lbs. |
|-------|-----------|------|------|------|------|
| No. | Size | mm | Inch | lbs. | |
| 75672 | PL1 | 28 | 1.1 | .06 | |
| 75673 | PL2 | 28 | 1.1 | .06 | |
| 75674 | PL3 | 28 | 1.1 | .07 | |
| 75675 | PL4 | 28 | 1.1 | .07 | |
| 75676 | PL5 | 28 | 1.1 | .07 | |



756 SYS 4 Security Hex Inch Micro Bits

| Item | Security Hex Inch | Inch | mm | Inch | lbs. |
|-------|-------------------|------|------|------|------|
| No. | Inch | mm | Inch | lbs. | |
| 75638 | 5/64 | 28 | 1.1 | .06 | |
| 75639 | 3/32 | 28 | 1.1 | .06 | |
| 75641 | 1/8 | 28 | 1.1 | .07 | |



756 SYSTEM 4 Metric Nut Setters

| Item No. | Metric | mm | mm | Inch | lbs. |
|----------|--------|----|-----|------|------|
| 75652 | 2.0 | 30 | 1.2 | .07 | |
| 75653 | 2.5 | 30 | 1.2 | .07 | |
| 75654 | 3.0 | 30 | 1.2 | .07 | |
| 75655 | 3.5 | 30 | 1.2 | .07 | |
| 75656 | 4.0 | 30 | 1.2 | .08 | |
| 75657 | 4.5 | 30 | 1.2 | .08 | |
| 75658 | 5.0 | 30 | 1.2 | .08 | |
| 75659 | 5.5 | 30 | 1.2 | .09 | |

Wiha SYSTEM 4 Micro Bits - On 4mm Hex Stock



75800 SYSTEM 4 Standard Precision Bit

Handle Accepts all SYSTEM 4 Series bits.
110mm/4.3" OAL

| Item | | | | | |
|-------|-----|-------|------|------|------|
| No. | mm | Inch | mm | Inch | lbs. |
| 75800 | 4.0 | .1574 | 14.0 | .55 | .06 |



75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle

110mm/4.3" OAL

Advantages:

- For working in ESD sensitive applications
Surface resistant 10⁶-10⁹ Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

| Item | | | | | |
|-------|-----|-------|------|------|------|
| No. | mm | Inch | mm | Inch | lbs. |
| 75801 | 4.0 | .1574 | 14.0 | .55 | .06 |



758 SYSTEM 4 Inch Nut Setters

CVM steel, hardened, on 4 mm hex stock.

| Item No. | | | | |
|----------|------|----|------|------|
| Inch | mm | mm | Inch | lbs. |
| 75810 | 5/64 | 30 | 1.2 | .01 |
| 75811 | 3/32 | 30 | 1.2 | .01 |
| 75812 | 7/64 | 30 | 1.2 | .01 |
| 75813 | 1/8 | 30 | 1.2 | .01 |
| 75814 | 9/64 | 30 | 1.2 | .01 |
| 75815 | 5/32 | 30 | 1.2 | .01 |
| 75816 | 3/16 | 30 | 1.2 | .01 |
| 75817 | 7/32 | 30 | 1.2 | .01 |



758 SYSTEM 4 Metric Nut Setters

CVM steel, hardened, on 4 mm hex stock.

| Item No. | | | | |
|----------|-----|----|------|------|
| Metric | mm | mm | Inch | lbs. |
| 75820 | 2.0 | 30 | 1.2 | .01 |
| 75821 | 2.5 | 30 | 1.2 | .01 |
| 75822 | 3.0 | 30 | 1.2 | .01 |
| 75823 | 3.5 | 30 | 1.2 | .01 |
| 75824 | 4.0 | 30 | 1.2 | .01 |
| 75825 | 4.5 | 30 | 1.2 | .01 |
| 75826 | 5.0 | 30 | 1.2 | .01 |
| 75827 | 5.5 | 30 | 1.2 | .01 |



750 SYSTEM 4 Slotted Micro Bits

CVM steel, hardened, on 4 mm hex stock.

| Item | | | | |
|-------|-----|----|------|------|
| No. | mm | mm | Inch | lbs. |
| 75008 | 0.8 | 28 | 1.1 | .01 |
| 75012 | 1.2 | 28 | 1.1 | .01 |
| 75015 | 1.5 | 28 | 1.1 | .01 |
| 75018 | 1.8 | 28 | 1.1 | .01 |
| 75020 | 2.0 | 28 | 1.1 | .01 |
| 75025 | 2.5 | 28 | 1.1 | .01 |
| 75030 | 3.0 | 28 | 1.1 | .01 |
| 75035 | 3.5 | 28 | 1.1 | .01 |
| 75040 | 4.0 | 28 | 1.1 | .01 |



751 SYSTEM 4 Phillips Micro Bits

CVM steel, hardened, on 4 mm hex stock.

| Item | | | | |
|-------|------|----|------|------|
| No. | Size | mm | Inch | lbs. |
| 75105 | 000 | 28 | 1.1 | .01 |
| 75110 | 00 | 28 | 1.1 | .01 |
| 75115 | 0 | 28 | 1.1 | .01 |
| 75120 | 1 | 28 | 1.1 | .01 |
| 75125 | 2 | 28 | 1.1 | .01 |



753 SYSTEM 4 Hex Metric Micro Bits

CVM steel, hardened, on 4 mm hex stock.

| Item | | | | |
|-------|-----|----|------|------|
| No. | mm | mm | Inch | lbs. |
| 75307 | .7 | 28 | 1.1 | .01 |
| 75309 | .9 | 28 | 1.1 | .01 |
| 75313 | 1.3 | 28 | 1.1 | .01 |
| 75315 | 1.5 | 28 | 1.1 | .01 |
| 75320 | 2.0 | 28 | 1.1 | .01 |
| 75325 | 2.5 | 28 | 1.1 | .01 |
| 75330 | 3.0 | 28 | 1.1 | .01 |
| 75340 | 4.0 | 28 | 1.1 | .01 |

753 SYSTEM 4 Hex Inch Micro Bits

CVM steel, hardened, on 4 mm hex stock.

| Item | | | | |
|-------|------|----|------|------|
| No. | Inch | mm | Inch | lbs. |
| 75307 | .028 | 28 | 1.1 | .01 |
| 75309 | .035 | 28 | 1.1 | .01 |
| 75313 | .050 | 28 | 1.1 | .01 |
| 75350 | 1/16 | 28 | 1.1 | .01 |
| 75352 | 5/64 | 28 | 1.1 | .01 |
| 75354 | 3/32 | 28 | 1.1 | .01 |
| 75356 | 7/64 | 28 | 1.1 | .01 |
| 75358 | 1/8 | 28 | 1.1 | .01 |
| 75360 | 9/64 | 28 | 1.1 | .01 |
| 75340 | 5/32 | 28 | 1.1 | .01 |



757 SYSTEM 4 TORX® Micro Bits

CVM steel, hardened, on 4 mm stock.

| Item | | | | |
|-------|------|----|------|------|
| No. | Size | mm | Inch | lbs. |
| 75701 | T1 | 28 | 1.1 | .01 |
| 75702 | T2 | 28 | 1.1 | .01 |
| 75703 | T3 | 28 | 1.1 | .01 |
| 75704 | T4 | 28 | 1.1 | .01 |
| 75705 | T5 | 28 | 1.1 | .01 |
| 75706 | T6 | 28 | 1.1 | .01 |
| 75707 | T7 | 28 | 1.1 | .01 |
| 75708 | T8 | 28 | 1.1 | .01 |
| 75709 | T9 | 28 | 1.1 | .01 |
| 75710 | T10 | 28 | 1.1 | .01 |
| 75715 | T15 | 28 | 1.1 | .01 |
| 75720 | T20 | 28 | 1.1 | .01 |



757 SYSTEM 4 Security TORX® Micro Bits

CVM steel, hardened, on 4 mm stock.

| Item | | | | |
|-------|------|----|------|------|
| No. | Size | mm | Inch | lbs. |
| 75735 | T10s | 28 | 1.1 | .01 |
| 75742 | T20s | 28 | 1.1 | .01 |



757 SYSTEM 4 Pentalobe Micro Bits

CVM steel, hardened, on 4 mm hex stock.

| Item | | | | |
|-------|------|----|------|------|
| No. | Size | mm | Inch | lbs. |
| 75743 | PL1 | 28 | 1.1 | .01 |
| 75744 | PL2 | 28 | 1.1 | .01 |
| 75745 | PL3 | 28 | 1.1 | .01 |
| 75746 | PL4 | 28 | 1.1 | .01 |
| 75747 | PL5 | 28 | 1.1 | .01 |
| 75748 | PL6 | 28 | 1.1 | .01 |



753 SYS 4 Metric Security Hex Micro Bits

CVM steel, hardened, on 4 mm hex stock.

| Item | | | | |
|-------|-----|----|------|------|
| No. | mm | mm | Inch | lbs. |
| 75322 | 2.0 | 28 | 1.1 | .01 |
| 75332 | 3.0 | 28 | 1.1 | .01 |
| 75342 | 4.0 | 28 | 1.1 | .01 |

753 SYS 4 Security Hex Inch Micro Bits

| Item | | | | |
|-------|------|----|------|------|
| No. | Inch | mm | Inch | lbs. |
| 75362 | 5/64 | 28 | 1.1 | .01 |
| 75364 | 3/32 | 28 | 1.1 | .01 |
| 75366 | 7/64 | 28 | 1.1 | .01 |
| 75368 | 1/8 | 28 | 1.1 | .01 |
| 75370 | 9/64 | 28 | 1.1 | .01 |
| 75372 | 5/32 | 28 | 1.1 | .01 |

SYSTEM 4 Micro Bit Extension Blades



75900 Extension Blade For SYS 4 Micro Bits
Shaft CVM steel, hardened, corrosion protected.
Ball retainer bit extension for 4mm bits.

| Item | No. | Size | mm | mm | lbs. |
|------|--------------|------|-----|-----|------|
| | 75900 | 4.0 | 100 | 4.0 | .07 |



75901 Magnetic Bit Extension Blade For
SYS 4 Micro Bits Shaft CVM steel, hardened,
corrosion protected. Magnetic bit holder.

| Item | No. | Size | mm | mm | lbs. |
|------|--------------|------|-----|-----|------|
| | 75901 | 4.0 | 100 | 4.0 | .04 |

Micro Bit 4mm To 1/4" Socket Adapter



75806 Micro Bit 4mm to 1/4" Socket
Adapter CVM steel, hardened.

| Item | No. | mm | Inch | lbs. |
|------|--------------|----|-------|------|
| | 75806 | 28 | 1.125 | .02 |

1/4" Drive Micro Bit Tool Adapters



75802 Micro Bit To 1/4" Drive Insert Bit
Adapter magnets to hold 4mm Micro Bits

| Item | No. | Size | mm | mm | lbs. |
|------|--------------|------|----|-----|------|
| | 75802 | 4.0 | 25 | 4.0 | .01 |



75803 Long Micro Bit To 1/4" Drive Insert
Bit Adapter Uses spring clip non-magnetic to
hold 4mm Micro Bits

| Item | No. | Size | mm | mm | lbs. |
|------|--------------|------|----|-----|------|
| | 75803 | 4.0 | 38 | 4.0 | .02 |


Micro Bit 1/4" Drive Power Tool Adapter



75902 Micro Bit 1/4" Drive Power Tool
Adapter Shaft CVM steel, hardened,
corrosion protected. For 4mm bits. 2.3" OAL

| Item | No. | Size | mm | mm | lbs. |
|------|--------------|------|----|-----|------|
| | 75902 | 4.0 | 60 | 4.0 | .07 |

Wiha SYSTEM 4 Micro Bit Replacement Packs On 4mm Hex Stock



75982 SYSTEM 4 Hex Inch Micro Bit
Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.

| Item No. | No. | Hex Inch | lbs. |
|--------------|-------------------------------|--|----------|
| 75982 | SYSTEM 4 Micro Bit Set | Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" | lbs. .06 |




75984 SYSTEM 4 Slotted Micro Bit
Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.

| Item No. | No. | Slotted | lbs. |
|--------------|-------------------------------|--|----------|
| 75984 | SYSTEM 4 Micro Bit Set | Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm | lbs. .06 |


Wiha SYSTEM 4 Micro Bit Replacement Packs On 4mm Hex Stock



75986 SYSTEM 4 Phillips & Pentalobe
Micro Bit Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.


| Item No. | No. | Phillips | Pentalobe | lbs. |
|--------------|-------------------------------|--------------------------|---|----------|
| 75986 | SYSTEM 4 Micro Bit Set | Phillips: #000, 00, 0, 1 | Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6 | lbs. .06 |



75987 SYSTEM 4 Slotted & Phillips
Micro Bit Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.

| Item No. | No. | Slotted | Phillips | lbs. |
|--------------|-------------------------------|------------------------------------|--------------------------|----------|
| 75987 | SYSTEM 4 Micro Bit Set | Slotted: 1.5, 2.0, 2.5, 3.0, 3.5mm | Phillips: #000, 00, 0, 1 | lbs. .06 |




75988 SYSTEM 4 **TORX** Micro Bit
Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.


| Item No. | No. | TORX | lbs. |
|--------------|-------------------------------|---|----------|
| 75988 | SYSTEM 4 Micro Bit Set | TORX: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10 | lbs. .06 |

Wiha SYSTEM 4 Micro Bits & Compact Bit Sets



75996 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. Includes Wiha precision handle, bit extension & 38 interchangeable bits.

| Item | SYSTEM 4 |
|---|---|
| No. | Combination Bit Set |
| 75996 | Set with ESD Safe Precision Handle |
| Set includes the following bits: | |
| ↓ ↻ | Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm |
| ⊕ | Phillips: 000, 00, 0, 1 |
| ⊗ | TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15 |
| ⬡ | Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm |
| ⬢ | Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| ○ | 100mm Bit Extension |
| ↔ | lbs. 1.04 |



75994 SYSTEM 4 Slotted/Phillips/Hex Metric/TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.

Set includes Wiha precision handle, bit extension & 25 Wiha interchangeable bits.


| Item | SYSTEM 4 |
|---|---|
| No. | Combination Bit Set |
| 75994 | Set with ESD Safe Precision Handle |
| Set includes the following bits: | |
| ↓ ↻ | Slotted: 1.5, 2.0, 3.0, 4.0mm |
| ⊕ | Phillips: 000, 00, 0, 1 |
| ⊗ | TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15 |
| ⬡ | Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm |
| ○ | 100mm Bit Extension |
| ↔ | lbs. .64 |



75995 SYS 4 Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box

Sets includes Wiha precision handle, bit extension & 24 Wiha interchangeable bits.

| Item | SYSTEM 4 Micro Bit Set |
|-------|---|
| No. | Set with ESD Safe Precision Handle |
| 75995 | and the following bits: |
| ⊗ | TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10 |
| ⬢ | Pentalobe: PL1, PL2, PL3, PL4, PL5, PL6 |
| ↓ ↻ | Slotted: 1.5, 2.0, 2.5, 3.0mm |
| ⊕ | Phillips: #000, 00, 0, 1 |
| ○ | 100mm Bit Extension |
| ↔ | lbs. .54 |




75999 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26Pc. Wiha precision handle, bit extension & 24 interchangeable bits.

| Item No. | Combination Bit Set |
|---|---|
| 75999 | Set with Standard Precision Handle |
| Set includes the following bits: | |
| ↓ ↻ | Slotted: 1.5, 2.0, 3.0, 4.0mm |
| ⊕ | Phillips: 000, 00, 0, 1 |
| ⬡ | Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm |
| ⬢ | Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| ○ | 100mm Bit Extension |
| ↔ | lbs. .64 |



75395 SYS 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

| Item No. | Combination Bit Set |
|-------------------------------------|---|
| 75395 | Set with Standard Precision Handle |
| Includes the following bits: | |
| ⬡ | Hex Metric: .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm |
| ⬢ | Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| ○ | 100mm Bit Extension |
| ↔ | lbs. .58 |



759 sets SYS 4 Slotted / Phillips / Hex In / TORX® Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, bit extension & 25 Wiha interchangeable bits.

| Item | Handle Options for SYSTEM 4 |
|---|---|
| No. | Combination Bit Sets |
| 75991 | Set with Standard Precision Handle |
| 75992 | Set with ESD Safe Precision Handle |
| Sets include the following bits: | |
| ↓ ↻ | Slotted: 1.5, 2.0, 3.0, 4.0mm |
| ⊕ | Phillips: 000, 00, 0, 1 |
| ⊗ | TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15 |
| ⬢ | Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" |
| ○ | 100mm Bit Extension |
| ↔ | lbs. .64 |

Wiha SYSTEM 4 Micro Bit Sets



75980 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs. Includes Wiha ESD Safe Precision Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 36 Micro Bits.

Item No. SYSTEM 4 Micro Bit Set

75980 Includes The Following Bits:

- † **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- lbs.** .38



75968 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs. Includes Wiha ESD Safe Precision Handle, Micro Bit Storage Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 64 Micro Bits.

Item No. SYSTEM 4 Micro Bit Set

75968 Includes The Following Bits:

- † **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Nut Driver Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Driver Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- lbs.** .70

In Zipper Storage Case



75993 SYSTEM 4 Premium ESD Safe Micro Bit Set, 28 Pcs. Includes Wiha ESD Safe Precision Handle, 1/4" to 4mm Adapter, 100mm Bit Extension, ESD Safe Tweezers & 21 Micro Bits.

Item No. SYSTEM 4 Micro Bit Set

75993 Micro Bits:

- † **Slotted:** 0.8, 1.5, 2.0, 2.5, 3.0, 3.5mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
- ESD Safe Tweezers:**
- 5SA ESD, 7aSA ESD, 2ASA ESD, AASA ESD, OOSA ESD**
- lbs.** .95



75971 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs. Includes Wiha ESD Safe Precision Handle, Micro Bit Storage Handle, 1/4" to 4mm Adapter, 100mm Bit Extension & 64 Micro Bits.

Item No. SYSTEM 4 Micro Bit Set

75971 Includes The Following Bits:

- † **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Nut Driver Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Driver Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- lbs.** .96



75965 SYSTEM 4 Master Tech ESD & Ratchet With Micro Bits, 65 Pieces In Storage Box. Includes Wiha precision ESD Safe handle, micro bit extension, 72 tooth 1/4" ratchet & 62 interchangeable micro bits.

Item Includes the following micro bits:

- No.** **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1
- TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- Hex Metric:** .7, .9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Nut Drivers Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Drivers Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Magnetic 1/4" to 4mm Adapter**



75977 SYSTEM 4 Master Tech Micro Bit Set, 68 Pcs. Includes Wiha ESD Safe Precision Handle, ESD Safe Tweezers, 1/4" to 4mm Adapter, 100mm Bit Extension & 64 Micro Bits.

Item No. SYSTEM 4 Micro Bit Set



75977 Includes The Following Bits:

- Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
- Phillips:** 000, 00, 0, 1, 2
- TORX®:** T1, T2, T3, T4, T5, T6, T7, T8, T9, T10, T15, T20
- Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Pentalobe:** PL1, PL2, PL3, PL4, PL5, PL6
- Nut Driver Metric:** 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5mm
- Nut Driver Inch:** 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32"
- ESD Fine Round Point Tweezers 3cSA**

Technician's Micro Bit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Surface resistance of handles is 10⁶ - 10⁹ Ohms



Micro Bit Handle Storage Sets

Micro precision bits on 4mm hex drive



75093 SYSTEM 4 Slotted, Phillips, TORX® Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set


75093 Set with ESD Safe Precision Handle

● **Slotted:** 1.5, 2.0, 2.5, 3.0mm

↔ ● **Phillips:** 00, 0, 1

lbs. ● **TORX®:** T6, T7, T8, T9, T10, T15, T20

.17 ○ **100mm Bit Extension**



75096 SYSTEM 4 Hex Inch & Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set


75096 Set with ESD Safe Precision Handle

● **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↔ ● **Hex Metric:** .9, 1.3, 1.5, 2.0,

lbs. 2.5, 3.0, 4.0mm

.17 ○ **100mm Bit Extension**



75094 SYS 4 Slotted, Phillips, Hex Inch Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75094 Set with ESD Safe Precision Handle

● **Slotted:** 1.5, 2.0, 2.5, 3.0mm

● **Phillips:** 00, 0, 1

↔ ● **Hex Inch:** .035, .050, 1/16, 5/64,

lbs. 3/32, 7/64, 1/8"

.17 ○ **100mm Bit Extension**



75097 SYS 4 Slotted, Phillips & 5Point Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75097 Set with ESD Safe Precision Handle

● **Slotted:** 1.2, 1.5, 2.0, 2.5, 3.0mm

↔ ● **Phillips:** 000, 00, 0, 1, 2

lbs. ● **Pentalobe:** PL1, PL2, PL3, PL4

.17 ○ **100mm Bit Extension**



75095 SYS 4 Slotted, Phillips, Hex Metric Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75095 Set with ESD Safe Precision Handle


↑ ● **Slotted:** 1.5, 2.0, 2.5, 3.0mm

● **Phillips:** 00, 0, 1

↔ ● **Hex Metric:** .9, 1.3, 1.5, 2.0,

lbs. 2.5, 3.0, 4.0mm


.17 ○ **100mm Bit Extension**



91109 Black Cartridge Holder

Holds 14 Micro bits 4mm. 1" OAL

| Item No. | mm | mm | lbs. |
|----------|-----|------|------|
| 91109 | 4.0 | 25.4 | .01 |



75981 Micro Bit Handle Storage Slotted & Phillips Bit Set, 7 Pcs. Wiha precision storage handle & 6 interchangeable bits.

Item No. Set with Precision Storage Handle

75981 ● **Slotted:** 1.2, 1.5, 2.0mm

lbs. .12 ● **Phillips:** 000, 00, 0



75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs. Wiha precision storage handle & 6 interchangeable bits.

Item No. Set with Precision Storage Handle

75983 ● **Hex Inch:** .050, 1/16, 5/64,

lbs. .12 3/32, 7/64, 1/8"



75985 Micro Bit Handle Storage TORX® Bit Set, 7 Pcs. Wiha precision storage handle & 6 interchangeable bits.

Item No. Set with Precision Storage Handle

75985 ● **TORX®:** T3, T4, T5, T6, T7, T8

↔ lbs. .12



75805 SYS 4 Micro Bit Storage Handle

Accepts SYS 4 Series bits. 108mm/4.25" OAL

Item No. ○ ○ ↔

No. mm Inch lbs.

75805 4.0 .1574 .05





Wiha Inch & Metric Nut Setters



704 Inch Color Coded Hex Inch Nut Setter With Permanent Industrial Magnets

| Item No. | Size | mm | lbs. |
|----------|-------|-----|------|
| 70480 | 1/4" | 152 | .20 |
| 70481 | 5/16" | 152 | .20 |
| 70482 | 3/8" | 152 | .21 |
| 70483 | 7/16" | 152 | .22 |
| 70484 | 1/2" | 152 | .28 |
| 70485 | 9/16" | 152 | .30 |

High visibility color coded for fast selection
Rugged corrosion resistant black oxide finish

70486 6 pc. Color Coded Hex Inch Nut Setter Set Powerful magnet for secure holding of fasteners. 6"/152mm OAL

| Item No. | lbs. | Set includes |
|----------|------|--|
| 70486 | 1.18 | 1/4" R, 5/16" Y, 3/8" Bl 7/16" Br, 1/2" O, 9/16" Bk |

Magnetic 1/4"



704 Metric Nut Setters Standard With Permanent Industrial Magnet, 1/4" Hex Metric Nut Setters

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 70437 | 5.0 | 55 | .04 |
| 70438 | 5.5 | 55 | .05 |
| 70440 | 6.0 | 55 | .05 |
| 70442 | 7.0 | 55 | .05 |
| 70445 | 8.0 | 55 | .05 |
| 70448 | 10.0 | 55 | .06 |
| 70450 | 13.0 | 55 | .07 |



704 Nut Setters Standard. 1/4" Hex Inch Permanent industrial magnet.

| Item No. | Length | mm | lbs. |
|----------|--------|-----|------|
| 70462 | 2.5" | 65 | .06 |
| 70463 | 4.0" | 102 | .10 |
| 70464 | 6.0" | 152 | .15 |
| 70466 | 12.0" | 305 | .27 |



704 Nut Setters Standard. 5/16" Hex Inch Permanent industrial magnet.

| Item No. | Length | mm | lbs. |
|----------|--------|-----|------|
| 70468 | 2.5" | 65 | .07 |
| 70469 | 4.0" | 102 | .12 |
| 70470 | 6.0" | 152 | .17 |
| 70472 | 12.0" | 305 | .28 |



704 Nut Setters Standard. 3/8" Hex Inch Permanent industrial magnet.

| Item No. | Length | mm | lbs. |
|----------|--------|-----|------|
| 70474 | 2.5" | 65 | .08 |
| 70476 | 4.0" | 102 | .14 |
| 70477 | 6.0" | 152 | .18 |
| 70479 | 12.0" | 305 | .41 |

Non Magnetic




704 Nut Setters Standard. 1/4" Hex Inch

| Item No. | Size | mm | lbs. |
|----------|------|----|------|
| 70424 | 1/4 | 55 | .05 |
| 70427 | 5/16 | 55 | .05 |
| 70430 | 3/8 | 55 | .06 |



70494 3 pc. Hex Metric Nut Setter Set Permanent industrial magnet. 55mm OAL Hex Metric Nut Setters.

| Item No. | lbs. | Set includes |
|----------|------|-----------------|
| 70494 | .21 | 7, 8, 10 x 55mm |



70490 3 pc. Hex Inch Nut Setter Set Permanent industrial magnet. 65mm OAL Hex Inch Nut Setters.

| Item No. | lbs. | Set includes |
|----------|------|-----------------------|
| 70490 | .25 | 1/4, 5/16, 3/8 x 2.5" |



70491 3 pc. Hex Inch Nut Setter Set Permanent industrial magnet. 102mm OAL

| Item No. | lbs. | Set includes |
|----------|------|---|
| 70491 | .39 | the following: 1/4, 5/16, 3/8 x 4.0" |



70492 3 pc. Hex Inch Nut Setter Set Permanent industrial magnet. 152mm OAL

| Item No. | lbs. | Set includes |
|----------|------|---|
| 70492 | .54 | the following: 1/4, 5/16, 3/8 x 6.0" |



70493 3 pc. Hex Inch Nut Setter Set Permanent industrial magnet. 305mm OAL

| Item No. | lbs. | Set includes |
|----------|------|--|
| 70493 | 1.03 | the following: 1/4, 5/16, 3/8 x 12.0" |



Canvas Belt Clip Pouch



74990 19 Pc. Quick Change Bit Belt Pack Set, Includes: 1/4" SlimFix bit holder and the following 1/4" bits and Nut Setters:

- Slotted - Power: 4.5, 5.5, 6.5mm x 50mm
- ⊕ Phillips - Power: #1, #2, #3 x 50mm
- Square - Power: #1, #2, #3 x 50mm
- ⊛ Torx® - Insert: T10, T15, T20, T25, T27, T30 x 25mm
- Nut Setters-Power: 1/4, 5/16, 3/8" Magnetic lbs. .93

Wiha TORX®, TORXPlus® & Security TORX® Bit Sockets



Set Screw Replaceable Bits

761 TORX® Sockets 1/4" Square Drive

| Item | No. | Size | mm | lbs. |
|------|-------|------|----|------|
| | 76106 | T6 | 38 | .04 |
| | 76107 | T7 | 38 | .04 |
| | 76109 | T8 | 38 | .04 |
| | 76111 | T9 | 38 | .04 |
| | 76113 | T10 | 38 | .04 |
| | 76117 | T15 | 38 | .04 |
| | 76119 | T20 | 38 | .04 |
| | 76121 | T25 | 38 | .04 |
| | 76123 | T27 | 38 | .04 |
| | 76129 | T30 | 38 | .05 |
| | 76131 | T40 | 38 | .05 |



763 TORX® Sockets 3/8" Square drive, Set screw replaceable bit. 1/4" bits.

| Item | No. | Size | mm | lbs. |
|------|-------|------|----|------|
| | 76312 | T9 | 42 | .09 |
| | 76314 | T10 | 42 | .09 |
| | 76316 | T15 | 42 | .09 |
| | 76318 | T20 | 42 | .09 |
| | 76322 | T25 | 42 | .09 |
| | 76324 | T27 | 42 | .09 |
| | 76326 | T30 | 42 | .09 |
| | 76328 | T40 | 42 | .09 |



763 TORX® Sockets 3/8" Square drive, Set screw replaceable bit. 5/16" bits. 2" OAL

| Item | No. | Size | mm | lbs. |
|------|-------|------|----|------|
| | 76346 | T40 | 51 | .11 |
| | 76348 | T45 | 51 | .11 |
| | 76352 | T50 | 51 | .11 |
| | 76354 | T55 | 51 | .13 |

1/2" Square Drive Sockets



Set Screw Replaceable Bits

764 TORX® Sockets 1/2" Square Drive

| Item | No. | Size | mm | lbs. | pkg. |
|------|-------|------|----|------|------|
| | 76403 | T30 | 59 | .10 | 1 |
| | 76404 | T40 | 59 | .10 | 1 |
| | 76405 | T45 | 59 | .10 | 1 |
| | 76406 | T50 | 59 | .10 | 1 |
| | 76407 | T55 | 59 | .11 | 1 |



Set Screw Replaceable Bits

763 Security TORX® Sockets

3/8" Square drive, 5/16" bits.

| Item | No. | Size | mm |
|------|-------|------|----|
| | 76339 | T40s | 51 |
| | 76340 | T45s | 51 |
| | 76341 | T50s | 51 |
| | 76342 | T55s | 51 |



Set Screw Replaceable Bits

763 Security TORX® Sockets

1/4" Square drive, 1/4" bits.

| Item | No. | Size | mm |
|------|-------|------|----|
| | 76330 | T8s | 38 |
| | 76331 | T9s | 38 |
| | 76332 | T10s | 38 |
| | 76333 | T15s | 38 |
| | 76334 | T20s | 38 |
| | 76335 | T25s | 38 |
| | 76336 | T27s | 38 |
| | 76337 | T30s | 38 |
| | 76338 | T40s | 38 |



Set Screw Replaceable Bits

701 Security TORX® Sockets

3/8" Square drive, 1/4" bits. 2" OAL

| Item | No. | Size | mm | lbs. |
|------|-------|------|----|------|
| | 70107 | T7s | 42 | .09 |
| | 70108 | T8s | 42 | .09 |
| | 70109 | T9s | 42 | .09 |
| | 70110 | T10s | 42 | .09 |
| | 70113 | T15s | 42 | .09 |
| | 70115 | T20s | 42 | .09 |
| | 70117 | T25s | 42 | .09 |
| | 70119 | T27s | 42 | .09 |
| | 70121 | T30s | 42 | .09 |
| | 70123 | T40s | 42 | .09 |



716 TORXPlus® Sockets 1/4" Square Drive, Set Screw Replaceable Bit. 1/4" bits

| Item | No. | Size | mm | lbs. |
|------|-------|------|----|------|
| | 71661 | IP6 | 38 | .04 |
| | 71662 | IP7 | 38 | .04 |
| | 71663 | IP8 | 38 | .04 |
| | 71664 | IP9 | 38 | .04 |
| | 71665 | IP10 | 38 | .04 |
| | 71666 | IP15 | 38 | .04 |
| | 71667 | IP20 | 38 | .04 |
| | 71668 | IP25 | 38 | .04 |
| | 71669 | IP27 | 38 | .04 |
| | 71670 | IP30 | 38 | .04 |
| | 71671 | IP40 | 38 | .04 |



716 TORXPlus® Sockets 3/8" Square Drive, Set Screw Replaceable Bit. 1/4" bits

| Item | No. | Size | mm | lbs. |
|------|-------|------|----|------|
| | 71674 | IP10 | 42 | .09 |
| | 71675 | IP15 | 42 | .09 |
| | 71678 | IP27 | 42 | .09 |
| | 71680 | IP30 | 42 | .09 |
| | 71681 | IP40 | 42 | .09 |

1/2" Square Drive Sockets



Set Screw Replaceable Bits

764 Slotted Bit Sockets 1/2" Square Drive

| Item | No. | mm | mm | lbs. | pkg. |
|------|-------|----|----|------|------|
| | 76417 | 8 | 59 | .12 | 1 |
| | 76418 | 10 | 59 | .12 | 1 |
| | 76419 | 12 | 59 | .12 | 1 |



Set Screw Replaceable Bits

764 Phillips Bit Sockets 1/2" Square Drive

| Item | No. | Size | mm | lbs. | pkg. |
|------|-------|------|----|------|------|
| | 76422 | 2 | 59 | .15 | 1 |
| | 76423 | 3 | 59 | .15 | 1 |
| | 76424 | 4 | 59 | .15 | 1 |

Hex Inch/Metric Bit Sockets



713 Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item | | | |
|-------|------|----|------|
| No. | Inch | mm | lbs. |
| 71371 | 1/16 | 38 | .05 |
| 71370 | 5/64 | 38 | .05 |
| 71372 | 3/32 | 38 | .05 |
| 71374 | 7/64 | 38 | .05 |
| 71376 | 1/8 | 38 | .05 |
| 71378 | 9/64 | 38 | .05 |
| 71380 | 5/32 | 38 | .05 |
| 71382 | 3/16 | 38 | .05 |
| 71384 | 7/32 | 38 | .05 |
| 71386 | 1/4 | 38 | .05 |



713 Hex Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

| Item | | | |
|-------|------|----|------|
| No. | Inch | mm | lbs. |
| 71375 | 1/8 | 42 | .09 |
| 71377 | 9/64 | 42 | .09 |
| 71379 | 5/32 | 42 | .09 |
| 71381 | 3/16 | 42 | .09 |
| 71383 | 7/32 | 42 | .09 |
| 71385 | 1/4 | 42 | .09 |
| 71388 | 5/16 | 42 | .10 |
| 71390 | 3/8 | 42 | .10 |



713 Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item | | | |
|-------|------|----|------|
| No. | mm | mm | lbs. |
| 71301 | 1.5 | 38 | .04 |
| 71302 | 2.0 | 38 | .04 |
| 71305 | 2.5 | 38 | .04 |
| 71313 | 3.0 | 38 | .04 |
| 71314 | 4.0 | 38 | .04 |
| 71317 | 5.0 | 38 | .05 |
| 71319 | 6.0 | 38 | .05 |
| 71327 | 8.0 | 38 | .05 |
| 71340 | 10.0 | 38 | .05 |



713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item | | | |
|-------|------|----|------|
| No. | mm | mm | lbs. |
| 71300 | 2.0 | 42 | .09 |
| 71316 | 2.5 | 42 | .09 |
| 71341 | 3.0 | 42 | .09 |
| 71331 | 4.0 | 42 | .09 |
| 71323 | 5.0 | 42 | .09 |
| 71325 | 6.0 | 42 | .09 |
| 71320 | 8.0 | 42 | .10 |
| 71322 | 10.0 | 42 | .11 |



713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

| Item | | | |
|-------|------|----|------|
| No. | mm | mm | lbs. |
| 71332 | 12.0 | 75 | .22 |



761 Security Hex Inch Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item | | | |
|-------|------|----|------|
| No. | Inch | mm | lbs. |
| 76164 | 5/64 | 42 | .09 |
| 76165 | 3/32 | 42 | .09 |
| 76166 | 7/64 | 42 | .09 |
| 76167 | 1/8 | 42 | .09 |
| 76168 | 9/64 | 42 | .09 |
| 76169 | 5/32 | 42 | .09 |
| 76170 | 3/16 | 42 | .09 |
| 76171 | 7/32 | 42 | .09 |
| 76172 | 1/4 | 42 | .09 |



761 Security Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item | | | |
|-------|-----|----|------|
| No. | mm | mm | lbs. |
| 76132 | 2.0 | 42 | .09 |
| 76133 | 2.5 | 42 | .09 |
| 76134 | 3.0 | 42 | .09 |
| 76135 | 4.0 | 42 | .09 |
| 76136 | 5.0 | 42 | .09 |
| 76137 | 6.0 | 42 | .09 |
| 76138 | 8.0 | 42 | .09 |

Wiha Ball End Hex Inch & Metric Bit Sockets



717 Ball End Hex Inch Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item | | | |
|-------|------|----|------|
| No. | Inch | mm | lbs. |
| 71761 | 3/32 | 38 | .05 |
| 71762 | 7/64 | 38 | .05 |
| 71763 | 1/8 | 38 | .05 |
| 71764 | 9/64 | 38 | .05 |
| 71765 | 5/32 | 38 | .05 |
| 71766 | 3/16 | 38 | .05 |
| 71767 | 7/32 | 38 | .05 |
| 71768 | 1/4 | 38 | .05 |



717 Ball End Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

| Item | | | |
|-------|-----|----|------|
| No. | mm | mm | lbs. |
| 71771 | 1.5 | 51 | .11 |
| 71772 | 2.0 | 51 | .11 |
| 71773 | 2.5 | 51 | .11 |
| 71774 | 3.0 | 51 | .11 |
| 71775 | 4.0 | 51 | .11 |
| 71776 | 5.0 | 51 | .12 |
| 71777 | 6.0 | 51 | .12 |

Socket Adapters



721 Hex To Square 1/4" socket bit adapter.

| Item | | | | |
|-------|------|----|-------|------|
| No. | Size | mm | Drive | lbs. |
| 72110 | 1/4" | 25 | 1/4" | .03 |
| 72115 | 1/4" | 30 | 3/8" | .05 |







724 Tool Shaft 1/4" drive socket power adapter.

| Item | | | | |
|-------|-------|-----|-------|------|
| No. | Drive | mm | Drive | lbs. |
| 72401 | 1/4" | 100 | 1/4" | .09 |
| 72405 | 1/4" | 50 | 1/4" | .03 |
| 72410 | 1/4" | 100 | 3/8" | .17 |
| 72415 | 1/4" | 50 | 3/8" | .06 |

Wiha Bit Holding Socket Replacements







72014 1/4" Drive Bit Holding Socket With Retaining Ring For 1/4" drive bits.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Bit | mm | Drive | lbs. |
| 72014 | 1/4" | 25 | 1/4" | .04 |







72038 3/8" Drive Bit Holding Socket With Retaining Ring For 1/4" drive bits.

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Bit | mm | Drive | lbs. |
| 72038 | 1/4" | 25 | 3/8" | .08 |

Wiha Long Blade Sockets & Sets







771 Hex Inch Sockets
1/4" Drive 6" Long Bit Socket

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | Inch | lbs. | |
| 77128 | 3/32 | 6 | .12 | |
| 77130 | 7/64 | 6 | .12 | |
| 77132 | 1/8 | 6 | .12 | |
| 77134 | 9/64 | 6 | .12 | |
| 77136 | 5/32 | 6 | .12 | |
| 77138 | 3/16 | 6 | .12 | |
| 77139 | 7/32 | 6 | .12 | |
| 77141 | 1/4 | 6 | .12 | |

77191 8 Pc. Hex Inch Socket Blade Set
Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"  wt. .97







771 Hex Inch Sockets
3/8" Drive 6" Long Bit Socket

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | Inch | lbs. | |
| 77165 | 3/32 | 6 | .12 | |
| 77167 | 7/64 | 6 | .12 | |
| 77169 | 1/8 | 6 | .12 | |
| 77171 | 9/64 | 6 | .12 | |
| 77173 | 5/32 | 6 | .12 | |
| 77175 | 3/16 | 6 | .12 | |
| 77177 | 7/32 | 6 | .12 | |
| 77179 | 1/4 | 6 | .12 | |







771 Hex Metric Sockets
3/8" Drive 6" Long Bit Socket

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Inch | Inch | lbs. | |
| 77180 | 2.5 | 6 | .12 | |
| 77182 | 3.0 | 6 | .12 | |
| 77184 | 4.0 | 6 | .12 | |
| 77186 | 5.0 | 6 | .12 | |
| 77188 | 6.0 | 6 | .12 | |

Impact Bit Holding Sockets







720 Impact Bit Holding Socket With Retaining Ring For 5/16" drive bits.


| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Bit | mm | Drive | lbs. |
| 72004 | 5/16" | 25 | 1/4" | .04 |
| 72005 | 5/16" | 30 | 3/8" | .04 |
| 72006 | 5/16" | 35 | 1/2" | .04 |

Wiha Long Blade Sockets & Sets







771 Hex Metric Sockets
1/4" Drive 6" Long Bit Socket


| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | mm | Inch | lbs. | |
| 77140 | 2.5 | 6 | .12 | |
| 77142 | 3.0 | 6 | .12 | |
| 77144 | 4.0 | 6 | .12 | |
| 77146 | 5.0 | 6 | .12 | |
| 77148 | 6.0 | 6 | .12 | |

77192 5 Pc. Hex Metric Socket Blade Set
Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm  lbs. .51







771 TORX Sockets
1/4" Drive 6" Long Bit Socket

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | Inch | lbs. | |
| 77151 | T8 | 6 | .12 | |
| 77153 | T9 | 6 | .12 | |
| 77152 | T10 | 6 | .12 | |
| 77154 | T15 | 6 | .12 | |
| 77156 | T20 | 6 | .12 | |
| 77158 | T25 | 6 | .12 | |
| 77160 | T27 | 6 | .12 | |
| 77162 | T30 | 6 | .12 | |
| 77164 | T40 | 6 | .12 | |

77193 7 Pc. TORX Socket Blade Set
TORX: T10, T15, T20, T25, T27, T30, T40  wt. .69







72040 3/8" Drive Bit Holding Socket With Retaining Ring For 5/16" drive bits.


| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Bit | mm | Drive | lbs. |
| 72040 | 5/16" | 25 | 3/8" | .08 |

Impact Bit Holding Sockets






720 Impact Bit Holding Socket With Retaining Ring For 1/4" drive insert bits.


| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Bit | mm | Drive | lbs. |
| 72001 | 1/4" | 25 | 1/4" | .05 |
| 72002 | 1/4" | 30 | 3/8" | .10 |
| 72003 | 1/4" | 35 | 1/2" | .21 |

72090 3 Piece Bit Holding Socket Set
for use with 1/4" insert bits
Drive:  lbs.
1/4", 3/8", 1/2" .40




771 TORX Sockets
3/8" Drive 6" Long Bit Socket

| Item |  |  |  |  |
|-------|---|---|---|---|
| No. | Size | Inch | lbs. | |
| 77101 | T8 | 6 | .12 | |
| 77103 | T9 | 6 | .12 | |
| 77105 | T10 | 6 | .12 | |
| 77107 | T15 | 6 | .12 | |
| 77109 | T20 | 6 | .12 | |
| 77111 | T25 | 6 | .12 | |
| 77113 | T27 | 6 | .12 | |
| 77115 | T30 | 6 | .12 | |
| 77117 | T40 | 6 | .12 | |

77195 9 Pc. TORX Socket Blade Set
TORX: T8, T9, T10, T15, T20, T25, T27, T30, T40  wt. 1.08



77198 22 Pc. Hex & TORX Long Blade Socket Set, 1/4" Drive
Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm
TORX: T8, T9, T10, T15, T20, T25, T27, T30, T40  lbs. 2.82

Notes:


Blank lined area for notes.

Wiha Socket Sets On Molded Rails



76194 6 pc. **TORX**® Socket Set
1/4" Square Drive Replaceable Bit Socket.
Bits CVM tool steel.

| Item No. | lbs. | Set includes the following: |
|----------|------|------------------------------|
| 76194 | .20 | T10, T15, T20, T25, T27, T30 |



76490 6 pc. **TORX**® Socket Set
1/2" Square Drive Replaceable Bit Socket.
Bits CVM tool steel.

| Item No. | lbs. | Set includes the following: |
|----------|------|------------------------------|
| 76490 | 1.06 | T30, T40, T45, T50, T55, T60 |



76395 8 pc. **TORX**® Socket Set
3/8" Square Drive Replaceable Bit Socket.
Bits CVM tool steel. OAL 1.5"

| Item No. | lbs. | Set includes the following: |
|----------|------|---------------------------------------|
| 76395 | .75 | T9, T10, T15, T20, T25, T27, T30, T40 |



76396 8 pc. **TORX**® Socket Set
3/8" Square Drive Replaceable Bit Socket.
1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

| Item No. | lbs. | Set includes the following: |
|----------|------|--|
| 76396 | .84 | 1/4": T20, T25, T27, T30, T40, 5/16": T45, T50, T55 |



71698 8 pc. **TORXPlus**® Socket Set On Rail, In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel.

| Item No. | lbs. | Set includes the following: |
|----------|------|---|
| 71698 | .60 | 1/4": IP9, IP10, IP15, IP20 3/8": IP25, IP27, IP30, IP40 |



76397 9 pc. **Security TORX**® Socket Set
1/4" & 3/8" Sq. Drive Replaceable Bit Socket.
1/4" & 5/16" Bits CVM tool steel.

| Item No. | lbs. | Set includes the following: |
|----------|------|---|
| 76397 | .85 | 1/4": T10s, T15s, T20s, T25s, T27s, T30s 3/8": T40s (1/4" bit) 3/8": T45s, T50s (5/16" bit) |



76399 12 pc. **Security TORX**® Socket Set
1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

| Item No. | lbs. | Set includes the following: |
|----------|------|---|
| 76399 | .80 | 1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s 5/16": T45s, T50s, T55s |

Wiha Socket Sets On Molded Rails



71798 8 Pc. Ball End Hex Inch Socket Set
1/4" Square Drive Replaceable Bit Socket.
1/4" Bits CVM tool steel.

Item No. ↕↔

71798 lbs. **Set includes the following:**
.80 3/32, 7/64, 1/8, 9/64, 5/32,
3/16, 7/32, 1/4"



71393 5 Piece Hex Inch Socket Set
3/8" Square Drive Replaceable Bit Socket.
1/4" Bits CVM tool steel.

Item No. ↕↔

71393 lbs. **Set includes the following:**
.54 Hex Inch: 1/8, 3/16, 1/4,
5/16, 3/8"



71999 9 Pc. Security Hex Inch Socket Set
3/8" Square Drive Replaceable Bit Socket.
1/4" Bits CVM tool steel.

Item No. ↕↔

71999 lbs. **Set includes the following:**
.86 Inch: 5/64, 3/32, 7/64, 1/8,
9/64, 5/32, 3/16, 7/32, 1/4"



71398 7 Pc. Ball End Hex Inch Socket Set
1/4" Square Drive Replaceable Bit Socket.
1/4" Bits CVM tool steel.

Item No. ↕↔

71398 lbs. **Set Includes:** 3/32, 1/8,
.48 9/64, 5/32, 3/16, 7/32, 1/4"



71394 5 Piece Hex Metric Socket Set
3/8" Square Drive Replaceable Bit Socket.
1/4" Bits CVM tool steel.

Item No. ↕↔

71394 lbs. **Set includes the following:**
.56 Hex Metric: 4.0, 5.0, 6.0,
8.0, 10.0mm



71989 7 Pc. Security Hex Metric Socket Set
3/8" Square Drive Replaceable Bit Socket.
1/4" Bits CVM tool steel.

Item No. ↕↔

71989 lbs. **Set includes the following:**
.72 Metric: 2.0, 2.5, 3.0, 4.0,
5.0, 6.0, 8.0mm

Wiha Universal Socket Rail System



91095 Universal Rail For 1/4, 3/8 and 1/2" Sockets Select any combination of socket drive sizes. Socket snaps firmly into place for a secure hold. Clips required.

| Item No. | lbs. | pkg. | lbs. |
|----------|------|------|------|
| 91095 | .057 | 1 | .06 |



91110 Replacement 1/4" Clips For The Universal Socket Rail Package of 10 pieces.

Item No. ↕↔ lbs.
91110 .03



91112 Replacement 3/8" Clips For The Universal Socket Rail Package of 10 pieces.

Item No. ↕↔ lbs.
91112 .03



91114 Replacement 1/2" Clips For The Universal Socket Rail Package of 10 pieces.

Item No. ↕↔ lbs.
91114 .05



71797 7 Pc. Ball End Hex Metric Socket Set
1/4" Square Drive Replaceable Bit Socket.
1/4" Bits CVM tool steel.

Item No. ↕↔

71797 lbs. **Set includes the following:**
.72 Hex Metric: 1.5, 2.0, 2.5, 3.0,
4.0, 5.0, 6.0mm



71996 9 Piece Hex Metric Socket Set
1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No. ↕↔

71996 lbs. **Set includes the following:**
.66 1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm
3/8": 5.0, 6.0, 8.0, 10.0mm



71392 8 Piece Hex Inch Socket Set
3/8" Square Drive Replaceable Bit Socket.
1/4" Bits CVM tool steel. OAL 1.65"

Item No. ↕↔

71392 lbs. **Set includes the following:**
.78 1/8, 9/64, 5/32, 3/16,
7/32, 1/4, 5/16, 3/8"


| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|-------|----------|------|
| 28103 | 42 | 70156 | 14 | 70564 | 14 | 71315 | 21 | 71431 | 43 | 71603 | 16 |
| 28180 | 43 | 70157 | 14 | 70565 | 14 | 71316 | 52 | 71433 | 43 | 71604 | 16 |
| 28489 | 42 | 70158 | 14 | 70566 | 14 | 71317 | 52 | 71435 | 43 | 71605 | 16 |
| 28589 | 41 | 70159 | 14 | 70567 | 14 | 71318 | 21 | 71437 | 43 | 71606 | 16 |
| 28590 | 41 | 70160 | 14 | 70568 | 14 | 71319 | 52 | 71439 | 43 | 71607 | 16 |
| 28593 | 41 | 70163 | 14 | 71001 | 26 | 71320 | 52 | 71441 | 43 | 71608 | 16 |
| 28595 | 41 | 70168 | 14 | 71002 | 26 | 71321 | 21 | 71452 | 20 | 71609 | 16 |
| 35512 | 30 | 70175 | 23 | 71003 | 26 | 71322 | 52 | 71453 | 20 | 71610 | 16 |
| 35516 | 30 | 70190 | 15 | 71004 | 26 | 71323 | 52 | 71455 | 20 | 71615 | 16 |
| 38003 | 12 | 70416 | 12 | 71010 | 31 | 71324 | 21 | 71456 | 20 | 71620 | 16 |
| 38006 | 40 | 70424 | 50 | 71013 | 31 | 71325 | 52 | 71464 | 20 | 71625 | 16 |
| 38009 | 15 | 70427 | 50 | 71020 | 31 | 71326 | 21 | 71465 | 20 | 71627 | 16 |
| 38014 | 24 | 70430 | 50 | 71021 | 31 | 71327 | 52 | 71466 | 20 | 71630 | 16 |
| 38025 | 42 | 70437 | 50 | 71023 | 31 | 71328 | 21 | 71474 | 42 | 71631 | 16 |
| 38032 | 34 | 70438 | 50 | 71030 | 26 | 71329 | 21 | 71475 | 42 | 71632 | 16 |
| 38033 | 40 | 70440 | 50 | 71031 | 26 | 71330 | 21 | 71476 | 42 | 71633 | 16 |
| 38035 | 34 | 70442 | 50 | 71032 | 26 | 71331 | 52 | 71477 | 42 | 71634 | 16 |
| 38041 | 34 | 70445 | 50 | 71035 | 26 | 71332 | 52 | 71478 | 42 | 71635 | 16 |
| 38042 | 15 | 70448 | 50 | 71036 | 26 | 71333 | 21 | 71479 | 42 | 71636 | 16 |
| 38043 | 34 | 70450 | 50 | 71051 | 27 | 71336 | 21 | 71480 | 30,43 | 71637 | 16 |
| 38044 | 12 | 70462 | 50 | 71052 | 27 | 71339 | 21 | 71491 | 43 | 71638 | 16 |
| 38045 | 12 | 70463 | 50 | 71053 | 27 | 71340 | 52 | 71492 | 42 | 71639 | 16 |
| 38046 | 15 | 70464 | 50 | 71054 | 27 | 71341 | 52 | 71493 | 42 | 71640 | 16 |
| 38047 | 15 | 70466 | 50 | 71056 | 18 | 71342 | 21 | 71494 | 43 | 71641 | 16 |
| 38048 | 34 | 70468 | 50 | 71090 | 39 | 71343 | 23 | 71496 | 43 | 71642 | 16 |
| 38049 | 24 | 70469 | 50 | 71095 | 38 | 71345 | 21 | 71499 | 43 | 71643 | 16 |
| 38050 | 34 | 70470 | 50 | 71100 | 18 | 71346 | 23 | 71505 | 10 | 71644 | 16 |
| 38051 | 34 | 70472 | 50 | 71101 | 18 | 71348 | 21 | 71506 | 10 | 71645 | 16 |
| 38056 | 25 | 70474 | 50 | 71102 | 18 | 71349 | 23 | 71507 | 10 | 71648 | 17 |
| 38057 | 24 | 70476 | 50 | 71103 | 18 | 71351 | 21 | 71508 | 10 | 71650 | 17 |
| 38058 | 24 | 70477 | 50 | 71107 | 19 | 71352 | 23 | 71509 | 10 | 71652 | 17 |
| 38060 | 43 | 70479 | 50 | 71112 | 31 | 71353 | 21 | 71510 | 10 | 71654 | 17 |
| 38450 | 42 | 70480 | 50 | 71125 | 18 | 71354 | 23 | 71515 | 10 | 71656 | 17 |
| 38460 | 42 | 70481 | 50 | 71126 | 19 | 71356 | 21 | 71520 | 10 | 71657 | 17 |
| 38490 | 40 | 70482 | 50 | 71130 | 43 | 71359 | 21 | 71523 | 10 | 71658 | 17 |
| 38600 | 42 | 70483 | 50 | 71131 | 43 | 71360 | 21 | 71524 | 10 | 71660 | 17 |
| 38701 | 43 | 70484 | 50 | 71132 | 18 | 71361 | 21 | 71525 | 10 | 71661 | 51 |
| 38790 | 43 | 70485 | 50 | 71139 | 43 | 71362 | 21 | 71527 | 10 | 71662 | 51 |
| 38800 | 42 | 70486 | 50 | 71149 | 18 | 71363 | 21 | 71530 | 10 | 71663 | 51 |
| 38801 | 42 | 70490 | 50 | 71150 | 18 | 71364 | 21 | 71536 | 13 | 71664 | 51 |
| 48400 | 42 | 70491 | 50 | 71151 | 18 | 71365 | 21 | 71537 | 13 | 71665 | 51 |
| 52650 | 42 | 70492 | 50 | 71152 | 18 | 71366 | 21 | 71538 | 13 | 71666 | 51 |
| 66850 | 42 | 70493 | 50 | 71153 | 18 | 71367 | 21 | 71540 | 10 | 71667 | 51 |
| 70107 | 51 | 70494 | 50 | 71155 | 18 | 71368 | 21 | 71541 | 13 | 71668 | 51 |
| 70108 | 51 | 70507 | 14 | 71195 | 12 | 71369 | 21 | 71542 | 13 | 71669 | 51 |
| 70109 | 51 | 70508 | 14 | 71198 | 19 | 71370 | 52 | 71543 | 13 | 71670 | 51 |
| 70110 | 51 | 70509 | 14 | 71199 | 18 | 71371 | 52 | 71544 | 13 | 71671 | 51 |
| 70113 | 51 | 70510 | 14 | 71200 | 28 | 71372 | 52 | 71545 | 13 | 71674 | 51 |
| 70115 | 51 | 70515 | 14 | 71201 | 28 | 71373 | 21 | 71546 | 13 | 71675 | 51 |
| 70117 | 51 | 70520 | 14 | 71202 | 28 | 71374 | 52 | 71547 | 13 | 71678 | 51 |
| 70119 | 51 | 70525 | 14 | 71203 | 28 | 71375 | 52 | 71548 | 10 | 71680 | 51 |
| 70121 | 51 | 70527 | 14 | 71250 | 28 | 71376 | 52 | 71549 | 10 | 71681 | 51 |
| 70123 | 51 | 70530 | 14 | 71251 | 28 | 71377 | 52 | 71550 | 10 | 71690 | 16 |
| 70127 | 14 | 70533 | 14 | 71252 | 28 | 71378 | 52 | 71551 | 10 | 71692 | 16 |
| 70128 | 14 | 70534 | 14 | 71253 | 28 | 71379 | 52 | 71552 | 10 | 71698 | 54 |
| 70129 | 14 | 70535 | 14 | 71254 | 28 | 71380 | 52 | 71553 | 10 | 71701 | 22 |
| 70135 | 14 | 70536 | 14 | 71300 | 52 | 71381 | 52 | 71554 | 10 | 71702 | 22 |
| 70139 | 14 | 70537 | 14 | 71301 | 52 | 71382 | 52 | 71555 | 10 | 71703 | 22 |
| 70142 | 14 | 70538 | 14 | 71302 | 52 | 71383 | 52 | 71556 | 10 | 71704 | 22 |
| 70143 | 30 | 70539 | 14 | 71303 | 21 | 71384 | 52 | 71557 | 10 | 71705 | 22 |
| 70144 | 30 | 70540 | 14 | 71304 | 23 | 71385 | 52 | 71558 | 10 | 71706 | 22 |
| 70145 | 30 | 70545 | 14 | 71305 | 52 | 71386 | 52 | 71559 | 10 | 71707 | 22 |
| 70146 | 30 | 70550 | 14 | 71306 | 21 | 71387 | 21 | 71560 | 10 | 71708 | 22 |
| 70147 | 30 | 70556 | 14 | 71307 | 23 | 71388 | 52 | 71561 | 10 | 71711 | 22 |
| 70148 | 14 | 70557 | 14 | 71308 | 21 | 71390 | 52 | 71564 | 32 | 71712 | 22 |
| 70150 | 14 | 70558 | 14 | 71309 | 21 | 71392 | 55 | 71570 | 10 | 71713 | 22 |
| 70151 | 14 | 70559 | 14 | 71310 | 23 | 71393 | 55 | 71571 | 10 | 71714 | 22 |
| 70152 | 14 | 70560 | 14 | 71311 | 23 | 71394 | 55 | 71576 | 31 | 71715 | 22 |
| 70153 | 14 | 70561 | 14 | 71312 | 21 | 71396 | 21 | 71582 | 31 | 71716 | 22 |
| 70154 | 14 | 70562 | 14 | 71313 | 52 | 71397 | 21 | 71585 | 32 | 71717 | 22 |
| 70155 | 14 | 70563 | 14 | 71314 | 52 | 71398 | 55 | 71587 | 32 | 71718 | 22 |

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|-------|
| 71719 | 22 | 71943 | 23 | 72347 | 9 | 72590 | 12 | 73940 | 11 | 74221 | 28 |
| 71720 | 22 | 71944 | 23 | 72351 | 9 | 72593 | 41 | 73941 | 11 | 74231 | 28 |
| 71721 | 22 | 71945 | 23 | 72354 | 9 | 72595 | 12 | 73942 | 11 | 74232 | 28 |
| 71722 | 22 | 71946 | 23 | 72378 | 9 | 72596 | 24 | 73943 | 11 | 74233 | 28 |
| 71723 | 22 | 71949 | 29 | 72391 | 9 | 73302 | 21 | 73944 | 11 | 74236 | 28 |
| 71724 | 22 | 71950 | 29 | 72388 | 21 | 73303 | 21 | 73945 | 11 | 74237 | 28 |
| 71725 | 22 | 71951 | 29 | 72401 | 52 | 73304 | 21 | 73946 | 11 | 74238 | 28 |
| 71726 | 23 | 71952 | 29 | 72405 | 52 | 73305 | 21 | 74003 | 27 | 74241 | 31 |
| 71728 | 23 | 71953 | 29 | 72410 | 52 | 73306 | 21 | 74006 | 27 | 74242 | 31 |
| 71730 | 23 | 71954 | 29 | 72415 | 52 | 73307 | 21 | 74009 | 27 | 74261 | 28 |
| 71732 | 23 | 71955 | 23 | 72502 | 21 | 73308 | 21 | 74010 | 27 | 74262 | 28 |
| 71734 | 23 | 71956 | 23 | 72503 | 21 | 73309 | 21 | 74012 | 27 | 74263 | 28 |
| 71736 | 23 | 71957 | 29 | 72504 | 21 | 73310 | 13 | 74015 | 27 | 74301 | 23 |
| 71738 | 23 | 71958 | 29 | 72506 | 21 | 73311 | 13 | 74018 | 27 | 74303 | 20,27 |
| 71740 | 23 | 71959 | 29 | 72507 | 21 | 73312 | 13 | 74021 | 27 | 74304 | 20 |
| 71750 | 23 | 71960 | 23 | 72508 | 21 | 73314 | 13 | 74023 | 27 | 74305 | 23 |
| 71760 | 23 | 71963 | 30 | 72509 | 21 | 73315 | 13 | 74033 | 27 | 74306 | 20,27 |
| 71761 | 52 | 71964 | 30 | 72511 | 21 | 73316 | 13 | 74034 | 27 | 74307 | 23 |
| 71762 | 52 | 71965 | 30 | 72512 | 21 | 73317 | 13 | 74035 | 27 | 74308 | 20 |
| 71763 | 52 | 71966 | 30 | 72513 | 21 | 73318 | 13 | 74036 | 27 | 74310 | 20 |
| 71764 | 52 | 71970 | 23 | 72514 | 14 | 73319 | 13 | 74039 | 27 | 74311 | 22 |
| 71765 | 52 | 71971 | 23 | 72515 | 14 | 73501 | 8 | 74041 | 27 | 74312 | 22 |
| 71766 | 52 | 71972 | 23 | 72516 | 14 | 73502 | 8 | 74050 | 27 | 74313 | 22 |
| 71767 | 52 | 71973 | 23 | 72519 | 18 | 73507 | 8 | 74061 | 27 | 74314 | 22 |
| 71768 | 52 | 71974 | 23 | 72521 | 18 | 73508 | 8 | 74062 | 27 | 74315 | 22 |
| 71771 | 52 | 71975 | 23 | 72522 | 18 | 73509 | 8 | 74063 | 27 | 74316 | 22 |
| 71772 | 52 | 71976 | 23 | 72523 | 18 | 73510 | 8 | 74064 | 27 | 74317 | 22 |
| 71773 | 52 | 71977 | 23 | 72525 | 10 | 73511 | 8 | 74065 | 27 | 74318 | 22 |
| 71774 | 52 | 71978 | 23 | 72527 | 10 | 73522 | 8 | 74066 | 27 | 74319 | 23 |
| 71775 | 52 | 71979 | 23 | 72530 | 10 | 73523 | 8 | 74067 | 27 | 74325 | 22 |
| 71776 | 52 | 71980 | 23 | 72531 | 10 | 73525 | 8 | 74068 | 27 | 74330 | 22 |
| 71777 | 52 | 71981 | 23 | 72534 | 26 | 73526 | 8 | 74069 | 27 | 74332 | 22 |
| 71797 | 55 | 71982 | 23 | 72535 | 26 | 73531 | 8 | 74101 | 32 | 74333 | 22 |
| 71798 | 55 | 71983 | 23 | 72536 | 26 | 73532 | 8 | 74102 | 19 | 74334 | 22 |
| 71801 | 26 | 71984 | 23 | 72537 | 26 | 73533 | 8 | 74103 | 19 | 74335 | 22 |
| 71802 | 26 | 71985 | 23 | 72538 | 26 | 73534 | 8 | 74104 | 19 | 74336 | 22 |
| 71803 | 26 | 71987 | 40 | 72539 | 26 | 73535 | 8 | 74105 | 32 | 74337 | 22 |
| 71851 | 26 | 71988 | 38 | 72540 | 10 | 73546 | 8 | 74106 | 19 | 74340 | 22 |
| 71852 | 26 | 71989 | 55 | 72542 | 14 | 73547 | 8 | 74107 | 19 | 74343 | 22 |
| 71853 | 26 | 71990 | 38 | 72545 | 10 | 73901 | 28 | 74108 | 32 | 74344 | 22 |
| 71854 | 26 | 71991 | 38 | 72547 | 14 | 73902 | 28 | 74109 | 19 | 74345 | 22 |
| 71900 | 29 | 71992 | 38 | 72550 | 10 | 73903 | 28 | 74111 | 19 | 74346 | 22 |
| 71901 | 29 | 71994 | 38 | 72551 | 10 | 73905 | 27 | 74112 | 19 | 74348 | 22 |
| 71902 | 29 | 71995 | 24 | 72555 | 10 | 73906 | 27 | 74113 | 19 | 74349 | 22 |
| 71903 | 29 | 71996 | 55 | 72558 | 14 | 73907 | 27 | 74115 | 19 | 74350 | 22 |
| 71904 | 29 | 71998 | 24 | 72559 | 14 | 73908 | 27 | 74116 | 19 | 74351 | 22 |
| 71906 | 29 | 71999 | 55 | 72560 | 14 | 73909 | 27 | 74118 | 19 | 74352 | 22 |
| 71907 | 29 | 72001 | 53 | 72561 | 14 | 73910 | 27 | 74121 | 19 | 74353 | 22 |
| 71908 | 29 | 72002 | 53 | 72562 | 14 | 73912 | 19 | 74123 | 19 | 74354 | 22 |
| 71909 | 29 | 72003 | 53 | 72563 | 14 | 73913 | 19 | 74124 | 19 | 74355 | 22 |
| 71910 | 29 | 72004 | 53 | 72564 | 14 | 73914 | 19 | 74126 | 19 | 74356 | 22 |
| 71911 | 29 | 72005 | 53 | 72567 | 14 | 73915 | 19 | 74127 | 19 | 74357 | 22 |
| 71912 | 29 | 72006 | 53 | 72568 | 14 | 73916 | 19 | 74130 | 19 | 74360 | 22 |
| 71913 | 29 | 72014 | 53 | 72569 | 10 | 73920 | 22 | 74131 | 19 | 74361 | 22 |
| 71914 | 30 | 72031 | 27 | 72570 | 10 | 73921 | 22 | 74133 | 19 | 74362 | 22 |
| 71916 | 30 | 72038 | 53 | 72572 | 10 | 73922 | 22 | 74136 | 19 | 74363 | 22 |
| 71918 | 30 | 72039 | 27 | 72573 | 10 | 73923 | 22 | 74141 | 31 | 74364 | 22 |
| 71920 | 30 | 72040 | 53 | 72574 | 10 | 73924 | 22 | 74142 | 31 | 74365 | 22 |
| 71921 | 29 | 72047 | 27 | 72575 | 10 | 73925 | 22 | 74150 | 19 | 74366 | 22 |
| 71922 | 29 | 72049 | 27 | 72576 | 10 | 73926 | 22 | 74157 | 19 | 74369 | 23 |
| 71923 | 29 | 72050 | 27 | 72577 | 10 | 73928 | 22 | 74158 | 19 | 74371 | 23 |
| 71924 | 29 | 72051 | 27 | 72578 | 10 | 73929 | 22 | 74164 | 19 | 74373 | 23 |
| 71930 | 23 | 72090 | 53 | 72579 | 10 | 73930 | 22 | 74165 | 19 | 74375 | 23 |
| 71932 | 23 | 72102 | 19 | 72580 | 10 | 73931 | 22 | 74166 | 19 | 74379 | 23 |
| 71934 | 23 | 72103 | 19 | 72581 | 10 | 73932 | 22 | 74167 | 19 | 74380 | 22 |
| 71936 | 23 | 72104 | 19 | 72582 | 21 | 73933 | 22 | 74168 | 19 | 74381 | 22 |
| 71938 | 23 | 72110 | 52 | 72583 | 21 | 73934 | 22 | 74201 | 28 | 74382 | 22 |
| 71939 | 23 | 72115 | 52 | 72584 | 21 | 73936 | 11 | 74203 | 28 | 74383 | 22 |
| 71940 | 23 | 72304 | 9 | 72585 | 21 | 73937 | 11 | 74205 | 28 | 74384 | 22 |
| 71941 | 23 | 72328 | 9 | 72586 | 21 | 73938 | 11 | 74212 | 28 | 74385 | 22 |
| 71942 | 23 | 72343 | 9 | 72587 | 21 | 73939 | 11 | 74214 | 28 | 74386 | 22 |

58 Tools that work for you

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|-------------|----------|------|
| 74387 | 22 | 74568 | 14 | 74814 | 26 | 75366 | 45 | 75674 | 44 | 76003 | 25 |
| 74388 | 22 | 74569 | 11 | 74816 | 26 | 75368 | 45 | 75675 | 44 | 76004 | 25 |
| 74413 | 11 | 74570 | 14 | 74819 | 26 | 75370 | 45 | 75676 | 44 | 76005 | 25 |
| 74415 | 11 | 74571 | 11 | 74860 | 26 | 75372 | 45 | 75681 | 44 | 76006 | 25 |
| 74419 | 11 | 74572 | 14 | 74861 | 26 | 75395 | 47 | 75683 | 44 | 76007 | 25 |
| 74431 | 11 | 74573 | 11 | 74862 | 26 | 75602 | 44 | 75701 | 45 | 76008 | 15 |
| 74433 | 11 | 74574 | 14 | 74890 | 26 | 75603 | 44 | 75702 | 45 | 76009 | 15 |
| 74461 | 11 | 74575 | 11 | 74895 | 26 | 75604 | 44 | 75703 | 45 | 76010 | 15 |
| 74462 | 11 | 74576 | 14 | 74901 | 29 | 75605 | 44 | 75704 | 45 | 76011 | 28 |
| 74464 | 11 | 74577 | 11 | 74903 | 29 | 75606 | 44 | 75705 | 45 | 76012 | 28 |
| 74465 | 11 | 74579 | 11 | 74904 | 29 | 75607 | 44 | 75706 | 45 | 76013 | 28 |
| 74501 | 11 | 74580 | 11 | 74911 | 29 | 75608 | 44 | 75707 | 45 | 76014 | 25 |
| 74502 | 11 | 74581 | 11 | 74912 | 29 | 75609 | 44 | 75708 | 45 | 76015 | 15 |
| 74503 | 11 | 74582 | 11 | 74913 | 29 | 75610 | 44 | 75709 | 45 | 76016 | 25 |
| 74504 | 11 | 74583 | 11 | 74914 | 29 | 75611 | 44 | 75710 | 45 | 76017 | 25 |
| 74506 | 11 | 74584 | 11 | 74915 | 29 | 75612 | 44 | 75715 | 45 | 76018 | 25 |
| 74508 | 11 | 74585 | 11 | 74961 | 29 | 75613 | 44 | 75720 | 45 | 76019 | 25 |
| 74510 | 11 | 74586 | 11 | 74962 | 29 | 75614 | 44 | 75735 | 45 | 76020 | 15 |
| 74511 | 11 | 74587 | 11 | 74963 | 29 | 75615 | 44 | 75742 | 45 | 76021 | 25 |
| 74512 | 11 | 74588 | 11 | 74964 | 29 | 75616 | 44 | 75743 | 45 | 76022 | 30 |
| 74513 | 11 | 74589 | 11 | 74965 | 29 | 75617 | 44 | 75744 | 45 | 76023 | 30 |
| 74514 | 11 | 74590 | 11 | 74966 | 29 | 75618 | 44 | 75745 | 45 | 76024 | 30 |
| 74515 | 11 | 74591 | 11 | 74967 | 29 | 75619 | 44 | 75746 | 45 | 76025 | 15 |
| 74516 | 11 | 74601 | 16 | 74968 | 29 | 75620 | 44 | 75747 | 45 | 76027 | 15 |
| 74517 | 11 | 74602 | 16 | 74981 | 13 | 75621 | 44 | 75748 | 45 | 76030 | 15 |
| 74518 | 11 | 74603 | 16 | 74982 | 16 | 75622 | 44 | 75800 | 45 | 76031 | 29 |
| 74519 | 11 | 74604 | 16 | 74983 | 41 | 75623 | 44 | 75801 | 45 | 76032 | 29 |
| 74520 | 17 | 74608 | 16 | 74985 | 12 | 75624 | 44 | 75802 | 46 | 76033 | 29 |
| 74521 | 11 | 74611 | 16 | 74986 | 24 | 75626 | 44 | 75803 | 46 | 76034 | 29 |
| 74522 | 17 | 74612 | 16 | 74987 | 15 | 75627 | 44 | 75805 | 49 | 76035 | 27 |
| 74523 | 11 | 74613 | 16 | 74988 | 41 | 75628 | 44 | 75806 | 46 | 76036 | 27 |
| 74524 | 17 | 74614 | 16 | 74990 | 50 | 75629 | 44 | 75810 | 45 | 76037 | 27 |
| 74525 | 11 | 74616 | 16 | 74992 | 40 | 75630 | 44 | 75811 | 45 | 76038 | 27 |
| 74526 | 17 | 74617 | 16 | 74996 | 40 | 75631 | 44 | 75812 | 45 | 76039 | 27 |
| 74527 | 11 | 74620 | 16 | 74999 | 25 | 75632 | 44 | 75813 | 45 | 76040 | 15 |
| 74528 | 17 | 74624 | 16 | 75008 | 45 | 75633 | 44 | 75814 | 45 | 76041 | 20 |
| 74529 | 11 | 74628 | 16 | 75012 | 45 | 75634 | 44 | 75815 | 45 | 76042 | 20 |
| 74530 | 11 | 74632 | 16 | 75015 | 45 | 75635 | 44 | 75816 | 45 | 76043 | 20 |
| 74531 | 11 | 74636 | 16 | 75018 | 45 | 75636 | 44 | 75817 | 45 | 76044 | 20 |
| 74532 | 17 | 74659 | 16 | 75020 | 45 | 75637 | 44 | 75820 | 45 | 76045 | 25 |
| 74533 | 11 | 74660 | 16 | 75025 | 45 | 75638 | 44 | 75821 | 45 | 76046 | 25 |
| 74534 | 17 | 74661 | 16 | 75030 | 45 | 75639 | 44 | 75822 | 45 | 76047 | 25 |
| 74535 | 11 | 74662 | 16 | 75035 | 45 | 75641 | 44 | 75823 | 45 | 76048 | 25 |
| 74536 | 11 | 74663 | 16 | 75040 | 45 | 75644 | 44 | 75824 | 45 | 76049 | 25 |
| 74537 | 17 | 74664 | 16 | 75093 | 49 | 75645 | 44 | 75825 | 45 | 76050 | 25 |
| 74538 | 11 | 74665 | 16 | 75094 | 49 | 75646 | 44 | 75826 | 45 | 76051 | 25 |
| 74539 | 17 | 74666 | 16 | 75095 | 49 | 75647 | 44 | 75827 | 45 | 76052 | 25 |
| 74540 | 11 | 74667 | 16 | 75096 | 49 | 75648 | 44 | 75900 | 46 | 76053 | 25 |
| 74541 | 17 | 74668 | 16 | 75097 | 49 | 75649 | 44 | 75901 | 46 | 76054 | 25 |
| 74542 | 11 | 74669 | 16 | 75105 | 45 | 75650 | 44 | 75902 | 46 | 76056 | 25 |
| 74543 | 17 | 74670 | 16 | 75110 | 45 | 75651 | 44 | 75965 | 48 | 76057 | 25 |
| 74544 | 11 | 74711 | 13 | 75115 | 45 | 75652 | 44 | 75968 | 48 | 76058 | 25 |
| 74545 | 17 | 74714 | 13 | 75120 | 45 | 75653 | 44 | 75971 | 48 | 76079 | 33 |
| 74546 | 11 | 74717 | 13 | 75125 | 45 | 75654 | 44 | 75977 | 48 | 76084 | 33 |
| 74547 | 17 | 74721 | 13 | 75307 | 45 | 75655 | 44 | 75980 | 48 | 76085 | 33 |
| 74548 | 11 | 74724 | 13 | 75309 | 45 | 75656 | 44 | 75981 | 49 | 76086 | 33 |
| 74549 | 17 | 74728 | 13 | 75313 | 45 | 75657 | 44 | 75982 | 46 | 76087 | 33 |
| 74550 | 17 | 74732 | 13 | 75315 | 45 | 75658 | 44 | 75983 | 49 | 76088 | 29 |
| 74551 | 11 | 74736 | 13 | 75320 | 45 | 75659 | 44 | 75984 | 46 | 76089 | 30 |
| 74552 | 17 | 74739 | 13 | 75322 | 45 | 75660 | 44 | 75985 | 49 | 76090 | 25 |
| 74553 | 11 | 74742 | 13 | 75325 | 45 | 75661 | 44 | 75986 | 46 | 76091 | 28 |
| 74554 | 17 | 74760 | 13 | 75330 | 45 | 75662 | 44 | 75987 | 46 | 76092 | 15 |
| 74555 | 17 | 74761 | 13 | 75332 | 45 | 75663 | 44 | 75988 | 46 | 76093 | 27 |
| 74556 | 11 | 74762 | 13 | 75340 | 45 | 75664 | 44 | 75991 | 47 | 76094 | 20 |
| 74557 | 17 | 74763 | 13 | 75342 | 45 | 75665 | 44 | 75992 | 47 | 76095 | 25 |
| 74558 | 11 | 74764 | 13 | 75350 | 45 | 75666 | 44 | 75993 | 48 | 76096 | 25 |
| 74559 | 11 | 74765 | 13 | 75352 | 45 | 75667 | 44 | 75994 | 47 | 76098 | 33 |
| 74561 | 11 | 74766 | 13 | 75354 | 45 | 75668 | 44 | 75995 | 47 | 76099 | 33 |
| 74563 | 11 | 74767 | 13 | 75356 | 45 | 75669 | 44 | 75996 | 47 | 76106 | 51 |
| 74564 | 17 | 74768 | 13 | 75358 | 45 | 75670 | 44 | 75999 | 47 | 76107 | 51 |
| 74565 | 11 | 74811 | 26 | 75360 | 45 | 75671 | 44 | 76000 | 15,20,25,33 | 76109 | 51 |
| 74566 | 14 | 74812 | 26 | 75362 | 45 | 75672 | 44 | 76001 | 25 | 76111 | 51 |
| 74567 | 11 | 74813 | 26 | 75364 | 45 | 75673 | 44 | 76002 | 25 | 76113 | 51 |

| Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page | Item No. | Page |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| 76117 | 51 | 76508 | 4 | 76614 | 7 | 76861 | 9 | 77195 | 53 | 91095 | 55 |
| 76119 | 51 | 76510 | 4 | 76615 | 7 | 76863 | 6 | 77198 | 53 | 91109 | 49 |
| 76121 | 51 | 76511 | 4 | 76616 | 7 | 76864 | 6 | 77701 | 10 | 91110 | 55 |
| 76123 | 51 | 76512 | 4 | 76641 | 7 | 76865 | 6 | 77702 | 10 | 91112 | 55 |
| 76129 | 51 | 76513 | 4 | 76642 | 7 | 76866 | 6 | 77703 | 10 | 91114 | 55 |
| 76131 | 51 | 76514 | 4 | 76643 | 7 | 76870 | 6 | 77704 | 10 | 97780 | 36 |
| 76132 | 52 | 76516 | 4 | 76645 | 7 | 76871 | 6 | 77705 | 10 | 97781 | 36 |
| 76133 | 52 | 76517 | 4 | 76650 | 7 | 76872 | 6 | 77707 | 18 | 97782 | 36 |
| 76134 | 52 | 76523 | 5 | 76651 | 7 | 76873 | 6 | 77708 | 18 | 97790 | 36 |
| 76135 | 52 | 76524 | 5 | 76652 | 7 | 76874 | 6 | 77710 | 28 | 97791 | 36 |
| 76136 | 52 | 76525 | 5 | 76653 | 7 | 76875 | 6 | 77712 | 26 | 97792 | 36 |
| 76137 | 52 | 76526 | 5 | 76654 | 7 | 76876 | 5 | 77713 | 26 | | |
| 76138 | 52 | 76530 | 5 | 76655 | 7 | 76877 | 5 | 77715 | 26 | | |
| 76164 | 52 | 76531 | 5 | 76656 | 7 | 76878 | 6 | 77716 | 26 | | |
| 76165 | 52 | 76532 | 5 | 76647 | 7 | 76879 | 6 | 77717 | 26 | | |
| 76166 | 52 | 76533 | 5 | 76648 | 7 | 76880 | 6 | 77719 | 21 | | |
| 76167 | 52 | 76534 | 5 | 76649 | 7 | 76881 | 5 | 77720 | 21 | | |
| 76168 | 52 | 76535 | 5 | 76663 | 7 | 76890 | 5 | 77721 | 21 | | |
| 76169 | 52 | 76538 | 4 | 76664 | 7 | 76891 | 5 | 77723 | 21 | | |
| 76170 | 52 | 76539 | 4 | 76665 | 7 | 76892 | 6 | 77724 | 21 | | |
| 76171 | 52 | 76540 | 4 | 76666 | 7 | 76893 | 5 | 77725 | 21 | | |
| 76172 | 52 | 76543 | 6 | 76670 | 7 | 76894 | 6 | 77726 | 21 | | |
| 76194 | 54 | 76544 | 6 | 76671 | 7 | 76895 | 5 | 77740 | 35 | | |
| 76312 | 51 | 76545 | 6 | 76672 | 7 | 76896 | 6 | 77741 | 35 | | |
| 76314 | 51 | 76548 | 6 | 76673 | 7 | 76897 | 5 | 77780 | 35 | | |
| 76316 | 51 | 76549 | 6 | 76674 | 7 | 76899 | 5 | 77781 | 35 | | |
| 76318 | 51 | 76550 | 6 | 76675 | 7 | 77101 | 53 | 77782 | 35 | | |
| 76322 | 51 | 76553 | 6 | 76801 | 4 | 77103 | 53 | 77783 | 37 | | |
| 76324 | 51 | 76554 | 6 | 76802 | 4 | 77105 | 53 | 77786 | 37 | | |
| 76326 | 51 | 76555 | 6 | 76803 | 4 | 77107 | 53 | 77789 | 37 | | |
| 76328 | 51 | 76556 | 6 | 76806 | 4 | 77109 | 53 | 77790 | 35 | | |
| 76330 | 51 | 76557 | 6 | 76807 | 4 | 77111 | 53 | 77791 | 35 | | |
| 76331 | 51 | 76558 | 6 | 76808 | 4 | 77113 | 53 | 77792 | 35 | | |
| 76332 | 51 | 76559 | 6 | 76810 | 4 | 77115 | 53 | 77793 | 37 | | |
| 76333 | 51 | 76563 | 6 | 76811 | 4 | 77117 | 53 | 77795 | 37 | | |
| 76334 | 51 | 76564 | 6 | 76812 | 4 | 77128 | 53 | 78002 | 30 | | |
| 76335 | 51 | 76565 | 6 | 76813 | 4 | 77130 | 53 | 78005 | 30 | | |
| 76336 | 51 | 76566 | 6 | 76814 | 4 | 77132 | 53 | 78008 | 30 | | |
| 76337 | 51 | 76570 | 6 | 76816 | 4 | 77134 | 53 | 78011 | 30 | | |
| 76338 | 51 | 76571 | 6 | 76817 | 4 | 77136 | 53 | 78015 | 30 | | |
| 76339 | 51 | 76572 | 6 | 76823 | 5 | 77138 | 53 | 78018 | 30 | | |
| 76340 | 51 | 76573 | 6 | 76824 | 5 | 77139 | 53 | 78615 | 30 | | |
| 76341 | 51 | 76574 | 6 | 76825 | 5 | 77140 | 53 | 78617 | 30 | | |
| 76342 | 51 | 76575 | 6 | 76826 | 5 | 77141 | 53 | 78619 | 30 | | |
| 76346 | 51 | 76578 | 6 | 76830 | 5 | 77142 | 53 | 78621 | 30 | | |
| 76348 | 51 | 76579 | 6 | 76831 | 5 | 77144 | 53 | 78622 | 30 | | |
| 76352 | 51 | 76580 | 6 | 76832 | 5 | 77146 | 53 | 78624 | 30 | | |
| 76354 | 51 | 76581 | 8 | 76833 | 5 | 77148 | 53 | 79242 | 12 | | |
| 76395 | 54 | 76582 | 8 | 76834 | 5 | 77151 | 53 | 79243 | 39 | | |
| 76396 | 54 | 76583 | 8 | 76835 | 5 | 77152 | 53 | 79245 | 12 | | |
| 76397 | 54 | 76584 | 8 | 76838 | 4 | 77153 | 53 | 79246 | 24 | | |
| 76399 | 54 | 76585 | 8 | 76839 | 4 | 77154 | 53 | 79247 | 15 | | |
| 76403 | 51 | 76586 | 8 | 76840 | 4 | 77156 | 53 | 79248 | 39 | | |
| 76404 | 51 | 76587 | 8 | 76841 | 9 | 77158 | 53 | 79256 | 24 | | |
| 76405 | 51 | 76588 | 8 | 76842 | 9 | 77160 | 53 | 79266 | 24 | | |
| 76406 | 51 | 76589 | 8 | 76843 | 6 | 77162 | 53 | 79276 | 25 | | |
| 76407 | 51 | 76590 | 8 | 76844 | 6 | 77164 | 53 | 79283 | 13 | | |
| 76411 | 51 | 76591 | 8 | 76845 | 6 | 77165 | 53 | 79443 | 39 | | |
| 76412 | 51 | 76592 | 8 | 76846 | 9 | 77167 | 53 | 79445 | 12 | | |
| 76413 | 51 | 76593 | 8 | 76847 | 9 | 77169 | 53 | 79446 | 24 | | |
| 76414 | 51 | 76594 | 8 | 76848 | 6 | 77171 | 53 | 79447 | 15 | | |
| 76417 | 51 | 76595 | 8 | 76849 | 6 | 77173 | 53 | 79450 | 17 | | |
| 76418 | 51 | 76596 | 8 | 76850 | 6 | 77175 | 53 | 79490 | 39 | | |
| 76419 | 51 | 76597 | 8 | 76851 | 9 | 77177 | 53 | 79491 | 39 | | |
| 76422 | 51 | 76598 | 8 | 76852 | 9 | 77179 | 53 | 79493 | 39 | | |
| 76423 | 51 | 76601 | 7 | 76853 | 6 | 77180 | 53 | 79495 | 39 | | |
| 76424 | 51 | 76602 | 7 | 76854 | 6 | 77182 | 53 | 79499 | 39 | | |
| 76490 | 54 | 76603 | 7 | 76855 | 6 | 77184 | 53 | | | | |
| 76501 | 4 | 76605 | 7 | 76856 | 6 | 77186 | 53 | | | | |
| 76502 | 4 | 76610 | 7 | 76857 | 6 | 77188 | 53 | | | | |
| 76503 | 4 | 76611 | 7 | 76858 | 6 | 77191 | 53 | | | | |
| 76506 | 4 | 76612 | 7 | 76859 | 6 | 77192 | 53 | | | | |
| 76507 | 4 | 76613 | 7 | 76860 | 9 | 77193 | 53 | | | | |

 **Prop65 WARNING:** This product can expose you to chemicals including Diisononyl Phthalate, Vinyl Chloride, Ethylene Glycol, Nickel or Hexavalent Chromium Six, which is known to the State of California to cause cancer or reproductive harm. For more information, go to www.P65Warnings.ca.gov.



PROFESSIONAL QUALITY BITS



(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com


Catalog Item No. 99951.wo
version - 9/15/19

**Subject to change
without notice**

©2019 Willi Hahn Corporation

®Torx is a registered trademark of
Acument Intellectual Properties LLC.

| | | | |
|---|--|---|---|
|  | <p>Wiha Quality Tools 1348 Dundas Circle Monticello, MN 55362 tel: 763.295.6591 fax: 763.295.6598</p> | <p>Wiha Tools Canada Ltd. www.wihatools.ca Brampton, ONT L6T 4X4 tel: 866.494.0096 or 763.295.6591 fax: 763.295.6598</p> | <p>Like Us On </p> |
| <p>To:</p> | | | |



99977.wo - Pliers/Crimpers Catalog



99914.wo - TORX Catalog



99001.wo - TorqueControl Catalog



99004.wo - Shop Tools Catalog



99919.wo - Insulated Catalog



99002.wo - Screwdrivers Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog