

PART NUMBER
(THE P/N DOES
NOT INCLUDING
PACKAGING TYPE)

POSITION #1
INDICATOR

DATE
CODE

AMPHENOL PART NUMBER CONFIGURATION

SFP RECEPTACLE

U75 = NON-RoHS

UE75 = RoHS COMPLIANT

CONTACT PLATING

(FOR U75 NON-RoHS)

1 = PLATING OPTION 1 (SEE MATERIAL NOTES)

4 = PLATING OPTION 4 (SEE MATERIAL NOTES)

(FOR UE75 RoHS)

2 = PLATING OPTION 2 (SEE MATERIAL NOTES)

3 = PLATING OPTION 3 (SEE MATERIAL NOTES)

5 = PLATING OPTION 5 (SEE MATERIAL NOTES)

6 = PLATING OPTION 6 (SEE MATERIAL NOTES)

LUBRICANT OPTION

ON MATING AREA

0 = NO

1 = YES

PACKAGING:
TAPE AND REEL.

TEMPERATURE RANGE:
-40°C TO +85°C

DRAWN	J.SI	DATE	2005/03/08
DESIGNED	J.SI	DATE	2005/03/08
CHECKED	X		
I. E. APPRD.			
Q. A. APPRD.			
DWG. APPRD.			
ENG. REL. NO.			
REF.	X		
DIMENSIONS ARE IN	INCHES	CODE ID. NO.	03554

Amphenol Canada Corp.			
TITLE	SFP 20 POSITION HIGH SPEED CONNECTOR RECEPTACLE FIXED BOARD, RIGHT ANGLE SMT OPTIONAL PLATING AND LUBRICANT ON MATING		
DWG	DRAWING NO.	REV.	
A	P-UX75-A20-X00XX	K	
SCALE	4/1	WT.	
SURF.		SHEET	1 OF 3



THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION
MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING
PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

