

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0877159901](#)
Status: **Active**
Overview:
Description: 1.00mm (.039") Edgecard Connector, Vertical, Nylon 4/6 Glass-filled, Black Housing, Phosphor Bronze, 0.38µm (15µ") Gold (Au) Plating, with Plastic Pegs, 2.54mm (.100") Solder tail, PCB Thickness 1.58mm (.062"), 26 Circuits, Lead Free

Agency Certification

CSA	LR19980
UL	E29179

General

Product Family	Edge Card Connectors
Series	87715
Comments	Not a PCI standard part
Component Type	Edgecard to PCB
Overview	edge_card_connectors
Product Name	Edge Card

Physical

Circuits (Loaded)	26
Circuits (maximum)	26
Circuits Detail	All Signal
Durability (mating cycles max)	50
Entry Angle	Vertical (Top Entry)
Flammability	94V-0
Keying to Mating Part	None
Material - Plating Mating	Gold
Material - Plating Termination	Tin
PC Tail Length (in)	1.000 In
PC Tail Length (mm)	2.54 mm
PCB Locator	Yes
PCB Retention	Yes
PCB Thickness Recommended (in)	0.062 In
PCB Thickness Recommended (mm)	1.58 mm
Packaging Type	Tray
Panel Mount	N/A
Pitch - Mating Interface (in)	0.039 In
Pitch - Mating Interface (mm)	1.00 mm
Pitch - Term. Interface (in)	0.039 In
Pitch - Term. Interface (mm)	1.00 mm
Polarized to Mating Part	Yes
Temperature Range - Operating	-55°C to +85°C
Termination Interface: Style	Through Hole

Electrical

Current - Maximum per Contact	1.1A
Voltage - Maximum	50V AC (RMS)/DC

Material Info

Reference - Drawing Numbers

Packaging Specification	PK-87715-201
Product Specification	PS-87715-200
Sales Drawing	SD-87715-209
Test Summary	TS-87715-209

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Contains SVHC: No
Halogen-Free
Status
Not Halogen-Free

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)


Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
 87715Series





Mates With
 PCI Express Card

This document was generated on 06/04/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION







MOLEX P/N	CONTACT PLATING	DIM 'B'	P.C.B THICKNESS
87715-9900	GOLD 15	3.00	2.36
87715-9901	MICROINCH	2.54	1.58
87715-9922	GOLD 30	2.54	1.58
87715-9923	MICROINCH	3.00	2.36



SECTION A-A

NOTES:

- MATERIALS:
HOUSING: NYLON 46, GLASS FIBER FILLED UL94V-0
COLOR:BLACK
TERMINAL: PHOSPHOR BRONZE
- PLATING:
TERMINAL :
CONTACT AREA: SEE TABLE
SOLDER TAIL: TIN, THICKNESS = 100 MICROINCH MIN.
UNDER PLATING: NICKEL OVERALL
- WEEK CODE: XX(YEAR), XX(WEEK), X(LOCATION)
- PRODUCT SPECIFICATION REFER TO PS-87715-200
- PACKAGE SPECIFICATION REFER TO PK-87715-201
- TEST SUMMARY: REFER TO TS-87715-209
- CHAMFER EDGES MUST BE FREE OF CUTTING BURRS.
- LEAD FREE AND ROHS COMPLIANCE PRODUCT.



RECOMMENDED PCB LAYOUT

NEW RELEASED	2006/04/18	DESCRIPTION
EC NO: SH2006-0194	2006/04/18	
DRWN:ALL IN	2006/04/18	
CHKD:		
APPR:WWSCHANG	2006/04/18	
REV		

QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm	INCH
▽=0	4 PLACES ± ---	± ---
◻=0	3 PLACES ± ---	± ---
	2 PLACES ± 0.25	± ---
	1 PLACE ± 0.25	± ---
	ANGULAR ± 3 °	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
MM/IN			METRIC	
DRAWN BY	DATE	TITLE		
TOM	2005/03/15			
CHECKED BY	DATE			
ALL IN	2005/03/15			
APPROVED BY	DATE			
WWSCHANG	2005/03/15			
MATERIAL NO.	DOCUMENT NO.			
SEE TABLE	SD-87715-209			
SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
A/4				

TITLE		SHEET NO.	
1.00MM PITCH EDGE CARD 26 PIN VERT CONNECTOR (LEAD FREE VERSION)		1 OF 1	
MOLEX INCORPORATED			